

**DWT6 10'-10000 COMPARTMENT**  
**10,257 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	3	6 1/8	164	12 1/8	465	18 1/8	866	24 1/8	1,348
1/4	4	6 1/4	169	12 1/4	473	18 1/4	876	24 1/4	1,358
3/8	5	6 3/8	174	12 3/8	480	18 3/8	885	24 3/8	1,369
1/2	7	6 1/2	180	12 1/2	488	18 1/2	894	24 1/2	1,380
5/8	8	6 5/8	185	12 5/8	495	18 5/8	904	24 5/8	1,391
3/4	10	6 3/4	190	12 3/4	503	18 3/4	913	24 3/4	1,402
7/8	12	6 7/8	195	12 7/8	510	18 7/8	923	24 7/8	1,412
1	14	7	201	13	518	19	932	25	1,423
1 1/8	16	7 1/8	206	13 1/8	526	19 1/8	942	25 1/8	1,434
1 1/4	18	7 1/4	212	13 1/4	534	19 1/4	951	25 1/4	1,445
1 3/8	20	7 3/8	217	13 3/8	541	19 3/8	961	25 3/8	1,456
1 1/2	23	7 1/2	223	13 1/2	549	19 1/2	970	25 1/2	1,467
1 5/8	25	7 5/8	229	13 5/8	557	19 5/8	980	25 5/8	1,478
1 3/4	28	7 3/4	234	13 3/4	565	19 3/4	990	25 3/4	1,489
1 7/8	30	7 7/8	240	13 7/8	573	19 7/8	999	25 7/8	1,501
2	33	8	246	14	581	20	1,009	26	1,512
2 1/8	36	8 1/8	252	14 1/8	589	20 1/8	1,019	26 1/8	1,523
2 1/4	39	8 1/4	258	14 1/4	597	20 1/4	1,029	26 1/4	1,534
2 3/8	42	8 3/8	264	14 3/8	605	20 3/8	1,038	26 3/8	1,545
2 1/2	45	8 1/2	270	14 1/2	613	20 1/2	1,048	26 1/2	1,557
2 5/8	48	8 5/8	276	14 5/8	622	20 5/8	1,058	26 5/8	1,568
2 3/4	51	8 3/4	282	14 3/4	630	20 3/4	1,068	26 3/4	1,579
2 7/8	54	8 7/8	288	14 7/8	638	20 7/8	1,078	26 7/8	1,590
3	58	9	294	15	646	21	1,088	27	1,602
3 1/8	61	9 1/8	301	15 1/8	655	21 1/8	1,098	27 1/8	1,613
3 1/4	65	9 1/4	307	15 1/4	663	21 1/4	1,108	27 1/4	1,625
3 3/8	68	9 3/8	313	15 3/8	672	21 3/8	1,118	27 3/8	1,636
3 1/2	72	9 1/2	320	15 1/2	680	21 1/2	1,128	27 1/2	1,647
3 5/8	76	9 5/8	326	15 5/8	689	21 5/8	1,138	27 5/8	1,659
3 3/4	80	9 3/4	333	15 3/4	697	21 3/4	1,149	27 3/4	1,670
3 7/8	83	9 7/8	339	15 7/8	706	21 7/8	1,159	27 7/8	1,682
4	87	10	346	16	714	22	1,169	28	1,693
4 1/8	91	10 1/8	353	16 1/8	723	22 1/8	1,179	28 1/8	1,705
4 1/4	95	10 1/4	359	16 1/4	732	22 1/4	1,190	28 1/4	1,717
4 3/8	100	10 3/8	366	16 3/8	740	22 3/8	1,200	28 3/8	1,728
4 1/2	104	10 1/2	373	16 1/2	749	22 1/2	1,210	28 1/2	1,740
4 5/8	108	10 5/8	380	16 5/8	758	22 5/8	1,221	28 5/8	1,751
4 3/4	112	10 3/4	387	16 3/4	767	22 3/4	1,231	28 3/4	1,763
4 7/8	117	10 7/8	393	16 7/8	776	22 7/8	1,242	28 7/8	1,775
5	121	11	400	17	785	23	1,252	29	1,787
5 1/8	126	11 1/8	407	17 1/8	794	23 1/8	1,262	29 1/8	1,798
5 1/4	130	11 1/4	415	17 1/4	803	23 1/4	1,273	29 1/4	1,810
5 3/8	135	11 3/8	422	17 3/8	812	23 3/8	1,284	29 3/8	1,822
5 1/2	140	11 1/2	429	17 1/2	821	23 1/2	1,294	29 1/2	1,834
5 5/8	145	11 5/8	436	17 5/8	830	23 5/8	1,305	29 5/8	1,846
5 3/4	149	11 3/4	443	17 3/4	839	23 3/4	1,315	29 3/4	1,857
5 7/8	154	11 7/8	451	17 7/8	848	23 7/8	1,326	29 7/8	1,869
6	159	12	458	18	857	24	1,337	30	1,881

**DWT6 10'-10000 COMPARTMENT**  
**10,257 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	1,893	36 1/8	2,491	42 1/8	3,129	48 1/8	3,797	54 1/8	4,483
30 1/4	1,905	36 1/4	2,504	42 1/4	3,143	48 1/4	3,811	54 1/4	4,498
30 3/8	1,917	36 3/8	2,517	42 3/8	3,156	48 3/8	3,825	54 3/8	4,512
30 1/2	1,929	36 1/2	2,530	42 1/2	3,170	48 1/2	3,839	54 1/2	4,527
30 5/8	1,941	36 5/8	2,543	42 5/8	3,184	48 5/8	3,853	54 5/8	4,541
30 3/4	1,953	36 3/4	2,556	42 3/4	3,197	48 3/4	3,867	54 3/4	4,556
30 7/8	1,965	36 7/8	2,569	42 7/8	3,211	48 7/8	3,882	54 7/8	4,570
31	1,977	37	2,582	43	3,225	49	3,896	55	4,585
31 1/8	1,990	37 1/8	2,595	43 1/8	3,238	49 1/8	3,910	55 1/8	4,599
31 1/4	2,002	37 1/4	2,608	43 1/4	3,252	49 1/4	3,924	55 1/4	4,613
31 3/8	2,014	37 3/8	2,621	43 3/8	3,266	49 3/8	3,938	55 3/8	4,628
31 1/2	2,026	37 1/2	2,634	43 1/2	3,280	49 1/2	3,953	55 1/2	4,642
31 5/8	2,038	37 5/8	2,647	43 5/8	3,293	49 5/8	3,967	55 5/8	4,657
31 3/4	2,050	37 3/4	2,660	43 3/4	3,307	49 3/4	3,981	55 3/4	4,671
31 7/8	2,063	37 7/8	2,673	43 7/8	3,321	49 7/8	3,995	55 7/8	4,686
32	2,075	38	2,686	44	3,335	50	4,010	56	4,700
32 1/8	2,087	38 1/8	2,700	44 1/8	3,349	50 1/8	4,024	56 1/8	4,715
32 1/4	2,100	38 1/4	2,713	44 1/4	3,363	50 1/4	4,038	56 1/4	4,729
32 3/8	2,112	38 3/8	2,726	44 3/8	3,376	50 3/8	4,052	56 3/8	4,744
32 1/2	2,124	38 1/2	2,739	44 1/2	3,390	50 1/2	4,067	56 1/2	4,758
32 5/8	2,137	38 5/8	2,752	44 5/8	3,404	50 5/8	4,081	56 5/8	4,773
32 3/4	2,149	38 3/4	2,766	44 3/4	3,418	50 3/4	4,095	56 3/4	4,787
32 7/8	2,161	38 7/8	2,779	44 7/8	3,432	50 7/8	4,110	56 7/8	4,802
33	2,174	39	2,792	45	3,446	51	4,124	57	4,816
33 1/8	2,186	39 1/8	2,806	45 1/8	3,460	51 1/8	4,138	57 1/8	4,831
33 1/4	2,199	39 1/4	2,819	45 1/4	3,474	51 1/4	4,152	57 1/4	4,845
33 3/8	2,211	39 3/8	2,832	45 3/8	3,488	51 3/8	4,167	57 3/8	4,860
33 1/2	2,224	39 1/2	2,846	45 1/2	3,501	51 1/2	4,181	57 1/2	4,874
33 5/8	2,236	39 5/8	2,859	45 5/8	3,515	51 5/8	4,195	57 5/8	4,889
33 3/4	2,249	39 3/4	2,872	45 3/4	3,529	51 3/4	4,210	57 3/4	4,903
33 7/8	2,261	39 7/8	2,886	45 7/8	3,543	51 7/8	4,224	57 7/8	4,918
34	2,274	40	2,899	46	3,557	52	4,239	58	4,933
34 1/8	2,287	40 1/8	2,912	46 1/8	3,571	52 1/8	4,253	58 1/8	4,947
34 1/4	2,299	40 1/4	2,926	46 1/4	3,585	52 1/4	4,267	58 1/4	4,962
34 3/8	2,312	40 3/8	2,939	46 3/8	3,599	52 3/8	4,282	58 3/8	4,976
34 1/2	2,325	40 1/2	2,953	46 1/2	3,613	52 1/2	4,296	58 1/2	4,991
34 5/8	2,337	40 5/8	2,966	46 5/8	3,627	52 5/8	4,310	58 5/8	5,005
34 3/4	2,350	40 3/4	2,980	46 3/4	3,641	52 3/4	4,325	58 3/4	5,020
34 7/8	2,363	40 7/8	2,993	46 7/8	3,655	52 7/8	4,339	58 7/8	5,034
35	2,375	41	3,007	47	3,670	53	4,354	59	5,049
35 1/8	2,388	41 1/8	3,020	47 1/8	3,684	53 1/8	4,368	59 1/8	5,063
35 1/4	2,401	41 1/4	3,034	47 1/4	3,698	53 1/4	4,382	59 1/4	5,078
35 3/8	2,414	41 3/8	3,047	47 3/8	3,712	53 3/8	4,397	59 3/8	5,092
35 1/2	2,427	41 1/2	3,061	47 1/2	3,726	53 1/2	4,411	59 1/2	5,107
35 5/8	2,439	41 5/8	3,074	47 5/8	3,740	53 5/8	4,426	59 5/8	5,121
35 3/4	2,452	41 3/4	3,088	47 3/4	3,754	53 3/4	4,440	59 3/4	5,136
35 7/8	2,465	41 7/8	3,102	47 7/8	3,768	53 7/8	4,455	59 7/8	5,150
36	2,478	42	3,115	48	3,782	54	4,469	60	5,165

**DWT6 10'-10000 COMPARTMENT**  
**10,257 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	5,179	66 1/8	5,875	72 1/8	6,560	78 1/8	7,223	84 1/8	7,856
60 1/4	5,194	66 1/4	5,889	72 1/4	6,574	78 1/4	7,237	84 1/4	7,869
60 3/8	5,209	66 3/8	5,904	72 3/8	6,588	78 3/8	7,251	84 3/8	7,882
60 1/2	5,223	66 1/2	5,918	72 1/2	6,602	78 1/2	7,264	84 1/2	7,895
60 5/8	5,238	66 5/8	5,932	72 5/8	6,616	78 5/8	7,278	84 5/8	7,907
60 3/4	5,252	66 3/4	5,947	72 3/4	6,630	78 3/4	7,291	84 3/4	7,920
60 7/8	5,267	66 7/8	5,961	72 7/8	6,644	78 7/8	7,305	84 7/8	7,933
61	5,281	67	5,976	73	6,658	79	7,318	85	7,945
61 1/8	5,296	67 1/8	5,990	73 1/8	6,672	79 1/8	7,331	85 1/8	7,958
61 1/4	5,310	67 1/4	6,004	73 1/4	6,686	79 1/4	7,345	85 1/4	7,971
61 3/8	5,325	67 3/8	6,019	73 3/8	6,700	79 3/8	7,358	85 3/8	7,983
61 1/2	5,339	67 1/2	6,033	73 1/2	6,714	79 1/2	7,372	85 1/2	7,996
61 5/8	5,354	67 5/8	6,047	73 5/8	6,728	79 5/8	7,385	85 5/8	8,008
61 3/4	5,368	67 3/4	6,062	73 3/4	6,742	79 3/4	7,398	85 3/4	8,021
61 7/8	5,383	67 7/8	6,076	73 7/8	6,756	79 7/8	7,412	85 7/8	8,033
62	5,397	68	6,090	74	6,770	80	7,425	86	8,046
62 1/8	5,412	68 1/8	6,105	74 1/8	6,784	80 1/8	7,438	86 1/8	8,058
62 1/4	5,426	68 1/4	6,119	74 1/4	6,798	80 1/4	7,452	86 1/4	8,071
62 3/8	5,441	68 3/8	6,133	74 3/8	6,812	80 3/8	7,465	86 3/8	8,083
62 1/2	5,455	68 1/2	6,148	74 1/2	6,825	80 1/2	7,478	86 1/2	8,096
62 5/8	5,470	68 5/8	6,162	74 5/8	6,839	80 5/8	7,492	86 5/8	8,108
62 3/4	5,484	68 3/4	6,176	74 3/4	6,853	80 3/4	7,505	86 3/4	8,121
62 7/8	5,499	68 7/8	6,191	74 7/8	6,867	80 7/8	7,518	86 7/8	8,133
63	5,513	69	6,205	75	6,881	81	7,531	87	8,145
63 1/8	5,528	69 1/8	6,219	75 1/8	6,895	81 1/8	7,544	87 1/8	8,158
63 1/4	5,542	69 1/4	6,233	75 1/4	6,909	81 1/4	7,558	87 1/4	8,170
63 3/8	5,557	69 3/8	6,248	75 3/8	6,922	81 3/8	7,571	87 3/8	8,182
63 1/2	5,571	69 1/2	6,262	75 1/2	6,936	81 1/2	7,584	87 1/2	8,195
63 5/8	5,586	69 5/8	6,276	75 5/8	6,950	81 5/8	7,597	87 5/8	8,207
63 3/4	5,600	69 3/4	6,290	75 3/4	6,964	81 3/4	7,610	87 3/4	8,219
63 7/8	5,615	69 7/8	6,305	75 7/8	6,978	81 7/8	7,623	87 7/8	8,231
64	5,629	70	6,319	76	6,991	82	7,636	88	8,243
64 1/8	5,644	70 1/8	6,333	76 1/8	7,005	82 1/8	7,649	88 1/8	8,256
64 1/4	5,658	70 1/4	6,347	76 1/4	7,019	82 1/4	7,663	88 1/4	8,268
64 3/8	5,673	70 3/8	6,362	76 3/8	7,033	82 3/8	7,676	88 3/8	8,280
64 1/2	5,687	70 1/2	6,376	76 1/2	7,046	82 1/2	7,689	88 1/2	8,292
64 5/8	5,702	70 5/8	6,390	76 5/8	7,060	82 5/8	7,702	88 5/8	8,304
64 3/4	5,716	70 3/4	6,404	76 3/4	7,074	82 3/4	7,715	88 3/4	8,316
64 7/8	5,731	70 7/8	6,418	76 7/8	7,087	82 7/8	7,728	88 7/8	8,328
65	5,745	71	6,432	77	7,101	83	7,741	89	8,340
65 1/8	5,759	71 1/8	6,447	77 1/8	7,115	83 1/8	7,753	89 1/8	8,352
65 1/4	5,774	71 1/4	6,461	77 1/4	7,128	83 1/4	7,766	89 1/4	8,364
65 3/8	5,788	71 3/8	6,475	77 3/8	7,142	83 3/8	7,779	89 3/8	8,376
65 1/2	5,803	71 1/2	6,489	77 1/2	7,156	83 1/2	7,792	89 1/2	8,388
65 5/8	5,817	71 5/8	6,503	77 5/8	7,169	83 5/8	7,805	89 5/8	8,400
65 3/4	5,832	71 3/4	6,517	77 3/4	7,183	83 3/4	7,818	89 3/4	8,412
65 7/8	5,846	71 7/8	6,531	77 7/8	7,196	83 7/8	7,831	89 7/8	8,423
66	5,860	72	6,545	78	7,210	84	7,844	90	8,435

**DWT6 10'-10000 COMPARTMENT**  
**10,257 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	8,447	96 1/8	8,984	102 1/8	9,455	108 1/8	9,843	114 1/8	10,127
90 1/4	8,459	96 1/4	8,995	102 1/4	9,464	108 1/4	9,850	114 1/4	10,131
90 3/8	8,471	96 3/8	9,005	102 3/8	9,473	108 3/8	9,857	114 3/8	10,136
90 1/2	8,482	96 1/2	9,016	102 1/2	9,482	108 1/2	9,864	114 1/2	10,140
90 5/8	8,494	96 5/8	9,026	102 5/8	9,490	108 5/8	9,871	114 5/8	10,145
90 3/4	8,506	96 3/4	9,037	102 3/4	9,499	108 3/4	9,878	114 3/4	10,149
90 7/8	8,517	96 7/8	9,047	102 7/8	9,508	108 7/8	9,884	114 7/8	10,153
91	8,529	97	9,057	103	9,517	109	9,891	115	10,158
91 1/8	8,541	97 1/8	9,068	103 1/8	9,526	109 1/8	9,898	115 1/8	10,162
91 1/4	8,552	97 1/4	9,078	103 1/4	9,534	109 1/4	9,905	115 1/4	10,166
91 3/8	8,564	97 3/8	9,088	103 3/8	9,543	109 3/8	9,911	115 3/8	10,170
91 1/2	8,575	97 1/2	9,098	103 1/2	9,551	109 1/2	9,918	115 1/2	10,174
91 5/8	8,587	97 5/8	9,109	103 5/8	9,560	109 5/8	9,925	115 5/8	10,178
91 3/4	8,598	97 3/4	9,119	103 3/4	9,569	109 3/4	9,931	115 3/4	10,182
91 7/8	8,610	97 7/8	9,129	103 7/8	9,577	109 7/8	9,938	115 7/8	10,185
92	8,621	98	9,139	104	9,586	110	9,944	116	10,189
92 1/8	8,633	98 1/8	9,149	104 1/8	9,594	110 1/8	9,950	116 1/8	10,193
92 1/4	8,644	98 1/4	9,159	104 1/4	9,602	110 1/4	9,957	116 1/4	10,196
92 3/8	8,655	98 3/8	9,169	104 3/8	9,611	110 3/8	9,963	116 3/8	10,199
92 1/2	8,667	98 1/2	9,179	104 1/2	9,619	110 1/2	9,969	116 1/2	10,203
92 5/8	8,678	98 5/8	9,189	104 5/8	9,627	110 5/8	9,975	116 5/8	10,206
92 3/4	8,689	98 3/4	9,199	104 3/4	9,636	110 3/4	9,981	116 3/4	10,209
92 7/8	8,701	98 7/8	9,209	104 7/8	9,644	110 7/8	9,988	116 7/8	10,213
93	8,712	99	9,219	105	9,652	111	9,994	117	10,216
93 1/8	8,723	99 1/8	9,229	105 1/8	9,660	111 1/8	10,000	117 1/8	10,219
93 1/4	8,734	99 1/4	9,238	105 1/4	9,668	111 1/4	10,005	117 1/4	10,221
93 3/8	8,746	99 3/8	9,248	105 3/8	9,676	111 3/8	10,011	117 3/8	10,224
93 1/2	8,757	99 1/2	9,258	105 1/2	9,684	111 1/2	10,017	117 1/2	10,227
93 5/8	8,768	99 5/8	9,268	105 5/8	9,692	111 5/8	10,023	117 5/8	10,230
93 3/4	8,779	99 3/4	9,277	105 3/4	9,700	111 3/4	10,029	117 3/4	10,232
93 7/8	8,790	99 7/8	9,287	105 7/8	9,708	111 7/8	10,034	117 7/8	10,235
94	8,801	100	9,297	106	9,716	112	10,040	118	10,237
94 1/8	8,812	100 1/8	9,306	106 1/8	9,724	112 1/8	10,045	118 1/8	10,239
94 1/4	8,823	100 1/4	9,316	106 1/4	9,731	112 1/4	10,051	118 1/4	10,241
94 3/8	8,834	100 3/8	9,325	106 3/8	9,739	112 3/8	10,056	118 3/8	10,244
94 1/2	8,845	100 1/2	9,335	106 1/2	9,747	112 1/2	10,062	118 1/2	10,246
94 5/8	8,856	100 5/8	9,344	106 5/8	9,754	112 5/8	10,067	118 5/8	10,247
94 3/4	8,867	100 3/4	9,354	106 3/4	9,762	112 3/4	10,072	118 3/4	10,249
94 7/8	8,877	100 7/8	9,363	106 7/8	9,770	112 7/8	10,078	118 7/8	10,251
95	8,888	101	9,372	107	9,777	113	10,083	119	10,252
95 1/8	8,899	101 1/8	9,382	107 1/8	9,785	113 1/8	10,088	119 1/8	10,254
95 1/4	8,910	101 1/4	9,391	107 1/4	9,792	113 1/4	10,093	119 1/4	10,255
95 3/8	8,920	101 3/8	9,400	107 3/8	9,799	113 3/8	10,098	119 3/8	10,256
95 1/2	8,931	101 1/2	9,409	107 1/2	9,807	113 1/2	10,103	119 1/2	10,257
95 5/8	8,942	101 5/8	9,418	107 5/8	9,814	113 5/8	10,108	119 5/8	10,257
95 3/4	8,952	101 3/4	9,427	107 3/4	9,821	113 3/4	10,113		
95 7/8	8,963	101 7/8	9,437	107 7/8	9,828	113 7/8	10,117		
96	8,974	102	9,446	108	9,836	114	10,122		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.