

10'-12000 Double-Wall Compartment Tank Extension 11934 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	5	6 1/8	248	12 1/8	655	18 1/8	1162	24 1/8	1744	30 1/8	2381
1/4	7	6 1/4	255	12 1/4	664	18 1/4	1174	24 1/4	1756	30 1/4	2395
3/8	9	6 3/8	262	12 3/8	674	18 3/8	1185	24 3/8	1769	30 3/8	2409
1/2	11	6 1/2	269	12 1/2	684	18 1/2	1197	24 1/2	1782	30 1/2	2423
5/8	14	6 5/8	277	12 5/8	694	18 5/8	1208	24 5/8	1795	30 5/8	2436
3/4	17	6 3/4	284	12 3/4	703	18 3/4	1220	24 3/4	1808	30 3/4	2450
7/8	20	6 7/8	292	12 7/8	713	18 7/8	1231	24 7/8	1821	30 7/8	2464
1	23	7	299	13	723	19	1243	25	1833	31	2478
1 1/8	26	7 1/8	307	13 1/8	733	19 1/8	1255	25 1/8	1846	31 1/8	2492
1 1/4	30	7 1/4	314	13 1/4	743	19 1/4	1266	25 1/4	1859	31 1/4	2506
1 3/8	34	7 3/8	322	13 3/8	753	19 3/8	1278	25 3/8	1872	31 3/8	2520
1 1/2	37	7 1/2	330	13 1/2	763	19 1/2	1290	25 1/2	1885	31 1/2	2534
1 5/8	41	7 5/8	338	13 5/8	773	19 5/8	1302	25 5/8	1898	31 5/8	2548
1 3/4	45	7 3/4	346	13 3/4	784	19 3/4	1313	25 3/4	1911	31 3/4	2562
1 7/8	50	7 7/8	354	13 7/8	794	19 7/8	1325	25 7/8	1924	31 7/8	2576
2	54	8	362	14	804	20	1337	26	1938	32	2590
2 1/8	58	8 1/8	370	14 1/8	814	20 1/8	1349	26 1/8	1951	32 1/8	2604
2 1/4	63	8 1/4	378	14 1/4	825	20 1/4	1361	26 1/4	1964	32 1/4	2618
2 3/8	67	8 3/8	386	14 3/8	835	20 3/8	1373	26 3/8	1977	32 3/8	2632
2 1/2	72	8 1/2	394	14 1/2	845	20 1/2	1385	26 1/2	1990	32 1/2	2646
2 5/8	77	8 5/8	402	14 5/8	856	20 5/8	1397	26 5/8	2003	32 5/8	2660
2 3/4	82	8 3/4	411	14 3/4	866	20 3/4	1409	26 3/4	2016	32 3/4	2674
2 7/8	87	8 7/8	419	14 7/8	877	20 7/8	1421	26 7/8	2030	32 7/8	2689
3	92	9	428	15	887	21	1433	27	2043	33	2703
3 1/8	97	9 1/8	436	15 1/8	898	21 1/8	1445	27 1/8	2056	33 1/8	2717
3 1/4	103	9 1/4	445	15 1/4	909	21 1/4	1457	27 1/4	2070	33 1/4	2731
3 3/8	108	9 3/8	453	15 3/8	919	21 3/8	1469	27 3/8	2083	33 3/8	2745
3 1/2	114	9 1/2	462	15 1/2	930	21 1/2	1481	27 1/2	2096	33 1/2	2760
3 5/8	119	9 5/8	471	15 5/8	941	21 5/8	1494	27 5/8	2110	33 5/8	2774
3 3/4	125	9 3/4	479	15 3/4	951	21 3/4	1506	27 3/4	2123	33 3/4	2788
3 7/8	131	9 7/8	488	15 7/8	962	21 7/8	1518	27 7/8	2136	33 7/8	2802
4	137	10	497	16	973	22	1531	28	2150	34	2817
4 1/8	142	10 1/8	506	16 1/8	984	22 1/8	1543	28 1/8	2163	34 1/8	2831
4 1/4	148	10 1/4	515	16 1/4	995	22 1/4	1555	28 1/4	2177	34 1/4	2845
4 3/8	155	10 3/8	524	16 3/8	1,006	22 3/8	1568	28 3/8	2190	34 3/8	2860
4 1/2	161	10 1/2	533	16 1/2	1,017	22 1/2	1580	28 1/2	2204	34 1/2	2874
4 5/8	167	10 5/8	542	16 5/8	1,028	22 5/8	1592	28 5/8	2217	34 5/8	2888
4 3/4	173	10 3/4	551	16 3/4	1,039	22 3/4	1605	28 3/4	2231	34 3/4	2903
4 7/8	180	10 7/8	560	16 7/8	1050	22 7/8	1617	28 7/8	2244	34 7/8	2917
5	186	11	570	17	1061	23	1630	29	2258	35	2932
5 1/8	193	11 1/8	579	17 1/8	1072	23 1/8	1642	29 1/8	2272	35 1/8	2946
5 1/4	199	11 1/4	588	17 1/4	1083	23 1/4	1655	29 1/4	2285	35 1/4	2960
5 3/8	206	11 3/8	598	17 3/8	1094	23 3/8	1668	29 3/8	2299	35 3/8	2975
5 1/2	213	11 1/2	607	17 1/2	1106	23 1/2	1680	29 1/2	2313	35 1/2	2989
5 5/8	220	11 5/8	616	17 5/8	1117	23 5/8	1693	29 5/8	2326	35 5/8	3004
5 3/4	227	11 3/4	626	17 3/4	1128	23 3/4	1705	29 3/4	2340	35 3/4	3018
5 7/8	234	11 7/8	635	17 7/8	1140	23 7/8	1718	29 7/8	2354	35 7/8	3033
6	241	12	645	18	1151	24	1731	30	2367	36	3047

**10'-12000 Double-Wall Compartment Tank Extension
11934 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	3062	42 1/8	3775	48 1/8	4512	54 1/8	5264	60 1/8	6022	66 1/8	6781
36 1/4	3077	42 1/4	3790	48 1/4	4528	54 1/4	5279	60 1/4	6038	66 1/4	6796
36 3/8	3091	42 3/8	3806	48 3/8	4543	54 3/8	5295	60 3/8	6054	66 3/8	6812
36 1/2	3106	42 1/2	3821	48 1/2	4559	54 1/2	5311	60 1/2	6070	66 1/2	6828
36 5/8	3120	42 5/8	3836	48 5/8	4574	54 5/8	5327	60 5/8	6086	66 5/8	6843
36 3/4	3135	42 3/4	3851	48 3/4	4590	54 3/4	5343	60 3/4	6102	66 3/4	6859
36 7/8	3150	42 7/8	3866	48 7/8	4605	54 7/8	5358	60 7/8	6117	66 7/8	6875
37	3164	43	3882	49	4621	55	5374	61	6133	67	6891
37 1/8	3179	43 1/8	3897	49 1/8	4636	55 1/8	5390	61 1/8	6149	67 1/8	6906
37 1/4	3194	43 1/4	3912	49 1/4	4652	55 1/4	5406	61 1/4	6165	67 1/4	6922
37 3/8	3208	43 3/8	3927	49 3/8	4668	55 3/8	5421	61 3/8	6181	67 3/8	6938
37 1/2	3223	43 1/2	3942	49 1/2	4683	55 1/2	5437	61 1/2	6196	67 1/2	6953
37 5/8	3238	43 5/8	3958	49 5/8	4699	55 5/8	5453	61 5/8	6212	67 5/8	6969
37 3/4	3252	43 3/4	3973	49 3/4	4714	55 3/4	5469	61 3/4	6228	67 3/4	6985
37 7/8	3267	43 7/8	3988	49 7/8	4730	55 7/8	5485	61 7/8	6244	67 7/8	7001
38	3282	44	4003	50	4746	56	5500	62	6260	68	7016
38 1/8	3297	44 1/8	4019	50 1/8	4761	56 1/8	5516	62 1/8	6276	68 1/8	7032
38 1/4	3311	44 1/4	4034	50 1/4	4777	56 1/4	5532	62 1/4	6291	68 1/4	7048
38 3/8	3326	44 3/8	4049	50 3/8	4793	56 3/8	5548	62 3/8	6307	68 3/8	7063
38 1/2	3341	44 1/2	4065	50 1/2	4808	56 1/2	5564	62 1/2	6323	68 1/2	7079
38 5/8	3356	44 5/8	4080	50 5/8	4824	56 5/8	5579	62 5/8	6339	68 5/8	7094
38 3/4	3371	44 3/4	4095	50 3/4	4840	56 3/4	5595	62 3/4	6355	68 3/4	7110
38 7/8	3385	44 7/8	4111	50 7/8	4855	56 7/8	5611	62 7/8	6370	68 7/8	7126
39	3400	45	4126	51	4871	57	5627	63	6386	69	7141
39 1/8	3415	45 1/8	4141	51 1/8	4886	57 1/8	5643	63 1/8	6402	69 1/8	7157
39 1/4	3430	45 1/4	4157	51 1/4	4902	57 1/4	5658	63 1/4	6418	69 1/4	7173
39 3/8	3445	45 3/8	4172	51 3/8	4918	57 3/8	5674	63 3/8	6434	69 3/8	7188
39 1/2	3460	45 1/2	4187	51 1/2	4933	57 1/2	5690	63 1/2	6449	69 1/2	7204
39 5/8	3475	45 5/8	4203	51 5/8	4949	57 5/8	5706	63 5/8	6465	69 5/8	7220
39 3/4	3490	45 3/4	4218	51 3/4	4965	57 3/4	5722	63 3/4	6481	69 3/4	7235
39 7/8	3505	45 7/8	4234	51 7/8	4981	57 7/8	5738	63 7/8	6497	69 7/8	7251
40	3520	46	4249	52	4996	58	5753	64	6513	70	7266
40 1/8	3535	46 1/8	4264	52 1/8	5012	58 1/8	5769	64 1/8	6528	70 1/8	7282
40 1/4	3550	46 1/4	4280	52 1/4	5028	58 1/4	5785	64 1/4	6544	70 1/4	7298
40 3/8	3564	46 3/8	4295	52 3/8	5043	58 3/8	5801	64 3/8	6560	70 3/8	7313
40 1/2	3579	46 1/2	4311	52 1/2	5059	58 1/2	5817	64 1/2	6576	70 1/2	7329
40 5/8	3594	46 5/8	4326	52 5/8	5075	58 5/8	5832	64 5/8	6591	70 5/8	7344
40 3/4	3610	46 3/4	4342	52 3/4	5091	58 3/4	5848	64 3/4	6607	70 3/4	7360
40 7/8	3625	46 7/8	4357	52 7/8	5106	58 7/8	5864	64 7/8	6623	70 7/8	7375
41	3640	47	4373	53	5122	59	5880	65	6639	71	7391
41 1/8	3655	47 1/8	4388	53 1/8	5138	59 1/8	5896	65 1/8	6655	71 1/8	7406
41 1/4	3670	47 1/4	4403	53 1/4	5153	59 1/4	5912	65 1/4	6670	71 1/4	7422
41 3/8	3685	47 3/8	4419	53 3/8	5169	59 3/8	5927	65 3/8	6686	71 3/8	7437
41 1/2	3700	47 1/2	4434	53 1/2	5185	59 1/2	5943	65 1/2	6702	71 1/2	7453
41 5/8	3715	47 5/8	4450	53 5/8	5201	59 5/8	5959	65 5/8	6718	71 5/8	7469
41 3/4	3730	47 3/4	4465	53 3/4	5216	59 3/4	5975	65 3/4	6733	71 3/4	7484
41 7/8	3745	47 7/8	4481	53 7/8	5232	59 7/8	5991	65 7/8	6749	71 7/8	7500
42	3760	48	4497	54	5248	60	6007	66	6765	72	7515

**10'-12000 Double-Wall Compartment Tank Extension
11934 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	7531	78 1/8	8264	84 1/8	8974	90 1/8	9649	96 1/8	10279	102 1/8	10851
72 1/4	7546	78 1/4	8279	84 1/4	8988	90 1/4	9662	96 1/4	10292	102 1/4	10862
72 3/8	7561	78 3/8	8294	84 3/8	9002	90 3/8	9676	96 3/8	10304	102 3/8	10873
72 1/2	7577	78 1/2	8309	84 1/2	9017	90 1/2	9690	96 1/2	10317	102 1/2	10884
72 5/8	7592	78 5/8	8324	84 5/8	9031	90 5/8	9703	96 5/8	10329	102 5/8	10895
72 3/4	7608	78 3/4	8340	84 3/4	9046	90 3/4	9717	96 3/4	10342	102 3/4	10906
72 7/8	7623	78 7/8	8355	84 7/8	9060	90 7/8	9730	96 7/8	10354	102 7/8	10917
73	7639	79	8370	85	9074	91	9744	97	10366	103	10928
73 1/8	7654	79 1/8	8384	85 1/8	9089	91 1/8	9757	97 1/8	10379	103 1/8	10939
73 1/4	7670	79 1/4	8399	85 1/4	9103	91 1/4	9771	97 1/4	10391	103 1/4	10950
73 3/8	7685	79 3/8	8414	85 3/8	9117	91 3/8	9784	97 3/8	10403	103 3/8	10961
73 1/2	7700	79 1/2	8429	85 1/2	9132	91 1/2	9798	97 1/2	10416	103 1/2	10972
73 5/8	7716	79 5/8	8444	85 5/8	9146	91 5/8	9811	97 5/8	10428	103 5/8	10983
73 3/4	7731	79 3/4	8459	85 3/4	9160	91 3/4	9824	97 3/4	10440	103 3/4	10993
73 7/8	7747	79 7/8	8474	85 7/8	9174	91 7/8	9838	97 7/8	10453	103 7/8	11004
74	7762	80	8489	86	9189	92	9851	98	10465	104	11015
74 1/8	7777	80 1/8	8504	86 1/8	9203	92 1/8	9864	98 1/8	10477	104 1/8	11026
74 1/4	7793	80 1/4	8519	86 1/4	9217	92 1/4	9878	98 1/4	10489	104 1/4	11036
74 3/8	7808	80 3/8	8534	86 3/8	9231	92 3/8	9891	98 3/8	10501	104 3/8	11047
74 1/2	7823	80 1/2	8549	86 1/2	9245	92 1/2	9904	98 1/2	10513	104 1/2	11057
74 5/8	7839	80 5/8	8563	86 5/8	9260	92 5/8	9918	98 5/8	10525	104 5/8	11068
74 3/4	7854	80 3/4	8578	86 3/4	9274	92 3/4	9931	98 3/4	10537	104 3/4	11078
74 7/8	7869	80 7/8	8593	86 7/8	9288	92 7/8	9944	98 7/8	10549	104 7/8	11089
75	7885	81	8608	87	9302	93	9957	99	10561	105	11099
75 1/8	7900	81 1/8	8623	87 1/8	9316	93 1/8	9970	99 1/8	10573	105 1/8	11109
75 1/4	7915	81 1/4	8637	87 1/4	9330	93 1/4	9983	99 1/4	10585	105 1/4	11120
75 3/8	7931	81 3/8	8652	87 3/8	9344	93 3/8	9996	99 3/8	10597	105 3/8	11130
75 1/2	7946	81 1/2	8667	87 1/2	9358	93 1/2	10010	99 1/2	10609	105 1/2	11140
75 5/8	7961	81 5/8	8682	87 5/8	9372	93 5/8	10023	99 5/8	10621	105 5/8	11150
75 3/4	7976	81 3/4	8696	87 3/4	9386	93 3/4	10036	99 3/4	10633	105 3/4	11161
75 7/8	7992	81 7/8	8711	87 7/8	9400	93 7/8	10049	99 7/8	10644	105 7/8	11171
76	8007	82	8726	88	9414	94	10062	100	10656	106	11181
76 1/8	8022	82 1/8	8740	88 1/8	9428	94 1/8	10075	100 1/8	10668	106 1/8	11191
76 1/4	8037	82 1/4	8755	88 1/4	9442	94 1/4	10088	100 1/4	10679	106 1/4	11201
76 3/8	8052	82 3/8	8770	88 3/8	9456	94 3/8	10101	100 3/8	10691	106 3/8	11211
76 1/2	8068	82 1/2	8784	88 1/2	9470	94 1/2	10113	100 1/2	10703	106 1/2	11221
76 5/8	8083	82 5/8	8799	88 5/8	9484	94 5/8	10126	100 5/8	10714	106 5/8	11231
76 3/4	8098	82 3/4	8814	88 3/4	9498	94 3/4	10139	100 3/4	10726	106 3/4	11240
76 7/8	8113	82 7/8	8828	88 7/8	9511	94 7/8	10152	100 7/8	10737	106 7/8	11250
77	8128	83	8843	89	9525	95	10165	101	10749	107	11260
77 1/8	8144	83 1/8	8857	89 1/8	9539	95 1/8	10178	101 1/8	10760	107 1/8	11270
77 1/4	8159	83 1/4	8872	89 1/4	9553	95 1/4	10190	101 1/4	10772	107 1/4	11279
77 3/8	8174	83 3/8	8887	89 3/8	9567	95 3/8	10203	101 3/8	10783	107 3/8	11289
77 1/2	8189	83 1/2	8901	89 1/2	9580	95 1/2	10216	101 1/2	10794	107 1/2	11299
77 5/8	8204	83 5/8	8916	89 5/8	9594	95 5/8	10229	101 5/8	10806	107 5/8	11308
77 3/4	8219	83 3/4	8930	89 3/4	9608	95 3/4	10241	101 3/4	10817	107 3/4	11318
77 7/8	8234	83 7/8	8945	89 7/8	9621	95 7/8	10254	101 7/8	10828	107 7/8	11327
78	8249	84	8959	90	9635	96	10266	102	10840	108	11336

10'-12000 Double-Wall Compartment Tank Extension 11934 Gals



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	11346	114 1/8	11735
108 1/4	11355	114 1/4	11741
108 3/8	11364	114 3/8	11748
108 1/2	11374	114 1/2	11754
108 5/8	11383	114 5/8	11761
108 3/4	11392	114 3/4	11767
108 7/8	11401	114 7/8	11773
109	11410	115	11779
109 1/8	11419	115 1/8	11786
109 1/4	11428	115 1/4	11792
109 3/8	11437	115 3/8	11797
109 1/2	11446	115 1/2	11803
109 5/8	11455	115 5/8	11809
109 3/4	11463	115 3/4	11815
109 7/8	11472	115 7/8	11820
110	11481	116	11826
110 1/8	11489	116 1/8	11831
110 1/4	11498	116 1/4	11837
110 3/8	11506	116 3/8	11842
110 1/2	11515	116 1/2	11847
110 5/8	11523	116 5/8	11852
110 3/4	11532	116 3/4	11857
110 7/8	11540	116 7/8	11862
111	11548	117	11867
111 1/8	11556	117 1/8	11871
111 1/4	11564	117 1/4	11876
111 3/8	11572	117 3/8	11880
111 1/2	11580	117 1/2	11884
111 5/8	11588	117 5/8	11889
111 3/4	11596	117 3/4	11893
111 7/8	11604	117 7/8	11897
112	11612	118	11900
112 1/8	11620	118 1/8	11904
112 1/4	11627	118 1/4	11908
112 3/8	11635	118 3/8	11911
112 1/2	11642	118 1/2	11914
112 5/8	11650	118 5/8	11917
112 3/4	11657	118 3/4	11920
112 7/8	11665	118 7/8	11923
113	11672	119	11925
113 1/8	11679	119 1/8	11927
113 1/4	11686	119 1/4	11930
113 3/8	11693	119 3/8	11931
113 1/2	11700	119 1/2	11933
113 5/8	11707	119 5/8	11934
113 3/4	11714		
113 7/8	11721		
114	11728		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766