

10'-30000 SWT D6 Single-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	10	6 1/8	570	12 1/8	1538	18 1/8	2771	24 1/8	4205	30 1/8	5796
1/4	14	6 1/4	587	12 1/4	1561	18 1/4	2799	24 1/4	4237	30 1/4	5830
3/8	20	6 3/8	604	12 3/8	1585	18 3/8	2827	24 3/8	4269	30 3/8	5865
1/2	25	6 1/2	621	12 1/2	1608	18 1/2	2856	24 1/2	4300	30 1/2	5900
5/8	31	6 5/8	638	12 5/8	1632	18 5/8	2884	24 5/8	4332	30 5/8	5934
3/4	38	6 3/4	656	12 3/4	1656	18 3/4	2912	24 3/4	4364	30 3/4	5969
7/8	44	6 7/8	673	12 7/8	1679	18 7/8	2941	24 7/8	4396	30 7/8	6004
1	52	7	691	13	1703	19	2969	25	4428	31	6039
1 1/8	59	7 1/8	709	13 1/8	1727	19 1/8	2998	25 1/8	4460	31 1/8	6074
1 1/4	67	7 1/4	727	13 1/4	1752	19 1/4	3026	25 1/4	4493	31 1/4	6109
1 3/8	75	7 3/8	745	13 3/8	1776	19 3/8	3055	25 3/8	4525	31 3/8	6144
1 1/2	84	7 1/2	764	13 1/2	1800	19 1/2	3084	25 1/2	4557	31 1/2	6179
1 5/8	93	7 5/8	782	13 5/8	1825	19 5/8	3113	25 5/8	4590	31 5/8	6214
1 3/4	102	7 3/4	801	13 3/4	1849	19 3/4	3142	25 3/4	4622	31 3/4	6249
1 7/8	112	7 7/8	820	13 7/8	1874	19 7/8	3171	25 7/8	4655	31 7/8	6284
2	121	8	839	14	1899	20	3200	26	4687	32	6320
2 1/8	131	8 1/8	858	14 1/8	1924	20 1/8	3229	26 1/8	4720	32 1/8	6355
2 1/4	142	8 1/4	877	14 1/4	1949	20 1/4	3259	26 1/4	4753	32 1/4	6390
2 3/8	152	8 3/8	896	14 3/8	1,974	20 3/8	3288	26 3/8	4785	32 3/8	6426
2 1/2	163	8 1/2	916	14 1/2	1,999	20 1/2	3318	26 1/2	4818	32 1/2	6461
2 5/8	174	8 5/8	935	14 5/8	2,024	20 5/8	3347	26 5/8	4851	32 5/8	6497
2 3/4	185	8 3/4	955	14 3/4	2,050	20 3/4	3377	26 3/4	4884	32 3/4	6532
2 7/8	197	8 7/8	975	14 7/8	2,075	20 7/8	3407	26 7/8	4917	32 7/8	6568
3	209	9	995	15	2101	21	3436	27	4950	33	6603
3 1/8	221	9 1/8	1015	15 1/8	2,126	21 1/8	3466	27 1/8	4983	33 1/8	6639
3 1/4	233	9 1/4	1036	15 1/4	2,152	21 1/4	3496	27 1/4	5016	33 1/4	6675
3 3/8	246	9 3/8	1056	15 3/8	2,178	21 3/8	3526	27 3/8	5050	33 3/8	6711
3 1/2	258	9 1/2	1077	15 1/2	2,204	21 1/2	3556	27 1/2	5083	33 1/2	6747
3 5/8	271	9 5/8	1098	15 5/8	2,230	21 5/8	3586	27 5/8	5116	33 5/8	6782
3 3/4	284	9 3/4	1118	15 3/4	2,256	21 3/4	3617	27 3/4	5150	33 3/4	6818
3 7/8	298	9 7/8	1139	15 7/8	2,283	21 7/8	3647	27 7/8	5183	33 7/8	6854
4	311	10	1161	16	2,309	22	3677	28	5217	34	6890
4 1/8	325	10 1/8	1182	16 1/8	2,335	22 1/8	3708	28 1/8	5250	34 1/8	6926
4 1/4	339	10 1/4	1203	16 1/4	2,362	22 1/4	3738	28 1/4	5284	34 1/4	6963
4 3/8	353	10 3/8	1225	16 3/8	2,389	22 3/8	3769	28 3/8	5318	34 3/8	6999
4 1/2	367	10 1/2	1246	16 1/2	2,415	22 1/2	3800	28 1/2	5352	34 1/2	7035
4 5/8	382	10 5/8	1268	16 5/8	2,442	22 5/8	3831	28 5/8	5385	34 5/8	7071
4 3/4	397	10 3/4	1290	16 3/4	2,469	22 3/4	3861	28 3/4	5419	34 3/4	7107
4 7/8	411	10 7/8	1312	16 7/8	2,496	22 7/8	3892	28 7/8	5453	34 7/8	7144
5	426	11	1334	17	2523	23	3923	29	5487	35	7180
5 1/8	442	11 1/8	1356	17 1/8	2551	23 1/8	3954	29 1/8	5521	35 1/8	7216
5 1/4	457	11 1/4	1378	17 1/4	2578	23 1/4	3985	29 1/4	5556	35 1/4	7253
5 3/8	473	11 3/8	1401	17 3/8	2605	23 3/8	4017	29 3/8	5590	35 3/8	7289
5 1/2	489	11 1/2	1424	17 1/2	2633	23 1/2	4048	29 1/2	5624	35 1/2	7326
5 5/8	505	11 5/8	1446	17 5/8	2660	23 5/8	4079	29 5/8	5658	35 5/8	7363
5 3/4	521	11 3/4	1469	17 3/4	2688	23 3/4	4111	29 3/4	5693	35 3/4	7399
5 7/8	537	11 7/8	1492	17 7/8	2716	23 7/8	4142	29 7/8	5727	35 7/8	7436
6	553	12	1515	18	2743	24	4174	30	5761	36	7473

10'-30000 SWT D6 Single-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	7509	42 1/8	9316	48 1/8	11191	54 1/8	13110	60 1/8	15050	66 1/8	16988
36 1/4	7546	42 1/4	9355	48 1/4	11231	54 1/4	13150	60 1/4	15090	66 1/4	17028
36 3/8	7583	42 3/8	9393	48 3/8	11271	54 3/8	13191	60 3/8	15131	66 3/8	17068
36 1/2	7620	42 1/2	9432	48 1/2	11310	54 1/2	13231	60 1/2	15171	66 1/2	17108
36 5/8	7657	42 5/8	9470	48 5/8	11350	54 5/8	13271	60 5/8	15212	66 5/8	17148
36 3/4	7694	42 3/4	9509	48 3/4	11390	54 3/4	13312	60 3/4	15252	66 3/4	17189
36 7/8	7731	42 7/8	9548	48 7/8	11429	54 7/8	13352	60 7/8	15293	66 7/8	17229
37	7768	43	9586	49	11469	55	13392	61	15333	67	17269
37 1/8	7805	43 1/8	9625	49 1/8	11509	55 1/8	13433	61 1/8	15374	67 1/8	17309
37 1/4	7842	43 1/4	9664	49 1/4	11549	55 1/4	13473	61 1/4	15414	67 1/4	17349
37 3/8	7879	43 3/8	9702	49 3/8	11588	55 3/8	13513	61 3/8	15454	67 3/8	17389
37 1/2	7916	43 1/2	9741	49 1/2	11628	55 1/2	13554	61 1/2	15495	67 1/2	17429
37 5/8	7953	43 5/8	9780	49 5/8	11668	55 5/8	13594	61 5/8	15535	67 5/8	17469
37 3/4	7991	43 3/4	9819	49 3/4	11708	55 3/4	13634	61 3/4	15576	67 3/4	17509
37 7/8	8028	43 7/8	9857	49 7/8	11748	55 7/8	13675	61 7/8	15616	67 7/8	17549
38	8065	44	9896	50	11787	56	13715	62	15657	68	17589
38 1/8	8103	44 1/8	9935	50 1/8	11827	56 1/8	13756	62 1/8	15697	68 1/8	17629
38 1/4	8140	44 1/4	9974	50 1/4	11867	56 1/4	13796	62 1/4	15737	68 1/4	17669
38 3/8	8177	44 3/8	10013	50 3/8	11907	56 3/8	13836	62 3/8	15778	68 3/8	17709
38 1/2	8215	44 1/2	10052	50 1/2	11947	56 1/2	13877	62 1/2	15818	68 1/2	17749
38 5/8	8252	44 5/8	10091	50 5/8	11987	56 5/8	13917	62 5/8	15859	68 5/8	17789
38 3/4	8290	44 3/4	10130	50 3/4	12027	56 3/4	13958	62 3/4	15899	68 3/4	17829
38 7/8	8328	44 7/8	10169	50 7/8	12067	56 7/8	13998	62 7/8	15940	68 7/8	17869
39	8365	45	10208	51	12107	57	14038	63	15980	69	17909
39 1/8	8403	45 1/8	10247	51 1/8	12147	57 1/8	14079	63 1/8	16020	69 1/8	17949
39 1/4	8441	45 1/4	10286	51 1/4	12187	57 1/4	14119	63 1/4	16061	69 1/4	17989
39 3/8	8478	45 3/8	10325	51 3/8	12227	57 3/8	14160	63 3/8	16101	69 3/8	18029
39 1/2	8516	45 1/2	10364	51 1/2	12267	57 1/2	14200	63 1/2	16142	69 1/2	18069
39 5/8	8554	45 5/8	10404	51 5/8	12307	57 5/8	14241	63 5/8	16182	69 5/8	18109
39 3/4	8592	45 3/4	10443	51 3/4	12347	57 3/4	14281	63 3/4	16222	69 3/4	18148
39 7/8	8629	45 7/8	10482	51 7/8	12387	57 7/8	14321	63 7/8	16263	69 7/8	18188
40	8667	46	10521	52	12427	58	14362	64	16303	70	18228
40 1/8	8705	46 1/8	10560	52 1/8	12467	58 1/8	14402	64 1/8	16343	70 1/8	18268
40 1/4	8743	46 1/4	10600	52 1/4	12507	58 1/4	14443	64 1/4	16384	70 1/4	18307
40 3/8	8781	46 3/8	10639	52 3/8	12547	58 3/8	14483	64 3/8	16424	70 3/8	18347
40 1/2	8819	46 1/2	10678	52 1/2	12588	58 1/2	14524	64 1/2	16464	70 1/2	18387
40 5/8	8857	46 5/8	10718	52 5/8	12628	58 5/8	14564	64 5/8	16505	70 5/8	18427
40 3/4	8895	46 3/4	10757	52 3/4	12668	58 3/4	14605	64 3/4	16545	70 3/4	18466
40 7/8	8934	46 7/8	10796	52 7/8	12708	58 7/8	14645	64 7/8	16585	70 7/8	18506
41	8972	47	10836	53	12748	59	14686	65	16626	71	18546
41 1/8	9010	47 1/8	10875	53 1/8	12788	59 1/8	14726	65 1/8	16666	71 1/8	18585
41 1/4	9048	47 1/4	10915	53 1/4	12829	59 1/4	14766	65 1/4	16706	71 1/4	18625
41 3/8	9086	47 3/8	10954	53 3/8	12869	59 3/8	14807	65 3/8	16746	71 3/8	18664
41 1/2	9125	47 1/2	10994	53 1/2	12909	59 1/2	14847	65 1/2	16787	71 1/2	18704
41 5/8	9163	47 5/8	11033	53 5/8	12949	59 5/8	14888	65 5/8	16827	71 5/8	18744
41 3/4	9201	47 3/4	11073	53 3/4	12989	59 3/4	14928	65 3/4	16867	71 3/4	18783
41 7/8	9240	47 7/8	11112	53 7/8	13030	59 7/8	14969	65 7/8	16907	71 7/8	18823
42	9278	48	11152	54	13070	60	15009	66	16948	72	18862

**10'-30000 SWT D6 Single-Wall Tank
29816 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	18902	78 1/8	20768	84 1/8	22563	90 1/8	24261	96 1/8	25831	102 1/8	27238
72 1/4	18941	78 1/4	20806	84 1/4	22600	90 1/4	24295	96 1/4	25862	102 1/4	27266
72 3/8	18980	78 3/8	20845	84 3/8	22636	90 3/8	24329	96 3/8	25893	102 3/8	27293
72 1/2	19020	78 1/2	20883	84 1/2	22673	90 1/2	24363	96 1/2	25924	102 1/2	27320
72 5/8	19059	78 5/8	20921	84 5/8	22709	90 5/8	24397	96 5/8	25955	102 5/8	27347
72 3/4	19099	78 3/4	20959	84 3/4	22745	90 3/4	24431	96 3/4	25986	102 3/4	27374
72 7/8	19138	78 7/8	20997	84 7/8	22781	90 7/8	24465	96 7/8	26016	102 7/8	27401
73	19177	79	21035	85	22818	91	24498	97	26047	103	27428
73 1/8	19217	79 1/8	21073	85 1/8	22854	91 1/8	24532	97 1/8	26078	103 1/8	27454
73 1/4	19256	79 1/4	21111	85 1/4	22890	91 1/4	24566	97 1/4	26108	103 1/4	27481
73 3/8	19295	79 3/8	21149	85 3/8	22926	91 3/8	24599	97 3/8	26139	103 3/8	27507
73 1/2	19334	79 1/2	21187	85 1/2	22962	91 1/2	24633	97 1/2	26169	103 1/2	27534
73 5/8	19374	79 5/8	21225	85 5/8	22998	91 5/8	24666	97 5/8	26200	103 5/8	27560
73 3/4	19413	79 3/4	21262	85 3/4	23034	91 3/4	24700	97 3/4	26230	103 3/4	27586
73 7/8	19452	79 7/8	21300	85 7/8	23070	91 7/8	24733	97 7/8	26260	103 7/8	27612
74	19491	80	21338	86	23106	92	24767	98	26290	104	27638
74 1/8	19530	80 1/8	21376	86 1/8	23141	92 1/8	24800	98 1/8	26320	104 1/8	27664
74 1/4	19569	80 1/4	21413	86 1/4	23177	92 1/4	24833	98 1/4	26350	104 1/4	27690
74 3/8	19608	80 3/8	21451	86 3/8	23213	92 3/8	24866	98 3/8	26380	104 3/8	27716
74 1/2	19647	80 1/2	21489	86 1/2	23248	92 1/2	24899	98 1/2	26410	104 1/2	27741
74 5/8	19686	80 5/8	21526	86 5/8	23284	92 5/8	24932	98 5/8	26439	104 5/8	27767
74 3/4	19725	80 3/4	21564	86 3/4	23320	92 3/4	24965	98 3/4	26469	104 3/4	27792
74 7/8	19764	80 7/8	21601	86 7/8	23355	92 7/8	24998	98 7/8	26499	104 7/8	27817
75	19803	81	21639	87	23391	93	25031	99	26528	105	27843
75 1/8	19842	81 1/8	21676	87 1/8	23426	93 1/8	25064	99 1/8	26557	105 1/8	27868
75 1/4	19881	81 1/4	21714	87 1/4	23461	93 1/4	25096	99 1/4	26587	105 1/4	27893
75 3/8	19920	81 3/8	21751	87 3/8	23497	93 3/8	25129	99 3/8	26616	105 3/8	27918
75 1/2	19959	81 1/2	21788	87 1/2	23532	93 1/2	25162	99 1/2	26645	105 1/2	27942
75 5/8	19998	81 5/8	21826	87 5/8	23567	93 5/8	25194	99 5/8	26674	105 5/8	27967
75 3/4	20036	81 3/4	21863	87 3/4	23602	93 3/4	25227	99 3/4	26703	105 3/4	27992
75 7/8	20075	81 7/8	21900	87 7/8	23637	93 7/8	25259	99 7/8	26732	105 7/8	28016
76	20114	82	21937	88	23673	94	25291	100	26761	106	28040
76 1/8	20153	82 1/8	21974	88 1/8	23708	94 1/8	25324	100 1/8	26790	106 1/8	28065
76 1/4	20191	82 1/4	22012	88 1/4	23743	94 1/4	25356	100 1/4	26819	106 1/4	28089
76 3/8	20230	82 3/8	22049	88 3/8	23777	94 3/8	25388	100 3/8	26847	106 3/8	28113
76 1/2	20269	82 1/2	22086	88 1/2	23812	94 1/2	25420	100 1/2	26876	106 1/2	28137
76 5/8	20307	82 5/8	22123	88 5/8	23847	94 5/8	25452	100 5/8	26904	106 5/8	28161
76 3/4	20346	82 3/4	22160	88 3/4	23882	94 3/4	25484	100 3/4	26932	106 3/4	28184
76 7/8	20384	82 7/8	22196	88 7/8	23917	94 7/8	25516	100 7/8	26961	106 7/8	28208
77	20423	83	22233	89	23951	95	25548	101	26989	107	28231
77 1/8	20461	83 1/8	22270	89 1/8	23986	95 1/8	25579	101 1/8	27017	107 1/8	28255
77 1/4	20500	83 1/4	22307	89 1/4	24020	95 1/4	25611	101 1/4	27045	107 1/4	28278
77 3/8	20538	83 3/8	22344	89 3/8	24055	95 3/8	25643	101 3/8	27073	107 3/8	28301
77 1/2	20577	83 1/2	22380	89 1/2	24089	95 1/2	25674	101 1/2	27101	107 1/2	28324
77 5/8	20615	83 5/8	22417	89 5/8	24124	95 5/8	25706	101 5/8	27128	107 5/8	28347
77 3/4	20653	83 3/4	22454	89 3/4	24158	95 3/4	25737	101 3/4	27156	107 3/4	28370
77 7/8	20692	83 7/8	22490	89 7/8	24192	95 7/8	25768	101 7/8	27184	107 7/8	28393
78	20730	84	22527	90	24227	96	25800	102	27211	108	28415

10'-30000 SWT D6 Single-Wall Tank 29816 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	28438	114 1/8	29359
108 1/4	28460	114 1/4	29375
108 3/8	28482	114 3/8	29390
108 1/2	28504	114 1/2	29405
108 5/8	28526	114 5/8	29420
108 3/4	28548	114 3/4	29434
108 7/8	28570	114 7/8	29449
109	28592	115	29463
109 1/8	28613	115 1/8	29477
109 1/4	28635	115 1/4	29491
109 3/8	28656	115 3/8	29505
109 1/2	28677	115 1/2	29519
109 5/8	28698	115 5/8	29532
109 3/4	28719	115 3/4	29545
109 7/8	28739	115 7/8	29558
110	28760	116	29571
110 1/8	28781	116 1/8	29583
110 1/4	28801	116 1/4	29595
110 3/8	28821	116 3/8	29607
110 1/2	28841	116 1/2	29619
110 5/8	28861	116 5/8	29631
110 3/4	28881	116 3/4	29642
110 7/8	28900	116 7/8	29653
111	28920	117	29664
111 1/8	28939	117 1/8	29675
111 1/4	28959	117 1/4	29685
111 3/8	28978	117 3/8	29695
111 1/2	28997	117 1/2	29705
111 5/8	29015	117 5/8	29714
111 3/4	29034	117 3/4	29723
111 7/8	29053	117 7/8	29732
112	29071	118	29741
112 1/8	29089	118 1/8	29749
112 1/4	29107	118 1/4	29757
112 3/8	29125	118 3/8	29765
112 1/2	29143	118 1/2	29772
112 5/8	29161	118 5/8	29779
112 3/4	29178	118 3/4	29785
112 7/8	29195	118 7/8	29791
113	29212	119	29797
113 1/8	29229	119 1/8	29802
113 1/4	29246	119 1/4	29806
113 3/8	29263	119 3/8	29810
113 1/2	29279	119 1/2	29813
113 5/8	29296	119 5/8	29816
113 3/4	29312		
113 7/8	29328		
114	29343		



**CONTAINMENT
SOLUTIONS®**

How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gauging or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoil Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.