

DWT6 10'-36000 COMPARTMENT
36,548 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	12	6 1/8	710	12 1/8	1,907	18 1/8	3,427	24 1/8	5,189
1/4	18	6 1/4	731	12 1/4	1,936	18 1/4	3,462	24 1/4	5,228
3/8	24	6 3/8	752	12 3/8	1,965	18 3/8	3,496	24 3/8	5,267
1/2	31	6 1/2	773	12 1/2	1,994	18 1/2	3,531	24 1/2	5,306
5/8	39	6 5/8	794	12 5/8	2,023	18 5/8	3,566	24 5/8	5,345
3/4	47	6 3/4	816	12 3/4	2,052	18 3/4	3,600	24 3/4	5,384
7/8	56	6 7/8	838	12 7/8	2,082	18 7/8	3,635	24 7/8	5,423
1	65	7	860	13	2,111	19	3,670	25	5,463
1 1/8	74	7 1/8	882	13 1/8	2,141	19 1/8	3,706	25 1/8	5,502
1 1/4	84	7 1/4	904	13 1/4	2,171	19 1/4	3,741	25 1/4	5,542
1 3/8	94	7 3/8	927	13 3/8	2,201	19 3/8	3,776	25 3/8	5,581
1 1/2	105	7 1/2	950	13 1/2	2,231	19 1/2	3,812	25 1/2	5,621
1 5/8	116	7 5/8	973	13 5/8	2,261	19 5/8	3,847	25 5/8	5,661
1 3/4	128	7 3/4	996	13 3/4	2,291	19 3/4	3,883	25 3/4	5,700
1 7/8	140	7 7/8	1,019	13 7/8	2,322	19 7/8	3,919	25 7/8	5,740
2	152	8	1,043	14	2,352	20	3,954	26	5,780
2 1/8	164	8 1/8	1,066	14 1/8	2,383	20 1/8	3,990	26 1/8	5,820
2 1/4	177	8 1/4	1,090	14 1/4	2,414	20 1/4	4,026	26 1/4	5,860
2 3/8	190	8 3/8	1,114	14 3/8	2,445	20 3/8	4,063	26 3/8	5,901
2 1/2	204	8 1/2	1,138	14 1/2	2,476	20 1/2	4,099	26 1/2	5,941
2 5/8	218	8 5/8	1,163	14 5/8	2,507	20 5/8	4,135	26 5/8	5,981
2 3/4	232	8 3/4	1,187	14 3/4	2,538	20 3/4	4,172	26 3/4	6,022
2 7/8	246	8 7/8	1,212	14 7/8	2,570	20 7/8	4,208	26 7/8	6,062
3	261	9	1,236	15	2,601	21	4,245	27	6,103
3 1/8	276	9 1/8	1,261	15 1/8	2,633	21 1/8	4,281	27 1/8	6,143
3 1/4	291	9 1/4	1,287	15 1/4	2,665	21 1/4	4,318	27 1/4	6,184
3 3/8	307	9 3/8	1,312	15 3/8	2,697	21 3/8	4,355	27 3/8	6,225
3 1/2	322	9 1/2	1,337	15 1/2	2,729	21 1/2	4,392	27 1/2	6,266
3 5/8	338	9 5/8	1,363	15 5/8	2,761	21 5/8	4,429	27 5/8	6,307
3 3/4	355	9 3/4	1,389	15 3/4	2,793	21 3/4	4,466	27 3/4	6,348
3 7/8	371	9 7/8	1,415	15 7/8	2,825	21 7/8	4,504	27 7/8	6,389
4	388	10	1,441	16	2,858	22	4,541	28	6,430
4 1/8	405	10 1/8	1,467	16 1/8	2,890	22 1/8	4,578	28 1/8	6,471
4 1/4	423	10 1/4	1,494	16 1/4	2,923	22 1/4	4,616	28 1/4	6,512
4 3/8	440	10 3/8	1,520	16 3/8	2,956	22 3/8	4,653	28 3/8	6,553
4 1/2	458	10 1/2	1,547	16 1/2	2,989	22 1/2	4,691	28 1/2	6,595
4 5/8	476	10 5/8	1,574	16 5/8	3,022	22 5/8	4,729	28 5/8	6,636
4 3/4	494	10 3/4	1,601	16 3/4	3,055	22 3/4	4,767	28 3/4	6,678
4 7/8	513	10 7/8	1,628	16 7/8	3,088	22 7/8	4,805	28 7/8	6,720
5	532	11	1,655	17	3,122	23	4,843	29	6,761
5 1/8	550	11 1/8	1,683	17 1/8	3,155	23 1/8	4,881	29 1/8	6,803
5 1/4	570	11 1/4	1,710	17 1/4	3,189	23 1/4	4,919	29 1/4	6,845
5 3/8	589	11 3/8	1,738	17 3/8	3,223	23 3/8	4,957	29 3/8	6,887
5 1/2	609	11 1/2	1,766	17 1/2	3,256	23 1/2	4,996	29 1/2	6,929
5 5/8	628	11 5/8	1,794	17 5/8	3,290	23 5/8	5,034	29 5/8	6,971
5 3/4	648	11 3/4	1,822	17 3/4	3,324	23 3/4	5,073	29 3/4	7,013
5 7/8	669	11 7/8	1,850	17 7/8	3,359	23 7/8	5,111	29 7/8	7,055
6	689	12	1,879	18	3,393	24	5,150	30	7,097

DWT6 10'-36000 COMPARTMENT
36,548 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	7,139	36 1/8	9,237	42 1/8	11,446	48 1/8	13,737	54 1/8	16,080
30 1/4	7,182	36 1/4	9,282	42 1/4	11,493	48 1/4	13,785	54 1/4	16,129
30 3/8	7,224	36 3/8	9,327	42 3/8	11,540	48 3/8	13,834	54 3/8	16,178
30 1/2	7,266	36 1/2	9,372	42 1/2	11,587	48 1/2	13,882	54 1/2	16,227
30 5/8	7,309	36 5/8	9,417	42 5/8	11,635	48 5/8	13,930	54 5/8	16,276
30 3/4	7,352	36 3/4	9,462	42 3/4	11,682	48 3/4	13,979	54 3/4	16,326
30 7/8	7,394	36 7/8	9,507	42 7/8	11,729	48 7/8	14,027	54 7/8	16,375
31	7,437	37	9,553	43	11,776	49	14,076	55	16,424
31 1/8	7,480	37 1/8	9,598	43 1/8	11,823	49 1/8	14,124	55 1/8	16,473
31 1/4	7,522	37 1/4	9,643	43 1/4	11,871	49 1/4	14,173	55 1/4	16,523
31 3/8	7,565	37 3/8	9,689	43 3/8	11,918	49 3/8	14,222	55 3/8	16,572
31 1/2	7,608	37 1/2	9,734	43 1/2	11,965	49 1/2	14,270	55 1/2	16,621
31 5/8	7,651	37 5/8	9,780	43 5/8	12,013	49 5/8	14,319	55 5/8	16,670
31 3/4	7,694	37 3/4	9,825	43 3/4	12,060	49 3/4	14,367	55 3/4	16,720
31 7/8	7,737	37 7/8	9,871	43 7/8	12,107	49 7/8	14,416	55 7/8	16,769
32	7,781	38	9,917	44	12,155	50	14,465	56	16,818
32 1/8	7,824	38 1/8	9,962	44 1/8	12,202	50 1/8	14,513	56 1/8	16,867
32 1/4	7,867	38 1/4	10,008	44 1/4	12,250	50 1/4	14,562	56 1/4	16,917
32 3/8	7,911	38 3/8	10,054	44 3/8	12,297	50 3/8	14,611	56 3/8	16,966
32 1/2	7,954	38 1/2	10,100	44 1/2	12,345	50 1/2	14,660	56 1/2	17,015
32 5/8	7,997	38 5/8	10,146	44 5/8	12,393	50 5/8	14,708	56 5/8	17,065
32 3/4	8,041	38 3/4	10,192	44 3/4	12,440	50 3/4	14,757	56 3/4	17,114
32 7/8	8,085	38 7/8	10,237	44 7/8	12,488	50 7/8	14,806	56 7/8	17,163
33	8,128	39	10,283	45	12,536	51	14,855	57	17,213
33 1/8	8,172	39 1/8	10,330	45 1/8	12,583	51 1/8	14,903	57 1/8	17,262
33 1/4	8,216	39 1/4	10,376	45 1/4	12,631	51 1/4	14,952	57 1/4	17,311
33 3/8	8,259	39 3/8	10,422	45 3/8	12,679	51 3/8	15,001	57 3/8	17,361
33 1/2	8,303	39 1/2	10,468	45 1/2	12,727	51 1/2	15,050	57 1/2	17,410
33 5/8	8,347	39 5/8	10,514	45 5/8	12,775	51 5/8	15,099	57 5/8	17,459
33 3/4	8,391	39 3/4	10,560	45 3/4	12,822	51 3/4	15,148	57 3/4	17,509
33 7/8	8,435	39 7/8	10,607	45 7/8	12,870	51 7/8	15,197	57 7/8	17,558
34	8,479	40	10,653	46	12,918	52	15,246	58	17,608
34 1/8	8,523	40 1/8	10,699	46 1/8	12,966	52 1/8	15,295	58 1/8	17,657
34 1/4	8,568	40 1/4	10,746	46 1/4	13,014	52 1/4	15,344	58 1/4	17,706
34 3/8	8,612	40 3/8	10,792	46 3/8	13,062	52 3/8	15,393	58 3/8	17,756
34 1/2	8,656	40 1/2	10,839	46 1/2	13,110	52 1/2	15,442	58 1/2	17,805
34 5/8	8,701	40 5/8	10,885	46 5/8	13,158	52 5/8	15,491	58 5/8	17,855
34 3/4	8,745	40 3/4	10,932	46 3/4	13,206	52 3/4	15,540	58 3/4	17,904
34 7/8	8,789	40 7/8	10,978	46 7/8	13,254	52 7/8	15,589	58 7/8	17,953
35	8,834	41	11,025	47	13,303	53	15,638	59	18,003
35 1/8	8,878	41 1/8	11,072	47 1/8	13,351	53 1/8	15,687	59 1/8	18,052
35 1/4	8,923	41 1/4	11,118	47 1/4	13,399	53 1/4	15,736	59 1/4	18,101
35 3/8	8,968	41 3/8	11,165	47 3/8	13,447	53 3/8	15,785	59 3/8	18,151
35 1/2	9,012	41 1/2	11,212	47 1/2	13,495	53 1/2	15,834	59 1/2	18,200
35 5/8	9,057	41 5/8	11,259	47 5/8	13,544	53 5/8	15,883	59 5/8	18,250
35 3/4	9,102	41 3/4	11,306	47 3/4	13,592	53 3/4	15,932	59 3/4	18,299
35 7/8	9,147	41 7/8	11,352	47 7/8	13,640	53 7/8	15,981	59 7/8	18,348
36	9,192	42	11,399	48	13,689	54	16,030	60	18,398

DWT6 10'-36000 COMPARTMENT
36,548 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	18,447	66 1/8	20,813	72 1/8	23,150	78 1/8	25,430	84 1/8	27,626
60 1/4	18,497	66 1/4	20,862	72 1/4	23,198	78 1/4	25,477	84 1/4	27,670
60 3/8	18,546	66 3/8	20,911	72 3/8	23,246	78 3/8	25,524	84 3/8	27,715
60 1/2	18,595	66 1/2	20,960	72 1/2	23,294	78 1/2	25,570	84 1/2	27,759
60 5/8	18,645	66 5/8	21,009	72 5/8	23,342	78 5/8	25,617	84 5/8	27,804
60 3/4	18,694	66 3/4	21,058	72 3/4	23,391	78 3/4	25,664	84 3/4	27,848
60 7/8	18,744	66 7/8	21,107	72 7/8	23,439	78 7/8	25,710	84 7/8	27,893
61	18,793	67	21,156	73	23,487	79	25,757	85	27,937
61 1/8	18,842	67 1/8	21,205	73 1/8	23,535	79 1/8	25,803	85 1/8	27,981
61 1/4	18,892	67 1/4	21,254	73 1/4	23,583	79 1/4	25,849	85 1/4	28,025
61 3/8	18,941	67 3/8	21,303	73 3/8	23,631	79 3/8	25,896	85 3/8	28,069
61 1/2	18,991	67 1/2	21,352	73 1/2	23,679	79 1/2	25,942	85 1/2	28,114
61 5/8	19,040	67 5/8	21,401	73 5/8	23,726	79 5/8	25,988	85 5/8	28,158
61 3/4	19,089	67 3/4	21,450	73 3/4	23,774	79 3/4	26,035	85 3/4	28,202
61 7/8	19,139	67 7/8	21,499	73 7/8	23,822	79 7/8	26,081	85 7/8	28,245
62	19,188	68	21,548	74	23,870	80	26,127	86	28,289
62 1/8	19,237	68 1/8	21,596	74 1/8	23,918	80 1/8	26,173	86 1/8	28,333
62 1/4	19,287	68 1/4	21,645	74 1/4	23,965	80 1/4	26,219	86 1/4	28,377
62 3/8	19,336	68 3/8	21,694	74 3/8	24,013	80 3/8	26,265	86 3/8	28,421
62 1/2	19,385	68 1/2	21,743	74 1/2	24,061	80 1/2	26,311	86 1/2	28,464
62 5/8	19,435	68 5/8	21,792	74 5/8	24,109	80 5/8	26,357	86 5/8	28,508
62 3/4	19,484	68 3/4	21,841	74 3/4	24,156	80 3/4	26,403	86 3/4	28,551
62 7/8	19,533	68 7/8	21,889	74 7/8	24,204	80 7/8	26,449	86 7/8	28,595
63	19,583	69	21,938	75	24,251	81	26,495	87	28,638
63 1/8	19,632	69 1/8	21,987	75 1/8	24,299	81 1/8	26,541	87 1/8	28,682
63 1/4	19,681	69 1/4	22,035	75 1/4	24,346	81 1/4	26,586	87 1/4	28,725
63 3/8	19,731	69 3/8	22,084	75 3/8	24,394	81 3/8	26,632	87 3/8	28,768
63 1/2	19,780	69 1/2	22,133	75 1/2	24,441	81 1/2	26,678	87 1/2	28,811
63 5/8	19,829	69 5/8	22,181	75 5/8	24,489	81 5/8	26,723	87 5/8	28,854
63 3/4	19,878	69 3/4	22,230	75 3/4	24,536	81 3/4	26,769	87 3/4	28,898
63 7/8	19,928	69 7/8	22,279	75 7/8	24,584	81 7/8	26,814	87 7/8	28,941
64	19,977	70	22,327	76	24,631	82	26,860	88	28,983
64 1/8	20,026	70 1/8	22,376	76 1/8	24,678	82 1/8	26,905	88 1/8	29,026
64 1/4	20,076	70 1/4	22,424	76 1/4	24,726	82 1/4	26,951	88 1/4	29,069
64 3/8	20,125	70 3/8	22,473	76 3/8	24,773	82 3/8	26,996	88 3/8	29,112
64 1/2	20,174	70 1/2	22,521	76 1/2	24,820	82 1/2	27,041	88 1/2	29,155
64 5/8	20,223	70 5/8	22,570	76 5/8	24,867	82 5/8	27,087	88 5/8	29,197
64 3/4	20,272	70 3/4	22,618	76 3/4	24,914	82 3/4	27,132	88 3/4	29,240
64 7/8	20,322	70 7/8	22,667	76 7/8	24,961	82 7/8	27,177	88 7/8	29,282
65	20,371	71	22,715	77	25,008	83	27,222	89	29,325
65 1/8	20,420	71 1/8	22,764	77 1/8	25,055	83 1/8	27,267	89 1/8	29,367
65 1/4	20,469	71 1/4	22,812	77 1/4	25,102	83 1/4	27,312	89 1/4	29,410
65 3/8	20,518	71 3/8	22,860	77 3/8	25,149	83 3/8	27,357	89 3/8	29,452
65 1/2	20,567	71 1/2	22,909	77 1/2	25,196	83 1/2	27,402	89 1/2	29,494
65 5/8	20,617	71 5/8	22,957	77 5/8	25,243	83 5/8	27,447	89 5/8	29,536
65 3/4	20,666	71 3/4	23,005	77 3/4	25,290	83 3/4	27,492	89 3/4	29,578
65 7/8	20,715	71 7/8	23,053	77 7/8	25,337	83 7/8	27,536	89 7/8	29,620
66	20,764	72	23,102	78	25,384	84	27,581	90	29,662

DWT6 10'-36000 COMPARTMENT
36,548 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	29,704	96 1/8	31,630	102 1/8	33,360	108 1/8	34,838	114 1/8	35,979
90 1/4	29,746	96 1/4	31,668	102 1/4	33,393	108 1/4	34,866	114 1/4	35,998
90 3/8	29,788	96 3/8	31,706	102 3/8	33,427	108 3/8	34,894	114 3/8	36,017
90 1/2	29,829	96 1/2	31,744	102 1/2	33,460	108 1/2	34,921	114 1/2	36,036
90 5/8	29,871	96 5/8	31,782	102 5/8	33,494	108 5/8	34,948	114 5/8	36,054
90 3/4	29,912	96 3/4	31,820	102 3/4	33,527	108 3/4	34,975	114 3/4	36,073
90 7/8	29,954	96 7/8	31,858	102 7/8	33,560	108 7/8	35,002	114 7/8	36,091
91	29,995	97	31,895	103	33,593	109	35,029	115	36,109
91 1/8	30,037	97 1/8	31,933	103 1/8	33,626	109 1/8	35,055	115 1/8	36,126
91 1/4	30,078	97 1/4	31,970	103 1/4	33,658	109 1/4	35,082	115 1/4	36,143
91 3/8	30,119	97 3/8	32,008	103 3/8	33,691	109 3/8	35,108	115 3/8	36,161
91 1/2	30,160	97 1/2	32,045	103 1/2	33,723	109 1/2	35,134	115 1/2	36,177
91 5/8	30,201	97 5/8	32,082	103 5/8	33,756	109 5/8	35,160	115 5/8	36,194
91 3/4	30,242	97 3/4	32,120	103 3/4	33,788	109 3/4	35,186	115 3/4	36,210
91 7/8	30,283	97 7/8	32,157	103 7/8	33,820	109 7/8	35,211	115 7/8	36,226
92	30,324	98	32,194	104	33,852	110	35,237	116	36,242
92 1/8	30,365	98 1/8	32,231	104 1/8	33,884	110 1/8	35,262	116 1/8	36,258
92 1/4	30,406	98 1/4	32,267	104 1/4	33,916	110 1/4	35,287	116 1/4	36,273
92 3/8	30,446	98 3/8	32,304	104 3/8	33,948	110 3/8	35,312	116 3/8	36,288
92 1/2	30,487	98 1/2	32,341	104 1/2	33,979	110 1/2	35,337	116 1/2	36,303
92 5/8	30,527	98 5/8	32,377	104 5/8	34,010	110 5/8	35,362	116 5/8	36,317
92 3/4	30,568	98 3/4	32,414	104 3/4	34,042	110 3/4	35,386	116 3/4	36,331
92 7/8	30,608	98 7/8	32,450	104 7/8	34,073	110 7/8	35,411	116 7/8	36,345
93	30,648	99	32,486	105	34,104	111	35,435	117	36,358
93 1/8	30,688	99 1/8	32,522	105 1/8	34,135	111 1/8	35,459	117 1/8	36,372
93 1/4	30,729	99 1/4	32,558	105 1/4	34,166	111 1/4	35,483	117 1/4	36,385
93 3/8	30,769	99 3/8	32,594	105 3/8	34,196	111 3/8	35,506	117 3/8	36,397
93 1/2	30,809	99 1/2	32,630	105 1/2	34,227	111 1/2	35,530	117 1/2	36,409
93 5/8	30,848	99 5/8	32,666	105 5/8	34,257	111 5/8	35,553	117 5/8	36,421
93 3/4	30,888	99 3/4	32,702	105 3/4	34,288	111 3/4	35,576	117 3/4	36,433
93 7/8	30,928	99 7/8	32,737	105 7/8	34,318	111 7/8	35,599	117 7/8	36,444
94	30,968	100	32,773	106	34,348	112	35,622	118	36,454
94 1/8	31,007	100 1/8	32,808	106 1/8	34,378	112 1/8	35,644	118 1/8	36,465
94 1/4	31,047	100 1/4	32,843	106 1/4	34,408	112 1/4	35,667	118 1/4	36,475
94 3/8	31,086	100 3/8	32,878	106 3/8	34,437	112 3/8	35,689	118 3/8	36,484
94 1/2	31,126	100 1/2	32,913	106 1/2	34,467	112 1/2	35,711	118 1/2	36,493
94 5/8	31,165	100 5/8	32,948	106 5/8	34,496	112 5/8	35,733	118 5/8	36,502
94 3/4	31,204	100 3/4	32,983	106 3/4	34,526	112 3/4	35,754	118 3/4	36,510
94 7/8	31,243	100 7/8	33,018	106 7/8	34,555	112 7/8	35,776	118 7/8	36,517
95	31,282	101	33,053	107	34,584	113	35,797	119	36,524
95 1/8	31,321	101 1/8	33,087	107 1/8	34,613	113 1/8	35,818	119 1/8	36,531
95 1/4	31,360	101 1/4	33,122	107 1/4	34,641	113 1/4	35,839	119 1/4	36,536
95 3/8	31,399	101 3/8	33,156	107 3/8	34,670	113 3/8	35,860	119 3/8	36,541
95 1/2	31,437	101 1/2	33,190	107 1/2	34,698	113 1/2	35,880	119 1/2	36,545
95 5/8	31,476	101 5/8	33,224	107 5/8	34,727	113 5/8	35,900	119 5/8	36,548
95 3/4	31,515	101 3/4	33,258	107 3/4	34,755	113 3/4	35,920		
95 7/8	31,553	101 7/8	33,292	107 7/8	34,783	113 7/8	35,940		
96	31,591	102	33,326	108	34,811	114	35,960		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.