

DWT6 10'-50000 COMPARTMENT
49,743 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	17	6 1/8	984	12 1/8	2,631	18 1/8	4,712	24 1/8	7,117
1/4	25	6 1/4	1,012	12 1/4	2,671	18 1/4	4,759	24 1/4	7,170
3/8	34	6 3/8	1,041	12 3/8	2,710	18 3/8	4,807	24 3/8	7,223
1/2	44	6 1/2	1,071	12 1/2	2,750	18 1/2	4,854	24 1/2	7,276
5/8	54	6 5/8	1,100	12 5/8	2,790	18 5/8	4,901	24 5/8	7,329
3/4	66	6 3/4	1,130	12 3/4	2,830	18 3/4	4,949	24 3/4	7,383
7/8	78	6 7/8	1,160	12 7/8	2,871	18 7/8	4,997	24 7/8	7,436
1	90	7	1,191	13	2,911	19	5,045	25	7,490
1 1/8	103	7 1/8	1,221	13 1/8	2,952	19 1/8	5,093	25 1/8	7,544
1 1/4	117	7 1/4	1,252	13 1/4	2,993	19 1/4	5,141	25 1/4	7,597
1 3/8	132	7 3/8	1,283	13 3/8	3,034	19 3/8	5,189	25 3/8	7,651
1 1/2	147	7 1/2	1,315	13 1/2	3,075	19 1/2	5,238	25 1/2	7,705
1 5/8	162	7 5/8	1,346	13 5/8	3,116	19 5/8	5,286	25 5/8	7,759
1 3/4	178	7 3/4	1,378	13 3/4	3,158	19 3/4	5,335	25 3/4	7,814
1 7/8	194	7 7/8	1,410	13 7/8	3,199	19 7/8	5,384	25 7/8	7,868
2	211	8	1,442	14	3,241	20	5,433	26	7,922
2 1/8	229	8 1/8	1,475	14 1/8	3,283	20 1/8	5,482	26 1/8	7,977
2 1/4	247	8 1/4	1,508	14 1/4	3,326	20 1/4	5,531	26 1/4	8,032
2 3/8	265	8 3/8	1,541	14 3/8	3,368	20 3/8	5,580	26 3/8	8,086
2 1/2	284	8 1/2	1,574	14 1/2	3,411	20 1/2	5,630	26 1/2	8,141
2 5/8	303	8 5/8	1,608	14 5/8	3,453	20 5/8	5,679	26 5/8	8,196
2 3/4	322	8 3/4	1,641	14 3/4	3,496	20 3/4	5,729	26 3/4	8,251
2 7/8	342	8 7/8	1,675	14 7/8	3,539	20 7/8	5,779	26 7/8	8,306
3	363	9	1,709	15	3,582	21	5,829	27	8,362
3 1/8	383	9 1/8	1,744	15 1/8	3,626	21 1/8	5,879	27 1/8	8,417
3 1/4	405	9 1/4	1,778	15 1/4	3,669	21 1/4	5,929	27 1/4	8,472
3 3/8	426	9 3/8	1,813	15 3/8	3,713	21 3/8	5,980	27 3/8	8,528
3 1/2	448	9 1/2	1,848	15 1/2	3,757	21 1/2	6,030	27 1/2	8,583
3 5/8	470	9 5/8	1,883	15 5/8	3,801	21 5/8	6,081	27 5/8	8,639
3 3/4	493	9 3/4	1,919	15 3/4	3,845	21 3/4	6,131	27 3/4	8,695
3 7/8	516	9 7/8	1,955	15 7/8	3,889	21 7/8	6,182	27 7/8	8,751
4	539	10	1,991	16	3,934	22	6,233	28	8,807
4 1/8	563	10 1/8	2,027	16 1/8	3,978	22 1/8	6,284	28 1/8	8,863
4 1/4	587	10 1/4	2,063	16 1/4	4,023	22 1/4	6,335	28 1/4	8,919
4 3/8	611	10 3/8	2,099	16 3/8	4,068	22 3/8	6,387	28 3/8	8,975
4 1/2	636	10 1/2	2,136	16 1/2	4,113	22 1/2	6,438	28 1/2	9,032
4 5/8	661	10 5/8	2,173	16 5/8	4,158	22 5/8	6,490	28 5/8	9,088
4 3/4	686	10 3/4	2,210	16 3/4	4,204	22 3/4	6,541	28 3/4	9,145
4 7/8	712	10 7/8	2,247	16 7/8	4,249	22 7/8	6,593	28 7/8	9,201
5	737	11	2,285	17	4,295	23	6,645	29	9,258
5 1/8	764	11 1/8	2,323	17 1/8	4,341	23 1/8	6,697	29 1/8	9,315
5 1/4	790	11 1/4	2,361	17 1/4	4,387	23 1/4	6,749	29 1/4	9,372
5 3/8	817	11 3/8	2,399	17 3/8	4,433	23 3/8	6,801	29 3/8	9,428
5 1/2	844	11 1/2	2,437	17 1/2	4,479	23 1/2	6,854	29 1/2	9,486
5 5/8	871	11 5/8	2,475	17 5/8	4,525	23 5/8	6,906	29 5/8	9,543
5 3/4	899	11 3/4	2,514	17 3/4	4,572	23 3/4	6,958	29 3/4	9,600
5 7/8	927	11 7/8	2,553	17 7/8	4,618	23 7/8	7,011	29 7/8	9,657
6	955	12	2,592	18	4,665	24	7,064	30	9,715

DWT6 10'-50000 COMPARTMENT
49,743 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	9,772	36 1/8	12,622	42 1/8	15,621	48 1/8	18,726	54 1/8	21,900
30 1/4	9,830	36 1/4	12,683	42 1/4	15,684	48 1/4	18,791	54 1/4	21,966
30 3/8	9,887	36 3/8	12,745	42 3/8	15,748	48 3/8	18,857	54 3/8	22,033
30 1/2	9,945	36 1/2	12,806	42 1/2	15,812	48 1/2	18,922	54 1/2	22,099
30 5/8	10,003	36 5/8	12,867	42 5/8	15,876	48 5/8	18,988	54 5/8	22,166
30 3/4	10,061	36 3/4	12,928	42 3/4	15,940	48 3/4	19,054	54 3/4	22,233
30 7/8	10,119	36 7/8	12,990	42 7/8	16,004	48 7/8	19,119	54 7/8	22,299
31	10,177	37	13,051	43	16,068	49	19,185	55	22,366
31 1/8	10,235	37 1/8	13,113	43 1/8	16,132	49 1/8	19,251	55 1/8	22,433
31 1/4	10,293	37 1/4	13,175	43 1/4	16,196	49 1/4	19,317	55 1/4	22,499
31 3/8	10,351	37 3/8	13,236	43 3/8	16,260	49 3/8	19,383	55 3/8	22,566
31 1/2	10,410	37 1/2	13,298	43 1/2	16,324	49 1/2	19,448	55 1/2	22,633
31 5/8	10,468	37 5/8	13,360	43 5/8	16,388	49 5/8	19,514	55 5/8	22,700
31 3/4	10,527	37 3/4	13,422	43 3/4	16,453	49 3/4	19,580	55 3/4	22,766
31 7/8	10,586	37 7/8	13,483	43 7/8	16,517	49 7/8	19,646	55 7/8	22,833
32	10,644	38	13,545	44	16,581	50	19,712	56	22,900
32 1/8	10,703	38 1/8	13,607	44 1/8	16,646	50 1/8	19,778	56 1/8	22,967
32 1/4	10,762	38 1/4	13,670	44 1/4	16,710	50 1/4	19,844	56 1/4	23,033
32 3/8	10,821	38 3/8	13,732	44 3/8	16,775	50 3/8	19,910	56 3/8	23,100
32 1/2	10,880	38 1/2	13,794	44 1/2	16,839	50 1/2	19,976	56 1/2	23,167
32 5/8	10,939	38 5/8	13,856	44 5/8	16,904	50 5/8	20,042	56 5/8	23,234
32 3/4	10,998	38 3/4	13,918	44 3/4	16,968	50 3/4	20,108	56 3/4	23,301
32 7/8	11,057	38 7/8	13,981	44 7/8	17,033	50 7/8	20,174	56 7/8	23,367
33	11,117	39	14,043	45	17,098	51	20,240	57	23,434
33 1/8	11,176	39 1/8	14,106	45 1/8	17,162	51 1/8	20,306	57 1/8	23,501
33 1/4	11,235	39 1/4	14,168	45 1/4	17,227	51 1/4	20,373	57 1/4	23,568
33 3/8	11,295	39 3/8	14,231	45 3/8	17,292	51 3/8	20,439	57 3/8	23,635
33 1/2	11,355	39 1/2	14,293	45 1/2	17,357	51 1/2	20,505	57 1/2	23,702
33 5/8	11,414	39 5/8	14,356	45 5/8	17,421	51 5/8	20,571	57 5/8	23,768
33 3/4	11,474	39 3/4	14,419	45 3/4	17,486	51 3/4	20,637	57 3/4	23,835
33 7/8	11,534	39 7/8	14,482	45 7/8	17,551	51 7/8	20,704	57 7/8	23,902
34	11,594	40	14,544	46	17,616	52	20,770	58	23,969
34 1/8	11,654	40 1/8	14,607	46 1/8	17,681	52 1/8	20,836	58 1/8	24,036
34 1/4	11,714	40 1/4	14,670	46 1/4	17,746	52 1/4	20,903	58 1/4	24,103
34 3/8	11,774	40 3/8	14,733	46 3/8	17,811	52 3/8	20,969	58 3/8	24,170
34 1/2	11,834	40 1/2	14,796	46 1/2	17,876	52 1/2	21,035	58 1/2	24,236
34 5/8	11,894	40 5/8	14,860	46 5/8	17,942	52 5/8	21,102	58 5/8	24,303
34 3/4	11,954	40 3/4	14,923	46 3/4	18,007	52 3/4	21,168	58 3/4	24,370
34 7/8	12,015	40 7/8	14,986	46 7/8	18,072	52 7/8	21,234	58 7/8	24,437
35	12,075	41	15,049	47	18,137	53	21,301	59	24,504
35 1/8	12,136	41 1/8	15,112	47 1/8	18,202	53 1/8	21,367	59 1/8	24,571
35 1/4	12,196	41 1/4	15,176	47 1/4	18,268	53 1/4	21,434	59 1/4	24,638
35 3/8	12,257	41 3/8	15,239	47 3/8	18,333	53 3/8	21,500	59 3/8	24,705
35 1/2	12,318	41 1/2	15,303	47 1/2	18,398	53 1/2	21,567	59 1/2	24,772
35 5/8	12,379	41 5/8	15,366	47 5/8	18,464	53 5/8	21,633	59 5/8	24,839
35 3/4	12,439	41 3/4	15,430	47 3/4	18,529	53 3/4	21,700	59 3/4	24,905
35 7/8	12,500	41 7/8	15,493	47 7/8	18,595	53 7/8	21,766	59 7/8	24,972
36	12,561	42	15,557	48	18,660	54	21,833	60	25,039

DWT6 10'-50000 COMPARTMENT
49,743 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	25,106	66 1/8	28,310	72 1/8	31,476	78 1/8	34,568	84 1/8	37,548
60 1/4	25,173	66 1/4	28,377	72 1/4	31,542	78 1/4	34,632	84 1/4	37,608
60 3/8	25,240	66 3/8	28,443	72 3/8	31,607	78 3/8	34,695	84 3/8	37,669
60 1/2	25,307	66 1/2	28,509	72 1/2	31,672	78 1/2	34,758	84 1/2	37,729
60 5/8	25,374	66 5/8	28,576	72 5/8	31,737	78 5/8	34,821	84 5/8	37,789
60 3/4	25,441	66 3/4	28,642	72 3/4	31,802	78 3/4	34,884	84 3/4	37,850
60 7/8	25,508	66 7/8	28,709	72 7/8	31,868	78 7/8	34,948	84 7/8	37,910
61	25,574	67	28,775	73	31,933	79	35,011	85	37,970
61 1/8	25,641	67 1/8	28,841	73 1/8	31,998	79 1/8	35,074	85 1/8	38,030
61 1/4	25,708	67 1/4	28,908	73 1/4	32,063	79 1/4	35,137	85 1/4	38,090
61 3/8	25,775	67 3/8	28,974	73 3/8	32,128	79 3/8	35,199	85 3/8	38,150
61 1/2	25,842	67 1/2	29,040	73 1/2	32,193	79 1/2	35,262	85 1/2	38,210
61 5/8	25,909	67 5/8	29,107	73 5/8	32,258	79 5/8	35,325	85 5/8	38,270
61 3/4	25,976	67 3/4	29,173	73 3/4	32,323	79 3/4	35,388	85 3/4	38,330
61 7/8	26,042	67 7/8	29,239	73 7/8	32,387	79 7/8	35,451	85 7/8	38,389
62	26,109	68	29,305	74	32,452	80	35,513	86	38,449
62 1/8	26,176	68 1/8	29,371	74 1/8	32,517	80 1/8	35,576	86 1/8	38,509
62 1/4	26,243	68 1/4	29,438	74 1/4	32,582	80 1/4	35,638	86 1/4	38,568
62 3/8	26,310	68 3/8	29,504	74 3/8	32,646	80 3/8	35,701	86 3/8	38,627
62 1/2	26,377	68 1/2	29,570	74 1/2	32,711	80 1/2	35,763	86 1/2	38,687
62 5/8	26,443	68 5/8	29,636	74 5/8	32,776	80 5/8	35,826	86 5/8	38,746
62 3/4	26,510	68 3/4	29,702	74 3/4	32,840	80 3/4	35,888	86 3/4	38,805
62 7/8	26,577	68 7/8	29,768	74 7/8	32,905	80 7/8	35,950	86 7/8	38,864
63	26,644	69	29,834	75	32,969	81	36,012	87	38,923
63 1/8	26,711	69 1/8	29,900	75 1/8	33,034	81 1/8	36,074	87 1/8	38,982
63 1/4	26,777	69 1/4	29,966	75 1/4	33,098	81 1/4	36,137	87 1/4	39,041
63 3/8	26,844	69 3/8	30,032	75 3/8	33,163	81 3/8	36,199	87 3/8	39,100
63 1/2	26,911	69 1/2	30,098	75 1/2	33,227	81 1/2	36,261	87 1/2	39,158
63 5/8	26,978	69 5/8	30,164	75 5/8	33,291	81 5/8	36,322	87 5/8	39,217
63 3/4	27,044	69 3/4	30,230	75 3/4	33,356	81 3/4	36,384	87 3/4	39,276
63 7/8	27,111	69 7/8	30,296	75 7/8	33,420	81 7/8	36,446	87 7/8	39,334
64	27,178	70	30,361	76	33,484	82	36,508	88	39,392
64 1/8	27,245	70 1/8	30,427	76 1/8	33,548	82 1/8	36,569	88 1/8	39,451
64 1/4	27,311	70 1/4	30,493	76 1/4	33,612	82 1/4	36,631	88 1/4	39,509
64 3/8	27,378	70 3/8	30,559	76 3/8	33,676	82 3/8	36,693	88 3/8	39,567
64 1/2	27,445	70 1/2	30,625	76 1/2	33,740	82 1/2	36,754	88 1/2	39,625
64 5/8	27,511	70 5/8	30,690	76 5/8	33,804	82 5/8	36,815	88 5/8	39,683
64 3/4	27,578	70 3/4	30,756	76 3/4	33,868	82 3/4	36,877	88 3/4	39,741
64 7/8	27,645	70 7/8	30,822	76 7/8	33,932	82 7/8	36,938	88 7/8	39,799
65	27,711	71	30,887	77	33,996	83	36,999	89	39,857
65 1/8	27,778	71 1/8	30,953	77 1/8	34,060	83 1/8	37,061	89 1/8	39,914
65 1/4	27,844	71 1/4	31,018	77 1/4	34,123	83 1/4	37,122	89 1/4	39,972
65 3/8	27,911	71 3/8	31,084	77 3/8	34,187	83 3/8	37,183	89 3/8	40,029
65 1/2	27,978	71 1/2	31,149	77 1/2	34,251	83 1/2	37,244	89 1/2	40,087
65 5/8	28,044	71 5/8	31,215	77 5/8	34,314	83 5/8	37,305	89 5/8	40,144
65 3/4	28,111	71 3/4	31,280	77 3/4	34,378	83 3/4	37,365	89 3/4	40,201
65 7/8	28,177	71 7/8	31,346	77 7/8	34,441	83 7/8	37,426	89 7/8	40,258
66	28,244	72	31,411	78	34,505	84	37,487	90	40,315

DWT6 10'-50000 COMPARTMENT
49,743 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	40,372	96 1/8	42,995	102 1/8	45,357	108 1/8	47,383	114 1/8	48,954
90 1/4	40,429	96 1/4	43,047	102 1/4	45,403	108 1/4	47,421	114 1/4	48,980
90 3/8	40,486	96 3/8	43,099	102 3/8	45,449	108 3/8	47,459	114 3/8	49,007
90 1/2	40,543	96 1/2	43,151	102 1/2	45,495	108 1/2	47,497	114 1/2	49,032
90 5/8	40,599	96 5/8	43,203	102 5/8	45,540	108 5/8	47,534	114 5/8	49,058
90 3/4	40,656	96 3/4	43,254	102 3/4	45,586	108 3/4	47,571	114 3/4	49,083
90 7/8	40,712	96 7/8	43,306	102 7/8	45,631	108 7/8	47,608	114 7/8	49,108
91	40,769	97	43,357	103	45,676	109	47,645	115	49,133
91 1/8	40,825	97 1/8	43,409	103 1/8	45,721	109 1/8	47,681	115 1/8	49,157
91 1/4	40,881	97 1/4	43,460	103 1/4	45,766	109 1/4	47,717	115 1/4	49,181
91 3/8	40,937	97 3/8	43,511	103 3/8	45,810	109 3/8	47,753	115 3/8	49,205
91 1/2	40,993	97 1/2	43,562	103 1/2	45,855	109 1/2	47,789	115 1/2	49,228
91 5/8	41,049	97 5/8	43,613	103 5/8	45,899	109 5/8	47,825	115 5/8	49,251
91 3/4	41,105	97 3/4	43,663	103 3/4	45,943	109 3/4	47,861	115 3/4	49,274
91 7/8	41,161	97 7/8	43,714	103 7/8	45,987	109 7/8	47,896	115 7/8	49,296
92	41,216	98	43,764	104	46,031	110	47,931	116	49,318
92 1/8	41,272	98 1/8	43,815	104 1/8	46,075	110 1/8	47,966	116 1/8	49,339
92 1/4	41,327	98 1/4	43,865	104 1/4	46,118	110 1/4	48,000	116 1/4	49,360
92 3/8	41,382	98 3/8	43,915	104 3/8	46,162	110 3/8	48,035	116 3/8	49,381
92 1/2	41,438	98 1/2	43,965	104 1/2	46,205	110 1/2	48,069	116 1/2	49,402
92 5/8	41,493	98 5/8	44,015	104 5/8	46,248	110 5/8	48,103	116 5/8	49,422
92 3/4	41,548	98 3/4	44,065	104 3/4	46,291	110 3/4	48,136	116 3/4	49,441
92 7/8	41,603	98 7/8	44,114	104 7/8	46,333	110 7/8	48,170	116 7/8	49,460
93	41,658	99	44,164	105	46,376	111	48,203	117	49,479
93 1/8	41,712	99 1/8	44,213	105 1/8	46,418	111 1/8	48,236	117 1/8	49,497
93 1/4	41,767	99 1/4	44,262	105 1/4	46,461	111 1/4	48,269	117 1/4	49,515
93 3/8	41,822	99 3/8	44,311	105 3/8	46,503	111 3/8	48,302	117 3/8	49,533
93 1/2	41,876	99 1/2	44,360	105 1/2	46,545	111 1/2	48,334	117 1/2	49,550
93 5/8	41,930	99 5/8	44,409	105 5/8	46,586	111 5/8	48,366	117 5/8	49,566
93 3/4	41,985	99 3/4	44,458	105 3/4	46,628	111 3/4	48,398	117 3/4	49,582
93 7/8	42,039	99 7/8	44,506	105 7/8	46,669	111 7/8	48,429	117 7/8	49,597
94	42,093	100	44,555	106	46,710	112	48,461	118	49,612
94 1/8	42,147	100 1/8	44,603	106 1/8	46,751	112 1/8	48,492	118 1/8	49,627
94 1/4	42,200	100 1/4	44,651	106 1/4	46,792	112 1/4	48,523	118 1/4	49,641
94 3/8	42,254	100 3/8	44,699	106 3/8	46,833	112 3/8	48,553	118 3/8	49,654
94 1/2	42,308	100 1/2	44,747	106 1/2	46,873	112 1/2	48,584	118 1/2	49,666
94 5/8	42,361	100 5/8	44,795	106 5/8	46,914	112 5/8	48,614	118 5/8	49,678
94 3/4	42,415	100 3/4	44,843	106 3/4	46,954	112 3/4	48,644	118 3/4	49,690
94 7/8	42,468	100 7/8	44,890	106 7/8	46,994	112 7/8	48,673	118 7/8	49,700
95	42,521	101	44,937	107	47,034	113	48,703	119	49,710
95 1/8	42,574	101 1/8	44,985	107 1/8	47,073	113 1/8	48,732	119 1/8	49,719
95 1/4	42,627	101 1/4	45,032	107 1/4	47,113	113 1/4	48,760	119 1/4	49,727
95 3/8	42,680	101 3/8	45,079	107 3/8	47,152	113 3/8	48,789	119 3/8	49,733
95 1/2	42,733	101 1/2	45,126	107 1/2	47,191	113 1/2	48,817	119 1/2	49,739
95 5/8	42,786	101 5/8	45,172	107 5/8	47,230	113 5/8	48,845	119 5/8	49,743
95 3/4	42,838	101 3/4	45,219	107 3/4	47,269	113 3/4	48,873		
95 7/8	42,890	101 7/8	45,265	107 7/8	47,307	113 7/8	48,900		
96	42,943	102	45,311	108	47,345	114	48,927		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.