

**12'-40000 SWT F1 Single-Wall Tank  
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	12	7 1/8	815	14 1/8	2,181	21 1/8	3900	28 1/8	5879	35 1/8	8060
1/4	17	7 1/4	835	14 1/4	2,209	21 1/4	3933	28 1/4	5916	35 1/4	8101
3/8	23	7 3/8	856	14 3/8	2,237	21 3/8	3966	28 3/8	5954	35 3/8	8141
1/2	30	7 1/2	877	14 1/2	2,265	21 1/2	4000	28 1/2	5991	35 1/2	8182
5/8	37	7 5/8	898	14 5/8	2,294	21 5/8	4033	28 5/8	6029	35 5/8	8222
3/4	44	7 3/4	919	14 3/4	2,322	21 3/4	4067	28 3/4	6066	35 3/4	8263
7/8	52	7 7/8	940	14 7/8	2,351	21 7/8	4100	28 7/8	6104	35 7/8	8304
1	61	8	962	15	2379	22	4134	29	6142	36	8345
1 1/8	70	8 1/8	983	15 1/8	2,408	22 1/8	4168	29 1/8	6180	36 1/8	8385
1 1/4	79	8 1/4	1,005	15 1/4	2,437	22 1/4	4202	29 1/4	6217	36 1/4	8426
1 3/8	88	8 3/8	1,027	15 3/8	2,466	22 3/8	4236	29 3/8	6255	36 3/8	8467
1 1/2	98	8 1/2	1,049	15 1/2	2,495	22 1/2	4270	29 1/2	6293	36 1/2	8508
1 5/8	109	8 5/8	1,071	15 5/8	2,524	22 5/8	4304	29 5/8	6331	36 5/8	8549
1 3/4	120	8 3/4	1,094	15 3/4	2,553	22 3/4	4338	29 3/4	6369	36 3/4	8590
1 7/8	131	8 7/8	1,116	15 7/8	2,582	22 7/8	4373	29 7/8	6407	36 7/8	8631
2	142	9	1,139	16	2612	23	4407	30	6446	37	8673
2 1/8	154	9 1/8	1,162	16 1/8	2,641	23 1/8	4442	30 1/8	6484	37 1/8	8714
2 1/4	165	9 1/4	1,185	16 1/4	2,671	23 1/4	4476	30 1/4	6522	37 1/4	8755
2 3/8	178	9 3/8	1,208	16 3/8	2,701	23 3/8	4511	30 3/8	6561	37 3/8	8796
2 1/2	190	9 1/2	1,231	16 1/2	2,730	23 1/2	4545	30 1/2	6599	37 1/2	8838
2 5/8	203	9 5/8	1,254	16 5/8	2,760	23 5/8	4580	30 5/8	6638	37 5/8	8879
2 3/4	216	9 3/4	1,278	16 3/4	2,790	23 3/4	4615	30 3/4	6676	37 3/4	8920
2 7/8	230	9 7/8	1,301	16 7/8	2,820	23 7/8	4650	30 7/8	6715	37 7/8	8962
3	243	10	1,325	17	2851	24	4685	31	6753	38	9003
3 1/8	257	10 1/8	1,349	17 1/8	2,881	24 1/8	4720	31 1/8	6792	38 1/8	9045
3 1/4	271	10 1/4	1,373	17 1/4	2,911	24 1/4	4755	31 1/4	6831	38 1/4	9087
3 3/8	286	10 3/8	1,397	17 3/8	2,942	24 3/8	4790	31 3/8	6870	38 3/8	9128
3 1/2	300	10 1/2	1,422	17 1/2	2,973	24 1/2	4826	31 1/2	6909	38 1/2	9170
3 5/8	315	10 5/8	1,446	17 5/8	3,003	24 5/8	4861	31 5/8	6948	38 5/8	9212
3 3/4	330	10 3/4	1,471	17 3/4	3,034	24 3/4	4896	31 3/4	6987	38 3/4	9253
3 7/8	345	10 7/8	1,495	17 7/8	3,065	24 7/8	4932	31 7/8	7026	38 7/8	9295
4	361	11	1,520	18	3,096	25	4967	32	7065	39	9337
4 1/8	377	11 1/8	1,545	18 1/8	3,127	25 1/8	5003	32 1/8	7104	39 1/8	9379
4 1/4	393	11 1/4	1,570	18 1/4	3,158	25 1/4	5039	32 1/4	7143	39 1/4	9421
4 3/8	409	11 3/8	1,596	18 3/8	3,189	25 3/8	5075	32 3/8	7182	39 3/8	9463
4 1/2	425	11 1/2	1,621	18 1/2	3,221	25 1/2	5110	32 1/2	7222	39 1/2	9505
4 5/8	442	11 5/8	1,646	18 5/8	3,252	25 5/8	5146	32 5/8	7261	39 5/8	9547
4 3/4	459	11 3/4	1,672	18 3/4	3,284	25 3/4	5182	32 3/4	7301	39 3/4	9589
4 7/8	476	11 7/8	1,698	18 7/8	3315	25 7/8	5218	32 7/8	7340	39 7/8	9631
5	493	12	1,724	19	3347	26	5255	33	7380	40	9674
5 1/8	511	12 1/8	1,750	19 1/8	3379	26 1/8	5291	33 1/8	7419	40 1/8	9716
5 1/4	528	12 1/4	1,776	19 1/4	3411	26 1/4	5327	33 1/4	7459	40 1/4	9758
5 3/8	546	12 3/8	1,802	19 3/8	3443	26 3/8	5363	33 3/8	7499	40 3/8	9800
5 1/2	564	12 1/2	1,828	19 1/2	3475	26 1/2	5400	33 1/2	7538	40 1/2	9843
5 5/8	582	12 5/8	1,855	19 5/8	3507	26 5/8	5436	33 5/8	7578	40 5/8	9885
5 3/4	601	12 3/4	1,881	19 3/4	3539	26 3/4	5473	33 3/4	7618	40 3/4	9928
5 7/8	619	12 7/8	1,908	19 7/8	3572	26 7/8	5509	33 7/8	7658	40 7/8	9970
6	638	13	1,935	20	3604	27	5546	34	7698	41	10013
6 1/8	657	13 1/8	1,962	20 1/8	3637	27 1/8	5583	34 1/8	7738	41 1/8	10055
6 1/4	676	13 1/4	1,989	20 1/4	3669	27 1/4	5620	34 1/4	7778	41 1/4	10098
6 3/8	695	13 3/8	2,016	20 3/8	3702	27 3/8	5657	34 3/8	7818	41 3/8	10140
6 1/2	715	13 1/2	2,043	20 1/2	3735	27 1/2	5693	34 1/2	7859	41 1/2	10183
6 5/8	735	13 5/8	2,071	20 5/8	3767	27 5/8	5730	34 5/8	7899	41 5/8	10226
6 3/4	754	13 3/4	2,098	20 3/4	3800	27 3/4	5768	34 3/4	7939	41 3/4	10269
6 7/8	774	13 7/8	2,126	20 7/8	3833	27 7/8	5805	34 7/8	7979	41 7/8	10311
7	795	14	2,153	21	3866	28	5842	35	8020	42	10354

**12'-40000 SWT F1 Single-Wall Tank  
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	10397	49 1/8	12852	56 1/8	15391	63 1/8	17982	70 1/8	20597	77 1/8	23206
42 1/4	10440	49 1/4	12897	56 1/4	15436	63 1/4	18029	70 1/4	20644	77 1/4	23252
42 3/8	10483	49 3/8	12941	56 3/8	15482	63 3/8	18075	70 3/8	20690	77 3/8	23298
42 1/2	10526	49 1/2	12986	56 1/2	15528	63 1/2	18122	70 1/2	20737	77 1/2	23345
42 5/8	10569	49 5/8	13031	56 5/8	15574	63 5/8	18168	70 5/8	20784	77 5/8	23391
42 3/4	10612	49 3/4	13076	56 3/4	15620	63 3/4	18215	70 3/4	20830	77 3/4	23437
42 7/8	10655	49 7/8	13120	56 7/8	15666	63 7/8	18262	70 7/8	20877	77 7/8	23484
43	10698	50	13165	57	15712	64	18308	71	20924	78	23530
43 1/8	10741	50 1/8	13210	57 1/8	15758	64 1/8	18355	71 1/8	20971	78 1/8	23576
43 1/4	10785	50 1/4	13255	57 1/4	15804	64 1/4	18402	71 1/4	21017	78 1/4	23622
43 3/8	10828	50 3/8	13300	57 3/8	15850	64 3/8	18448	71 3/8	21064	78 3/8	23669
43 1/2	10871	50 1/2	13345	57 1/2	15896	64 1/2	18495	71 1/2	21111	78 1/2	23715
43 5/8	10914	50 5/8	13390	57 5/8	15942	64 5/8	18541	71 5/8	21157	78 5/8	23761
43 3/4	10958	50 3/4	13435	57 3/4	15989	64 3/4	18588	71 3/4	21204	78 3/4	23807
43 7/8	11001	50 7/8	13480	57 7/8	16035	64 7/8	18635	71 7/8	21251	78 7/8	23853
44	11045	51	13525	58	16081	65	18681	72	21297	79	23900
44 1/8	11088	51 1/8	13570	58 1/8	16127	65 1/8	18728	72 1/8	21344	79 1/8	23946
44 1/4	11131	51 1/4	13615	58 1/4	16173	65 1/4	18775	72 1/4	21391	79 1/4	23992
44 3/8	11175	51 3/8	13660	58 3/8	16219	65 3/8	18821	72 3/8	21437	79 3/8	24038
44 1/2	11219	51 1/2	13705	58 1/2	16265	65 1/2	18868	72 1/2	21484	79 1/2	24084
44 5/8	11262	51 5/8	13751	58 5/8	16312	65 5/8	18915	72 5/8	21531	79 5/8	24130
44 3/4	11306	51 3/4	13796	58 3/4	16358	65 3/4	18962	72 3/4	21577	79 3/4	24176
44 7/8	11349	51 7/8	13841	58 7/8	16404	65 7/8	19008	72 7/8	21624	79 7/8	24222
45	11393	52	13886	59	16450	66	19055	73	21671	80	24269
45 1/8	11437	52 1/8	13931	59 1/8	16497	66 1/8	19102	73 1/8	21717	80 1/8	24315
45 1/4	11481	52 1/4	13977	59 1/4	16543	66 1/4	19148	73 1/4	21764	80 1/4	24361
45 3/8	11524	52 3/8	14022	59 3/8	16589	66 3/8	19195	73 3/8	21811	80 3/8	24407
45 1/2	11568	52 1/2	14067	59 1/2	16635	66 1/2	19242	73 1/2	21857	80 1/2	24453
45 5/8	11612	52 5/8	14113	59 5/8	16682	66 5/8	19288	73 5/8	21904	80 5/8	24499
45 3/4	11656	52 3/4	14158	59 3/4	16728	66 3/4	19335	73 3/4	21950	80 3/4	24545
45 7/8	11700	52 7/8	14203	59 7/8	16774	66 7/8	19382	73 7/8	21997	80 7/8	24591
46	11744	53	14249	60	16821	67	19429	74	22044	81	24637
46 1/8	11788	53 1/8	14294	60 1/8	16867	67 1/8	19475	74 1/8	22090	81 1/8	24682
46 1/4	11832	53 1/4	14340	60 1/4	16913	67 1/4	19522	74 1/4	22137	81 1/4	24728
46 3/8	11876	53 3/8	14385	60 3/8	16960	67 3/8	19569	74 3/8	22183	81 3/8	24774
46 1/2	11920	53 1/2	14431	60 1/2	17006	67 1/2	19615	74 1/2	22230	81 1/2	24820
46 5/8	11964	53 5/8	14476	60 5/8	17052	67 5/8	19662	74 5/8	22276	81 5/8	24866
46 3/4	12008	53 3/4	14522	60 3/4	17099	67 3/4	19709	74 3/4	22323	81 3/4	24912
46 7/8	12052	53 7/8	14567	60 7/8	17145	67 7/8	19756	74 7/8	22370	81 7/8	24958
47	12096	54	14613	61	17192	68	19802	75	22416	82	25003
47 1/8	12141	54 1/8	14659	61 1/8	17238	68 1/8	19849	75 1/8	22463	82 1/8	25049
47 1/4	12185	54 1/4	14704	61 1/4	17284	68 1/4	19896	75 1/4	22509	82 1/4	25095
47 3/8	12229	54 3/8	14750	61 3/8	17331	68 3/8	19943	75 3/8	22556	82 3/8	25141
47 1/2	12273	54 1/2	14795	61 1/2	17377	68 1/2	19989	75 1/2	22602	82 1/2	25186
47 5/8	12318	54 5/8	14841	61 5/8	17424	68 5/8	20036	75 5/8	22649	82 5/8	25232
47 3/4	12362	54 3/4	14887	61 3/4	17470	68 3/4	20083	75 3/4	22695	82 3/4	25278
47 7/8	12406	54 7/8	14932	61 7/8	17517	68 7/8	20130	75 7/8	22742	82 7/8	25323
48	12451	55	14978	62	17563	69	20176	76	22788	83	25369
48 1/8	12495	55 1/8	15024	62 1/8	17610	69 1/8	20223	76 1/8	22834	83 1/8	25415
48 1/4	12540	55 1/4	15070	62 1/4	17656	69 1/4	20270	76 1/4	22881	83 1/4	25460
48 3/8	12584	55 3/8	15116	62 3/8	17703	69 3/8	20316	76 3/8	22927	83 3/8	25506
48 1/2	12629	55 1/2	15161	62 1/2	17749	69 1/2	20363	76 1/2	22974	83 1/2	25552
48 5/8	12673	55 5/8	15207	62 5/8	17796	69 5/8	20410	76 5/8	23020	83 5/8	25597
48 3/4	12718	55 3/4	15253	62 3/4	17842	69 3/4	20457	76 3/4	23066	83 3/4	25643
48 7/8	12763	55 7/8	15299	62 7/8	17889	69 7/8	20503	76 7/8	23113	83 7/8	25688
49	12807	56	15345	63	17936	70	20550	77	23159	84	25734

**12'-40000 SWT F1 Single-Wall Tank  
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	25779	91 1/8	28287	98 1/8	30,698	105 1/8	32,976	112 1/8	35,080	119 1/8	36961
84 1/4	25825	91 1/4	28331	98 1/4	30,740	105 1/4	33,015	112 1/4	35,116	119 1/4	36992
84 3/8	25870	91 3/8	28375	98 3/8	30,782	105 3/8	33,054	112 3/8	35,151	119 3/8	37023
84 1/2	25915	91 1/2	28419	98 1/2	30,824	105 1/2	33,093	112 1/2	35,187	119 1/2	37054
84 5/8	25961	91 5/8	28463	98 5/8	30,865	105 5/8	33,132	112 5/8	35,223	119 5/8	37085
84 3/4	26006	91 3/4	28507	98 3/4	30,907	105 3/4	33,171	112 3/4	35,258	119 3/4	37116
84 7/8	26052	91 7/8	28551	98 7/8	30,949	105 7/8	33,210	112 7/8	35,293	119 7/8	37146
85	26097	92	28595	99	30,991	106	33,249	113	35329	120	37177
85 1/8	26142	92 1/8	28638	99 1/8	31,032	106 1/8	33,288	113 1/8	35,364	120 1/8	37207
85 1/4	26187	92 1/4	28682	99 1/4	31,074	106 1/4	33,327	113 1/4	35,399	120 1/4	37238
85 3/8	26233	92 3/8	28726	99 3/8	31,115	106 3/8	33,366	113 3/8	35,434	120 3/8	37268
85 1/2	26278	92 1/2	28770	99 1/2	31,157	106 1/2	33,404	113 1/2	35,469	120 1/2	37298
85 5/8	26323	92 5/8	28813	99 5/8	31,198	106 5/8	33,443	113 5/8	35,504	120 5/8	37329
85 3/4	26368	92 3/4	28857	99 3/4	31,240	106 3/4	33,481	113 3/4	35,539	120 3/4	37359
85 7/8	26414	92 7/8	28900	99 7/8	31,281	106 7/8	33,520	113 7/8	35,573	120 7/8	37389
86	26459	93	28944	100	31,323	107	33,558	114	35608	121	37418
86 1/8	26504	93 1/8	28987	100 1/8	31,364	107 1/8	33,597	114 1/8	35,643	121 1/8	37448
86 1/4	26549	93 1/4	29031	100 1/4	31,405	107 1/4	33,635	114 1/4	35,677	121 1/4	37478
86 3/8	26594	93 3/8	29074	100 3/8	31,446	107 3/8	33,673	114 3/8	35,712	121 3/8	37507
86 1/2	26639	93 1/2	29118	100 1/2	31,488	107 1/2	33,711	114 1/2	35,746	121 1/2	37537
86 5/8	26684	93 5/8	29161	100 5/8	31,529	107 5/8	33,750	114 5/8	35,780	121 5/8	37566
86 3/4	26729	93 3/4	29204	100 3/4	31,570	107 3/4	33,788	114 3/4	35,815	121 3/4	37595
86 7/8	26774	93 7/8	29248	100 7/8	31,611	107 7/8	33,826	114 7/8	35,849	121 7/8	37624
87	26819	94	29291	101	31,652	108	33,864	115	35883	122	37653
87 1/8	26864	94 1/8	29334	101 1/8	31,693	108 1/8	33,901	115 1/8	35,917	122 1/8	37682
87 1/4	26909	94 1/4	29377	101 1/4	31,733	108 1/4	33,939	115 1/4	35,951	122 1/4	37711
87 3/8	26954	94 3/8	29421	101 3/8	31,774	108 3/8	33,977	115 3/8	35,985	122 3/8	37740
87 1/2	26998	94 1/2	29464	101 1/2	31,815	108 1/2	34,015	115 1/2	36,018	122 1/2	37768
87 5/8	27043	94 5/8	29507	101 5/8	31,856	108 5/8	34,052	115 5/8	36,052	122 5/8	37797
87 3/4	27088	94 3/4	29550	101 3/4	31,896	108 3/4	34,090	115 3/4	36,086	122 3/4	37825
87 7/8	27133	94 7/8	29593	101 7/8	31,937	108 7/8	34,128	115 7/8	36,119	122 7/8	37853
88	27178	95	29636	102	31,978	109	34,165	116	36,153	123	37882
88 1/8	27222	95 1/8	29679	102 1/8	32,018	109 1/8	34,202	116 1/8	36,186	123 1/8	37910
88 1/4	27267	95 1/4	29722	102 1/4	32,059	109 1/4	34,240	116 1/4	36,219	123 1/4	37938
88 3/8	27312	95 3/8	29765	102 3/8	32,099	109 3/8	34,277	116 3/8	36,252	123 3/8	37965
88 1/2	27356	95 1/2	29807	102 1/2	32,140	109 1/2	34,314	116 1/2	36,286	123 1/2	37993
88 5/8	27401	95 5/8	29850	102 5/8	32,180	109 5/8	34,351	116 5/8	36,319	123 5/8	38021
88 3/4	27446	95 3/4	29893	102 3/4	32,220	109 3/4	34,388	116 3/4	36,351	123 3/4	38048
88 7/8	27490	95 7/8	29936	102 7/8	32,260	109 7/8	34,425	116 7/8	36384	123 7/8	38076
89	27535	96	29978	103	32,301	110	34,462	117	36417	124	38103
89 1/8	27579	96 1/8	30021	103 1/8	32,341	110 1/8	34,499	117 1/8	36450	124 1/8	38130
89 1/4	27624	96 1/4	30064	103 1/4	32,381	110 1/4	34,536	117 1/4	36482	124 1/4	38157
89 3/8	27668	96 3/8	30106	103 3/8	32,421	110 3/8	34,573	117 3/8	36515	124 3/8	38184
89 1/2	27712	96 1/2	30149	103 1/2	32,461	110 1/2	34,609	117 1/2	36547	124 1/2	38211
89 5/8	27757	96 5/8	30191	103 5/8	32,501	110 5/8	34,646	117 5/8	36580	124 5/8	38238
89 3/4	27801	96 3/4	30234	103 3/4	32,541	110 3/4	34,683	117 3/4	36612	124 3/4	38264
89 7/8	27846	96 7/8	30276	103 7/8	32,580	110 7/8	34,719	117 7/8	36644	124 7/8	38291
90	27890	97	30318	104	32,620	111	34,756	118	36676	125	38317
90 1/8	27934	97 1/8	30361	104 1/8	32,660	111 1/8	34,792	118 1/8	36708	125 1/8	38343
90 1/4	27978	97 1/4	30403	104 1/4	32,700	111 1/4	34,828	118 1/4	36740	125 1/4	38369
90 3/8	28023	97 3/8	30445	104 3/8	32,739	111 3/8	34,864	118 3/8	36772	125 3/8	38395
90 1/2	28067	97 1/2	30487	104 1/2	32,779	111 1/2	34,900	118 1/2	36804	125 1/2	38421
90 5/8	28111	97 5/8	30530	104 5/8	32,818	111 5/8	34,937	118 5/8	36835	125 5/8	38447
90 3/4	28155	97 3/4	30572	104 3/4	32,858	111 3/4	34,973	118 3/4	36867	125 3/4	38472
90 7/8	28199	97 7/8	30614	104 7/8	32,897	111 7/8	35,008	118 7/8	36898	125 7/8	38498
91	28243	98	30656	105	32,936	112	35,044	119	36929	126	38523

# 12'-40000 SWT F1 Single-Wall Tank

## 40118 Gals



**CONTAINMENT**  
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	38548	133 1/8	39726
126 1/4	38574	133 1/4	39742
126 3/8	38599	133 3/8	39758
126 1/2	38623	133 1/2	39773
126 5/8	38648	133 5/8	39789
126 3/4	38673	133 3/4	39804
126 7/8	38697	133 7/8	39819
127	38722	134	39833
127 1/8	38746	134 1/8	39848
127 1/4	38770	134 1/4	39862
127 3/8	38794	134 3/8	39876
127 1/2	38817	134 1/2	39889
127 5/8	38841	134 5/8	39903
127 3/4	38865	134 3/4	39916
127 7/8	38888	134 7/8	39929
128	38911	135	39941
128 1/8	38934	135 1/8	39953
128 1/4	38957	135 1/4	39965
128 3/8	38980	135 3/8	39977
128 1/2	39003	135 1/2	39988
128 5/8	39025	135 5/8	39999
128 3/4	39048	135 3/4	40010
128 7/8	39070	135 7/8	40020
129	39092	136	40030
129 1/8	39114	136 1/8	40040
129 1/4	39136	136 1/4	40049
129 3/8	39157	136 3/8	40058
129 1/2	39179	136 1/2	40067
129 5/8	39200	136 5/8	40075
129 3/4	39221	136 3/4	40082
129 7/8	39242	136 7/8	40089
130	39263	137	40096
130 1/8	39284	137 1/8	40102
130 1/4	39304	137 1/4	40107
130 3/8	39324	137 3/8	40112
130 1/2	39344	137 1/2	40115
130 5/8	39364	137 5/8	40118
130 3/4	39384		
130 7/8	39404		
131	39423		
131 1/8	39443		
131 1/4	39462		
131 3/8	39481		
131 1/2	39500		
131 5/8	39518		
131 3/4	39537		
131 7/8	39555		
132	39573		
132 1/8	39591		
132 1/4	39608		
132 3/8	39626		
132 1/2	39643		
132 5/8	39660		
132 3/4	39677		
132 7/8	39694		
133	39710		

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

Pub. No. CAL 12-13F1 6/2011