

**12'-45000 SWT F1 Single-Wall Tank  
45460 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	13	7 1/8	927	14 1/8	2,478	21 1/8	4428	28 1/8	6673	35 1/8	9145
1/4	19	7 1/4	950	14 1/4	2,510	21 1/4	4466	28 1/4	6715	35 1/4	9191
3/8	26	7 3/8	973	14 3/8	2,542	21 3/8	4504	28 3/8	6758	35 3/8	9237
1/2	34	7 1/2	997	14 1/2	2,574	21 1/2	4542	28 1/2	6800	35 1/2	9283
5/8	42	7 5/8	1021	14 5/8	2,606	21 5/8	4580	28 5/8	6843	35 5/8	9329
3/4	50	7 3/4	1045	14 3/4	2,638	21 3/4	4618	28 3/4	6885	35 3/4	9375
7/8	59	7 7/8	1069	14 7/8	2,671	21 7/8	4656	28 7/8	6928	35 7/8	9421
1	69	8	1093	15	2703	22	4694	29	6971	36	9467
1 1/8	79	8 1/8	1118	15 1/8	2,736	22 1/8	4733	29 1/8	7013	36 1/8	9513
1 1/4	90	8 1/4	1,143	15 1/4	2,768	22 1/4	4771	29 1/4	7056	36 1/4	9560
1 3/8	101	8 3/8	1,168	15 3/8	2,801	22 3/8	4810	29 3/8	7099	36 3/8	9606
1 1/2	112	8 1/2	1,193	15 1/2	2,834	22 1/2	4848	29 1/2	7142	36 1/2	9652
1 5/8	124	8 5/8	1,218	15 5/8	2,867	22 5/8	4887	29 5/8	7185	36 5/8	9699
1 3/4	136	8 3/4	1,243	15 3/4	2,900	22 3/4	4926	29 3/4	7229	36 3/4	9745
1 7/8	149	8 7/8	1,269	15 7/8	2,933	22 7/8	4965	29 7/8	7272	36 7/8	9792
2	161	9	1,295	16	2967	23	5004	30	7315	37	9839
2 1/8	175	9 1/8	1,320	16 1/8	3,000	23 1/8	5043	30 1/8	7358	37 1/8	9885
2 1/4	188	9 1/4	1,347	16 1/4	3,034	23 1/4	5082	30 1/4	7402	37 1/4	9932
2 3/8	202	9 3/8	1,373	16 3/8	3,068	23 3/8	5121	30 3/8	7445	37 3/8	9979
2 1/2	217	9 1/2	1,399	16 1/2	3,102	23 1/2	5161	30 1/2	7489	37 1/2	10026
2 5/8	231	9 5/8	1,426	16 5/8	3,136	23 5/8	5200	30 5/8	7533	37 5/8	10072
2 3/4	246	9 3/4	1,452	16 3/4	3,170	23 3/4	5240	30 3/4	7576	37 3/4	10119
2 7/8	261	9 7/8	1,479	16 7/8	3,204	23 7/8	5279	30 7/8	7620	37 7/8	10166
3	277	10	1,506	17	3238	24	5319	31	7664	38	10213
3 1/8	292	10 1/8	1,533	17 1/8	3,273	24 1/8	5359	31 1/8	7708	38 1/8	10260
3 1/4	308	10 1/4	1,561	17 1/4	3,307	24 1/4	5398	31 1/4	7752	38 1/4	10308
3 3/8	325	10 3/8	1,588	17 3/8	3,342	24 3/8	5438	31 3/8	7796	38 3/8	10355
3 1/2	341	10 1/2	1,616	17 1/2	3,376	24 1/2	5478	31 1/2	7840	38 1/2	10402
3 5/8	358	10 5/8	1,644	17 5/8	3,411	24 5/8	5519	31 5/8	7884	38 5/8	10449
3 3/4	376	10 3/4	1,672	17 3/4	3,446	24 3/4	5559	31 3/4	7928	38 3/4	10497
3 7/8	393	10 7/8	1,700	17 7/8	3,481	24 7/8	5599	31 7/8	7972	38 7/8	10544
4	411	11	1,728	18	3,516	25	5639	32	8017	39	10591
4 1/8	429	11 1/8	1,756	18 1/8	3,552	25 1/8	5680	32 1/8	8061	39 1/8	10639
4 1/4	447	11 1/4	1,785	18 1/4	3,587	25 1/4	5720	32 1/4	8106	39 1/4	10686
4 3/8	465	11 3/8	1,813	18 3/8	3,623	25 3/8	5761	32 3/8	8150	39 3/8	10734
4 1/2	484	11 1/2	1,842	18 1/2	3,658	25 1/2	5801	32 1/2	8195	39 1/2	10782
4 5/8	503	11 5/8	1,871	18 5/8	3,694	25 5/8	5842	32 5/8	8239	39 5/8	10829
4 3/4	522	11 3/4	1,900	18 3/4	3,730	25 3/4	5883	32 3/4	8284	39 3/4	10877
4 7/8	541	11 7/8	1,929	18 7/8	3,765	25 7/8	5924	32 7/8	8329	39 7/8	10925
5	561	12	1,959	19	3801	26	5965	33	8374	40	10973
5 1/8	581	12 1/8	1,988	19 1/8	3838	26 1/8	6006	33 1/8	8419	40 1/8	11020
5 1/4	601	12 1/4	2,018	19 1/4	3874	26 1/4	6047	33 1/4	8463	40 1/4	11068
5 3/8	621	12 3/8	2,048	19 3/8	3910	26 3/8	6088	33 3/8	8508	40 3/8	11116
5 1/2	641	12 1/2	2,078	19 1/2	3946	26 1/2	6129	33 1/2	8554	40 1/2	11164
5 5/8	662	12 5/8	2,108	19 5/8	3983	26 5/8	6171	33 5/8	8599	40 5/8	11212
5 3/4	683	12 3/4	2,138	19 3/4	4019	26 3/4	6212	33 3/4	8644	40 3/4	11260
5 7/8	704	12 7/8	2,168	19 7/8	4056	26 7/8	6254	33 7/8	8689	40 7/8	11308
6	726	13	2,199	20	4093	27	6295	34	8734	41	11357
6 1/8	747	13 1/8	2,229	20 1/8	4130	27 1/8	6337	34 1/8	8780	41 1/8	11405
6 1/4	769	13 1/4	2,260	20 1/4	4167	27 1/4	6379	34 1/4	8825	41 1/4	11453
6 3/8	791	13 3/8	2,291	20 3/8	4204	27 3/8	6421	34 3/8	8871	41 3/8	11501
6 1/2	813	13 1/2	2,322	20 1/2	4241	27 1/2	6462	34 1/2	8916	41 1/2	11550
6 5/8	835	13 5/8	2,353	20 5/8	4278	27 5/8	6504	34 5/8	8962	41 5/8	11598
6 3/4	858	13 3/4	2,384	20 3/4	4316	27 3/4	6546	34 3/4	9007	41 3/4	11646
6 7/8	880	13 7/8	2,415	20 7/8	4353	27 7/8	6589	34 7/8	9053	41 7/8	11695
7	903	14	2,447	21	4391	28	6631	35	9099	42	11743

**12'-45000 SWT F1 Single-Wall Tank  
45460 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	11792	49 1/8	14572	56 1/8	17446	63 1/8	20379	70 1/8	23339	77 1/8	26291
42 1/4	11841	49 1/4	14622	56 1/4	17498	63 1/4	20432	70 1/4	23392	77 1/4	26344
42 3/8	11889	49 3/8	14673	56 3/8	17550	63 3/8	20485	70 3/8	23444	77 3/8	26396
42 1/2	11938	49 1/2	14724	56 1/2	17602	63 1/2	20537	70 1/2	23497	77 1/2	26449
42 5/8	11987	49 5/8	14774	56 5/8	17654	63 5/8	20590	70 5/8	23550	77 5/8	26501
42 3/4	12035	49 3/4	14825	56 3/4	17706	63 3/4	20643	70 3/4	23603	77 3/4	26554
42 7/8	12084	49 7/8	14876	56 7/8	17758	63 7/8	20696	70 7/8	23656	77 7/8	26606
43	12133	50	14927	57	17810	64	20748	71	23709	78	26658
43 1/8	12182	50 1/8	14977	57 1/8	17862	64 1/8	20801	71 1/8	23762	78 1/8	26711
43 1/4	12231	50 1/4	15028	57 1/4	17914	64 1/4	20854	71 1/4	23814	78 1/4	26763
43 3/8	12280	50 3/8	15079	57 3/8	17966	64 3/8	20907	71 3/8	23867	78 3/8	26815
43 1/2	12329	50 1/2	15130	57 1/2	18018	64 1/2	20960	71 1/2	23920	78 1/2	26868
43 5/8	12378	50 5/8	15181	57 5/8	18071	64 5/8	21012	71 5/8	23973	78 5/8	26920
43 3/4	12427	50 3/4	15232	57 3/4	18123	64 3/4	21065	71 3/4	24026	78 3/4	26972
43 7/8	12476	50 7/8	15283	57 7/8	18175	64 7/8	21118	71 7/8	24079	78 7/8	27025
44	12525	51	15334	58	18227	65	21171	72	24132	79	27077
44 1/8	12574	51 1/8	15385	58 1/8	18279	65 1/8	21224	72 1/8	24184	79 1/8	27129
44 1/4	12624	51 1/4	15436	58 1/4	18332	65 1/4	21276	72 1/4	24237	79 1/4	27181
44 3/8	12673	51 3/8	15487	58 3/8	18384	65 3/8	21329	72 3/8	24290	79 3/8	27234
44 1/2	12722	51 1/2	15538	58 1/2	18436	65 1/2	21382	72 1/2	24343	79 1/2	27286
44 5/8	12772	51 5/8	15589	58 5/8	18488	65 5/8	21435	72 5/8	24396	79 5/8	27338
44 3/4	12821	51 3/4	15640	58 3/4	18541	65 3/4	21488	72 3/4	24448	79 3/4	27390
44 7/8	12870	51 7/8	15692	58 7/8	18593	65 7/8	21541	72 7/8	24501	79 7/8	27442
45	12920	52	15743	59	18645	66	21593	73	24554	80	27495
45 1/8	12969	52 1/8	15794	59 1/8	18698	66 1/8	21646	73 1/8	24607	80 1/8	27547
45 1/4	13019	52 1/4	15845	59 1/4	18750	66 1/4	21699	73 1/4	24660	80 1/4	27599
45 3/8	13068	52 3/8	15897	59 3/8	18802	66 3/8	21752	73 3/8	24712	80 3/8	27651
45 1/2	13118	52 1/2	15948	59 1/2	18855	66 1/2	21805	73 1/2	24765	80 1/2	27703
45 5/8	13168	52 5/8	15999	59 5/8	18907	66 5/8	21858	73 5/8	24818	80 5/8	27755
45 3/4	13217	52 3/4	16051	59 3/4	18960	66 3/4	21911	73 3/4	24871	80 3/4	27807
45 7/8	13267	52 7/8	16102	59 7/8	19012	66 7/8	21963	73 7/8	24923	80 7/8	27859
46	13317	53	16153	60	19064	67	22016	74	24976	81	27911
46 1/8	13367	53 1/8	16205	60 1/8	19117	67 1/8	22069	74 1/8	25029	81 1/8	27963
46 1/4	13417	53 1/4	16256	60 1/4	19169	67 1/4	22122	74 1/4	25082	81 1/4	28015
46 3/8	13466	53 3/8	16308	60 3/8	19222	67 3/8	22175	74 3/8	25134	81 3/8	28067
46 1/2	13516	53 1/2	16359	60 1/2	19274	67 1/2	22228	74 1/2	25187	81 1/2	28119
46 5/8	13566	53 5/8	16411	60 5/8	19327	67 5/8	22281	74 5/8	25240	81 5/8	28171
46 3/4	13616	53 3/4	16462	60 3/4	19379	67 3/4	22334	74 3/4	25292	81 3/4	28223
46 7/8	13666	53 7/8	16514	60 7/8	19432	67 7/8	22387	74 7/8	25345	81 7/8	28274
47	13716	54	16565	61	19484	68	22439	75	25398	82	28326
47 1/8	13766	54 1/8	16617	61 1/8	19537	68 1/8	22492	75 1/8	25450	82 1/8	28378
47 1/4	13816	54 1/4	16669	61 1/4	19590	68 1/4	22545	75 1/4	25503	82 1/4	28430
47 3/8	13866	54 3/8	16720	61 3/8	19642	68 3/8	22598	75 3/8	25556	82 3/8	28482
47 1/2	13917	54 1/2	16772	61 1/2	19695	68 1/2	22651	75 1/2	25608	82 1/2	28534
47 5/8	13967	54 5/8	16824	61 5/8	19747	68 5/8	22704	75 5/8	25661	82 5/8	28585
47 3/4	14017	54 3/4	16875	61 3/4	19800	68 3/4	22757	75 3/4	25713	82 3/4	28637
47 7/8	14067	54 7/8	16927	61 7/8	19853	68 7/8	22810	75 7/8	25766	82 7/8	28689
48	14118	55	16979	62	19905	69	22863	76	25819	83	28740
48 1/8	14168	55 1/8	17031	62 1/8	19958	69 1/8	22916	76 1/8	25871	83 1/8	28792
48 1/4	14218	55 1/4	17083	62 1/4	20010	69 1/4	22968	76 1/4	25924	83 1/4	28844
48 3/8	14269	55 3/8	17134	62 3/8	20063	69 3/8	23021	76 3/8	25976	83 3/8	28895
48 1/2	14319	55 1/2	17186	62 1/2	20116	69 1/2	23074	76 1/2	26029	83 1/2	28947
48 5/8	14370	55 5/8	17238	62 5/8	20168	69 5/8	23127	76 5/8	26081	83 5/8	28998
48 3/4	14420	55 3/4	17290	62 3/4	20221	69 3/4	23180	76 3/4	26134	83 3/4	29050
48 7/8	14471	55 7/8	17342	62 7/8	20274	69 7/8	23233	76 7/8	26186	83 7/8	29102
49	14521	56	17394	63	20327	70	23286	77	26239	84	29153

**12'-45000 SWT F1 Single-Wall Tank  
45460 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	29205	91 1/8	32044	98 1/8	34,774	105 1/8	37,355	112 1/8	39,741	119 1/8	41874
84 1/4	29256	91 1/4	32094	98 1/4	34,822	105 1/4	37,400	112 1/4	39,781	119 1/4	41909
84 3/8	29307	91 3/8	32144	98 3/8	34,869	105 3/8	37,444	112 3/8	39,821	119 3/8	41944
84 1/2	29359	91 1/2	32194	98 1/2	34,917	105 1/2	37,488	112 1/2	39,862	119 1/2	41979
84 5/8	29410	91 5/8	32243	98 5/8	34,964	105 5/8	37,533	112 5/8	39,902	119 5/8	42015
84 3/4	29462	91 3/4	32293	98 3/4	35,011	105 3/4	37,577	112 3/4	39,942	119 3/4	42049
84 7/8	29513	91 7/8	32343	98 7/8	35,059	105 7/8	37,621	112 7/8	39,982	119 7/8	42084
85	29564	92	32392	99	35,106	106	37,665	113	40022	120	42119
85 1/8	29616	92 1/8	32442	99 1/8	35,153	106 1/8	37,709	113 1/8	40,062	120 1/8	42154
85 1/4	29667	92 1/4	32491	99 1/4	35,200	106 1/4	37,753	113 1/4	40,102	120 1/4	42188
85 3/8	29718	92 3/8	32541	99 3/8	35,247	106 3/8	37,797	113 3/8	40,142	120 3/8	42223
85 1/2	29769	92 1/2	32590	99 1/2	35,294	106 1/2	37,841	113 1/2	40,182	120 1/2	42257
85 5/8	29820	92 5/8	32640	99 5/8	35,341	106 5/8	37,884	113 5/8	40,221	120 5/8	42291
85 3/4	29872	92 3/4	32689	99 3/4	35,388	106 3/4	37,928	113 3/4	40,261	120 3/4	42325
85 7/8	29923	92 7/8	32738	99 7/8	35,435	106 7/8	37,972	113 7/8	40,300	120 7/8	42359
86	29974	93	32788	100	35,482	107	38,015	114	40339	121	42393
86 1/8	30025	93 1/8	32837	100 1/8	35,529	107 1/8	38,059	114 1/8	40,379	121 1/8	42427
86 1/4	30076	93 1/4	32886	100 1/4	35,576	107 1/4	38,102	114 1/4	40,418	121 1/4	42460
86 3/8	30127	93 3/8	32936	100 3/8	35,622	107 3/8	38,146	114 3/8	40,457	121 3/8	42494
86 1/2	30178	93 1/2	32985	100 1/2	35,669	107 1/2	38,189	114 1/2	40,496	121 1/2	42527
86 5/8	30229	93 5/8	33034	100 5/8	35,715	107 5/8	38,232	114 5/8	40,535	121 5/8	42561
86 3/4	30280	93 3/4	33083	100 3/4	35,762	107 3/4	38,275	114 3/4	40,574	121 3/4	42594
86 7/8	30331	93 7/8	33132	100 7/8	35,808	107 7/8	38,318	114 7/8	40,612	121 7/8	42627
87	30382	94	33181	101	35,855	108	38,361	115	40651	122	42660
87 1/8	30433	94 1/8	33230	101 1/8	35,901	108 1/8	38,404	115 1/8	40,690	122 1/8	42692
87 1/4	30483	94 1/4	33279	101 1/4	35,948	108 1/4	38,447	115 1/4	40,728	122 1/4	42725
87 3/8	30534	94 3/8	33328	101 3/8	35,994	108 3/8	38,490	115 3/8	40,766	122 3/8	42758
87 1/2	30585	94 1/2	33377	101 1/2	36,040	108 1/2	38,533	115 1/2	40,805	122 1/2	42790
87 5/8	30636	94 5/8	33425	101 5/8	36,086	108 5/8	38,575	115 5/8	40,843	122 5/8	42823
87 3/4	30686	94 3/4	33474	101 3/4	36,132	108 3/4	38,618	115 3/4	40,881	122 3/4	42855
87 7/8	30737	94 7/8	33523	101 7/8	36,178	108 7/8	38,661	115 7/8	40,919	122 7/8	42887
88	30788	95	33572	102	36,224	109	38,703	116	40,957	123	42919
88 1/8	30838	95 1/8	33620	102 1/8	36,270	109 1/8	38,745	116 1/8	40,995	123 1/8	42951
88 1/4	30889	95 1/4	33669	102 1/4	36,316	109 1/4	38,788	116 1/4	41,032	123 1/4	42982
88 3/8	30940	95 3/8	33717	102 3/8	36,362	109 3/8	38,830	116 3/8	41,070	123 3/8	43014
88 1/2	30990	95 1/2	33766	102 1/2	36,408	109 1/2	38,872	116 1/2	41,108	123 1/2	43045
88 5/8	31041	95 5/8	33814	102 5/8	36,453	109 5/8	38,914	116 5/8	41,145	123 5/8	43077
88 3/4	31091	95 3/4	33863	102 3/4	36,499	109 3/4	38,956	116 3/4	41,182	123 3/4	43108
88 7/8	31142	95 7/8	33911	102 7/8	36,545	109 7/8	38,998	116 7/8	41220	123 7/8	43139
89	31192	96	33959	103	36,590	110	39,040	117	41257	124	43170
89 1/8	31242	96 1/8	34008	103 1/8	36,636	110 1/8	39,082	117 1/8	41294	124 1/8	43201
89 1/4	31293	96 1/4	34056	103 1/4	36,681	110 1/4	39,124	117 1/4	41331	124 1/4	43232
89 3/8	31343	96 3/8	34104	103 3/8	36,726	110 3/8	39,165	117 3/8	41368	124 3/8	43262
89 1/2	31393	96 1/2	34152	103 1/2	36,772	110 1/2	39,207	117 1/2	41405	124 1/2	43293
89 5/8	31444	96 5/8	34200	103 5/8	36,817	110 5/8	39,248	117 5/8	41441	124 5/8	43323
89 3/4	31494	96 3/4	34249	103 3/4	36,862	110 3/4	39,290	117 3/4	41478	124 3/4	43353
89 7/8	31544	96 7/8	34297	103 7/8	36,907	110 7/8	39,331	117 7/8	41514	124 7/8	43383
90	31594	97	34345	104	36,952	111	39,373	118	41551	125	43413
90 1/8	31644	97 1/8	34392	104 1/8	36,997	111 1/8	39,414	118 1/8	41587	125 1/8	43443
90 1/4	31694	97 1/4	34440	104 1/4	37,042	111 1/4	39,455	118 1/4	41623	125 1/4	43472
90 3/8	31745	97 3/8	34488	104 3/8	37,087	111 3/8	39,496	118 3/8	41659	125 3/8	43502
90 1/2	31795	97 1/2	34536	104 1/2	37,132	111 1/2	39,537	118 1/2	41695	125 1/2	43531
90 5/8	31845	97 5/8	34584	104 5/8	37,177	111 5/8	39,578	118 5/8	41731	125 5/8	43561
90 3/4	31895	97 3/4	34632	104 3/4	37,221	111 3/4	39,619	118 3/4	41767	125 3/4	43590
90 7/8	31944	97 7/8	34679	104 7/8	37,266	111 7/8	39,659	118 7/8	41803	125 7/8	43619
91	31994	98	34727	105	37,311	112	39,700	119	41838	126	43647

# 12'-45000 SWT F1 Single-Wall Tank

## 45460 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	43676	133 1/8	45014
126 1/4	43705	133 1/4	45032
126 3/8	43733	133 3/8	45050
126 1/2	43761	133 1/2	45068
126 5/8	43789	133 5/8	45085
126 3/4	43817	133 3/4	45102
126 7/8	43845	133 7/8	45119
127	43872	134	45136
127 1/8	43900	134 1/8	45152
127 1/4	43927	134 1/4	45168
127 3/8	43954	134 3/8	45184
127 1/2	43981	134 1/2	45200
127 5/8	44008	134 5/8	45215
127 3/4	44035	134 3/4	45230
127 7/8	44062	134 7/8	45244
128	44088	135	45258
128 1/8	44114	135 1/8	45272
128 1/4	44140	135 1/4	45286
128 3/8	44166	135 3/8	45299
128 1/2	44192	135 1/2	45312
128 5/8	44217	135 5/8	45325
128 3/4	44243	135 3/4	45337
128 7/8	44268	135 7/8	45349
129	44293	136	45360
129 1/8	44318	136 1/8	45371
129 1/4	44343	136 1/4	45382
129 3/8	44367	136 3/8	45392
129 1/2	44392	136 1/2	45401
129 5/8	44416	136 5/8	45410
129 3/4	44440	136 3/4	45419
129 7/8	44464	136 7/8	45427
130	44487	137	45434
130 1/8	44511	137 1/8	45441
130 1/4	44534	137 1/4	45447
130 3/8	44557	137 3/8	45453
130 1/2	44580	137 1/2	45457
130 5/8	44603	137 5/8	45460
130 3/4	44625		
130 7/8	44648		
131	44670		
131 1/8	44692		
131 1/4	44714		
131 3/8	44735		
131 1/2	44757		
131 5/8	44778		
131 3/4	44799		
131 7/8	44819		
132	44840		
132 1/8	44860		
132 1/4	44880		
132 3/8	44900		
132 1/2	44920		
132 5/8	44939		
132 3/4	44958		
132 7/8	44977		
133	44996		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

Pub. No. CAL 12-13F1 6/2011