

**DWT6 12'-5000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	15	6 1/8	825	12 1/8	2,196	18 1/8	3,920
1/4	22	6 1/4	849	12 1/4	2,228	18 1/4	3,960
3/8	29	6 3/8	873	12 3/8	2,261	18 3/8	3,999
1/2	37	6 1/2	898	12 1/2	2,294	18 1/2	4,038
5/8	46	6 5/8	922	12 5/8	2,327	18 5/8	4,077
3/4	56	6 3/4	947	12 3/4	2,361	18 3/4	4,117
7/8	66	6 7/8	972	12 7/8	2,394	18 7/8	4,156
1	76	7	998	13	2,428	19	4,196
1 1/8	88	7 1/8	1,023	13 1/8	2,461	19 1/8	4,236
1 1/4	99	7 1/4	1,049	13 1/4	2,495	19 1/4	4,276
1 3/8	111	7 3/8	1,075	13 3/8	2,529	19 3/8	4,316
1 1/2	124	7 1/2	1,101	13 1/2	2,563	19 1/2	4,356
1 5/8	137	7 5/8	1,127	13 5/8	2,598	19 5/8	4,396
1 3/4	150	7 3/4	1,154	13 3/4	2,632	19 3/4	4,436
1 7/8	164	7 7/8	1,181	13 7/8	2,667	19 7/8	4,477
2	178	8	1,208	14	2,702	20	4,517
2 1/8	193	8 1/8	1,235	14 1/8	2,736	20 1/8	4,558
2 1/4	208	8 1/4	1,262	14 1/4	2,771	20 1/4	4,599
2 3/8	223	8 3/8	1,289	14 3/8	2,807	20 3/8	4,640
2 1/2	239	8 1/2	1,317	14 1/2	2,842	20 1/2	4,681
2 5/8	255	8 5/8	1,345	14 5/8	2,877	20 5/8	4,722
2 3/4	272	8 3/4	1,373	14 3/4	2,913	20 3/4	4,763
2 7/8	289	8 7/8	1,401	14 7/8	2,948	20 7/8	4,804
3	306	9	1,430	15	2,984	21	4,846
3 1/8	323	9 1/8	1,458	15 1/8	3,020	21 1/8	4,887
3 1/4	341	9 1/4	1,487	15 1/4	3,056	21 1/4	4,929
3 3/8	359	9 3/8	1,516	15 3/8	3,092	21 3/8	4,971
3 1/2	377	9 1/2	1,545	15 1/2	3,129	21 1/2	5,012
3 5/8	396	9 5/8	1,574	15 5/8	3,165	21 5/8	5,054
3 3/4	415	9 3/4	1,604	15 3/4	3,202	21 3/4	5,096
3 7/8	434	9 7/8	1,634	15 7/8	3,239	21 7/8	5,138
4	454	10	1,663	16	3,275	22	5,181
4 1/8	473	10 1/8	1,693	16 1/8	3,312	22 1/8	5,223
4 1/4	493	10 1/4	1,724	16 1/4	3,349	22 1/4	5,265
4 3/8	514	10 3/8	1,754	16 3/8	3,387	22 3/8	5,308
4 1/2	534	10 1/2	1,784	16 1/2	3,424	22 1/2	5,350
4 5/8	555	10 5/8	1,815	16 5/8	3,462	22 5/8	5,393
4 3/4	576	10 3/4	1,846	16 3/4	3,499	22 3/4	5,436
4 7/8	598	10 7/8	1,877	16 7/8	3,537	22 7/8	5,479
5	619	11	1,908	17	3,575	23	5,522
5 1/8	641	11 1/8	1,939	17 1/8	3,613	23 1/8	5,565
5 1/4	663	11 1/4	1,971	17 1/4	3,651	23 1/4	5,608
5 3/8	686	11 3/8	2,002	17 3/8	3,689	23 3/8	5,651
5 1/2	708	11 1/2	2,034	17 1/2	3,727	23 1/2	5,695
5 5/8	731	11 5/8	2,066	17 5/8	3,766	23 5/8	5,738
5 3/4	754	11 3/4	2,098	17 3/4	3,804	23 3/4	5,782
5 7/8	778	11 7/8	2,131	17 7/8	3,843	23 7/8	5,825
6	801	12	2,163	18	3,882	24	5,869

**DWT6 12'-50000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	5,913	30 1/8	8,117	36 1/8	10,492	42 1/8	13,002
24 1/4	5,957	30 1/4	8,165	36 1/4	10,543	42 1/4	13,055
24 3/8	6,001	30 3/8	8,213	36 3/8	10,594	42 3/8	13,109
24 1/2	6,045	30 1/2	8,261	36 1/2	10,645	42 1/2	13,162
24 5/8	6,089	30 5/8	8,309	36 5/8	10,696	42 5/8	13,216
24 3/4	6,134	30 3/4	8,357	36 3/4	10,747	42 3/4	13,270
24 7/8	6,178	30 7/8	8,406	36 7/8	10,799	42 7/8	13,324
25	6,222	31	8,454	37	10,850	43	13,377
25 1/8	6,267	31 1/8	8,502	37 1/8	10,901	43 1/8	13,431
25 1/4	6,312	31 1/4	8,551	37 1/4	10,953	43 1/4	13,485
25 3/8	6,356	31 3/8	8,599	37 3/8	11,004	43 3/8	13,539
25 1/2	6,401	31 1/2	8,648	37 1/2	11,056	43 1/2	13,593
25 5/8	6,446	31 5/8	8,696	37 5/8	11,108	43 5/8	13,647
25 3/4	6,491	31 3/4	8,745	37 3/4	11,159	43 3/4	13,701
25 7/8	6,536	31 7/8	8,794	37 7/8	11,211	43 7/8	13,755
26	6,581	32	8,843	38	11,263	44	13,809
26 1/8	6,627	32 1/8	8,892	38 1/8	11,315	44 1/8	13,864
26 1/4	6,672	32 1/4	8,941	38 1/4	11,367	44 1/4	13,918
26 3/8	6,717	32 3/8	8,990	38 3/8	11,419	44 3/8	13,972
26 1/2	6,763	32 1/2	9,039	38 1/2	11,471	44 1/2	14,026
26 5/8	6,808	32 5/8	9,088	38 5/8	11,523	44 5/8	14,081
26 3/4	6,854	32 3/4	9,137	38 3/4	11,575	44 3/4	14,135
26 7/8	6,900	32 7/8	9,187	38 7/8	11,627	44 7/8	14,189
27	6,946	33	9,236	39	11,679	45	14,244
27 1/8	6,992	33 1/8	9,285	39 1/8	11,732	45 1/8	14,298
27 1/4	7,038	33 1/4	9,335	39 1/4	11,784	45 1/4	14,353
27 3/8	7,084	33 3/8	9,385	39 3/8	11,836	45 3/8	14,408
27 1/2	7,130	33 1/2	9,434	39 1/2	11,889	45 1/2	14,462
27 5/8	7,176	33 5/8	9,484	39 5/8	11,941	45 5/8	14,517
27 3/4	7,222	33 3/4	9,534	39 3/4	11,994	45 3/4	14,572
27 7/8	7,269	33 7/8	9,584	39 7/8	12,046	45 7/8	14,626
28	7,315	34	9,634	40	12,099	46	14,681
28 1/8	7,362	34 1/8	9,684	40 1/8	12,152	46 1/8	14,736
28 1/4	7,408	34 1/4	9,734	40 1/4	12,205	46 1/4	14,791
28 3/8	7,455	34 3/8	9,784	40 3/8	12,257	46 3/8	14,846
28 1/2	7,502	34 1/2	9,834	40 1/2	12,310	46 1/2	14,901
28 5/8	7,549	34 5/8	9,884	40 5/8	12,363	46 5/8	14,956
28 3/4	7,596	34 3/4	9,934	40 3/4	12,416	46 3/4	15,011
28 7/8	7,643	34 7/8	9,985	40 7/8	12,469	46 7/8	15,066
29	7,690	35	10,035	41	12,522	47	15,121
29 1/8	7,737	35 1/8	10,086	41 1/8	12,575	47 1/8	15,176
29 1/4	7,784	35 1/4	10,136	41 1/4	12,628	47 1/4	15,231
29 3/8	7,832	35 3/8	10,187	41 3/8	12,682	47 3/8	15,286
29 1/2	7,879	35 1/2	10,237	41 1/2	12,735	47 1/2	15,342
29 5/8	7,927	35 5/8	10,288	41 5/8	12,788	47 5/8	15,397
29 3/4	7,974	35 3/4	10,339	41 3/4	12,841	47 3/4	15,452
29 7/8	8,022	35 7/8	10,390	41 7/8	12,895	47 7/8	15,508
30	8,070	36	10,441	42	12,948	48	15,563

**DWT6 12'-50000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	15,618	54 1/8	18,315	60 1/8	21,068	66 1/8	23,852
48 1/4	15,674	54 1/4	18,372	60 1/4	21,125	66 1/4	23,910
48 3/8	15,729	54 3/8	18,429	60 3/8	21,183	66 3/8	23,969
48 1/2	15,785	54 1/2	18,486	60 1/2	21,241	66 1/2	24,027
48 5/8	15,840	54 5/8	18,543	60 5/8	21,299	66 5/8	24,085
48 3/4	15,896	54 3/4	18,600	60 3/4	21,356	66 3/4	24,143
48 7/8	15,952	54 7/8	18,657	60 7/8	21,414	66 7/8	24,201
49	16,007	55	18,714	61	21,472	67	24,260
49 1/8	16,063	55 1/8	18,771	61 1/8	21,530	67 1/8	24,318
49 1/4	16,119	55 1/4	18,828	61 1/4	21,588	67 1/4	24,376
49 3/8	16,174	55 3/8	18,885	61 3/8	21,646	67 3/8	24,434
49 1/2	16,230	55 1/2	18,942	61 1/2	21,704	67 1/2	24,492
49 5/8	16,286	55 5/8	18,999	61 5/8	21,762	67 5/8	24,551
49 3/4	16,342	55 3/4	19,056	61 3/4	21,819	67 3/4	24,609
49 7/8	16,398	55 7/8	19,113	61 7/8	21,877	67 7/8	24,667
50	16,454	56	19,170	62	21,935	68	24,725
50 1/8	16,510	56 1/8	19,228	62 1/8	21,993	68 1/8	24,784
50 1/4	16,566	56 1/4	19,285	62 1/4	22,051	68 1/4	24,842
50 3/8	16,622	56 3/8	19,342	62 3/8	22,109	68 3/8	24,900
50 1/2	16,678	56 1/2	19,399	62 1/2	22,167	68 1/2	24,958
50 5/8	16,734	56 5/8	19,457	62 5/8	22,225	68 5/8	25,016
50 3/4	16,790	56 3/4	19,514	62 3/4	22,283	68 3/4	25,075
50 7/8	16,846	56 7/8	19,571	62 7/8	22,341	68 7/8	25,133
51	16,902	57	19,629	63	22,399	69	25,191
51 1/8	16,958	57 1/8	19,686	63 1/8	22,457	69 1/8	25,249
51 1/4	17,015	57 1/4	19,743	63 1/4	22,515	69 1/4	25,308
51 3/8	17,071	57 3/8	19,801	63 3/8	22,573	69 3/8	25,366
51 1/2	17,127	57 1/2	19,858	63 1/2	22,631	69 1/2	25,424
51 5/8	17,183	57 5/8	19,915	63 5/8	22,689	69 5/8	25,482
51 3/4	17,240	57 3/4	19,973	63 3/4	22,747	69 3/4	25,541
51 7/8	17,296	57 7/8	20,030	63 7/8	22,806	69 7/8	25,599
52	17,353	58	20,088	64	22,864	70	25,657
52 1/8	17,409	58 1/8	20,145	64 1/8	22,922	70 1/8	25,715
52 1/4	17,465	58 1/4	20,203	64 1/4	22,980	70 1/4	25,773
52 3/8	17,522	58 3/8	20,260	64 3/8	23,038	70 3/8	25,832
52 1/2	17,578	58 1/2	20,318	64 1/2	23,096	70 1/2	25,890
52 5/8	17,635	58 5/8	20,376	64 5/8	23,154	70 5/8	25,948
52 3/4	17,691	58 3/4	20,433	64 3/4	23,212	70 3/4	26,006
52 7/8	17,748	58 7/8	20,491	64 7/8	23,270	70 7/8	26,065
53	17,805	59	20,548	65	23,329	71	26,123
53 1/8	17,861	59 1/8	20,606	65 1/8	23,387	71 1/8	26,181
53 1/4	17,918	59 1/4	20,664	65 1/4	23,445	71 1/4	26,239
53 3/8	17,975	59 3/8	20,721	65 3/8	23,503	71 3/8	26,297
53 1/2	18,031	59 1/2	20,779	65 1/2	23,561	71 1/2	26,355
53 5/8	18,088	59 5/8	20,837	65 5/8	23,619	71 5/8	26,414
53 3/4	18,145	59 3/4	20,894	65 3/4	23,678	71 3/4	26,472
53 7/8	18,202	59 7/8	20,952	65 7/8	23,736	71 7/8	26,530
54	18,258	60	21,010	66	23,794	72	26,588

**DWT6 12'-50000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	26,646	78 1/8	29,428	84 1/8	32,173	90 1/8	34,860
72 1/4	26,704	78 1/4	29,485	84 1/4	32,230	90 1/4	34,915
72 3/8	26,763	78 3/8	29,543	84 3/8	32,287	90 3/8	34,970
72 1/2	26,821	78 1/2	29,601	84 1/2	32,343	90 1/2	35,025
72 5/8	26,879	78 5/8	29,658	84 5/8	32,400	90 5/8	35,080
72 3/4	26,937	78 3/4	29,716	84 3/4	32,456	90 3/4	35,135
72 7/8	26,995	78 7/8	29,773	84 7/8	32,513	90 7/8	35,190
73	27,053	79	29,831	85	32,569	91	35,245
73 1/8	27,111	79 1/8	29,888	85 1/8	32,626	91 1/8	35,300
73 1/4	27,169	79 1/4	29,946	85 1/4	32,682	91 1/4	35,355
73 3/8	27,228	79 3/8	30,003	85 3/8	32,739	91 3/8	35,410
73 1/2	27,286	79 1/2	30,061	85 1/2	32,795	91 1/2	35,465
73 5/8	27,344	79 5/8	30,118	85 5/8	32,851	91 5/8	35,520
73 3/4	27,402	79 3/4	30,176	85 3/4	32,908	91 3/4	35,574
73 7/8	27,460	79 7/8	30,233	85 7/8	32,964	91 7/8	35,629
74	27,518	80	30,291	86	33,020	92	35,684
74 1/8	27,576	80 1/8	30,348	86 1/8	33,077	92 1/8	35,738
74 1/4	27,634	80 1/4	30,405	86 1/4	33,133	92 1/4	35,793
74 3/8	27,692	80 3/8	30,463	86 3/8	33,189	92 3/8	35,847
74 1/2	27,750	80 1/2	30,520	86 1/2	33,245	92 1/2	35,902
74 5/8	27,808	80 5/8	30,577	86 5/8	33,301	92 5/8	35,956
74 3/4	27,866	80 3/4	30,635	86 3/4	33,357	92 3/4	36,011
74 7/8	27,924	80 7/8	30,692	86 7/8	33,413	92 7/8	36,065
75	27,982	81	30,749	87	33,470	93	36,119
75 1/8	28,040	81 1/8	30,806	87 1/8	33,526	93 1/8	36,173
75 1/4	28,098	81 1/4	30,864	87 1/4	33,582	93 1/4	36,228
75 3/8	28,156	81 3/8	30,921	87 3/8	33,637	93 3/8	36,282
75 1/2	28,214	81 1/2	30,978	87 1/2	33,693	93 1/2	36,336
75 5/8	28,272	81 5/8	31,035	87 5/8	33,749	93 5/8	36,390
75 3/4	28,330	81 3/4	31,092	87 3/4	33,805	93 3/4	36,444
75 7/8	28,388	81 7/8	31,149	87 7/8	33,861	93 7/8	36,498
76	28,445	82	31,206	88	33,917	94	36,552
76 1/8	28,503	82 1/8	31,263	88 1/8	33,972	94 1/8	36,606
76 1/4	28,561	82 1/4	31,321	88 1/4	34,028	94 1/4	36,660
76 3/8	28,619	82 3/8	31,378	88 3/8	34,084	94 3/8	36,714
76 1/2	28,677	82 1/2	31,435	88 1/2	34,140	94 1/2	36,768
76 5/8	28,735	82 5/8	31,491	88 5/8	34,195	94 5/8	36,821
76 3/4	28,793	82 3/4	31,548	88 3/4	34,251	94 3/4	36,875
76 7/8	28,850	82 7/8	31,605	88 7/8	34,306	94 7/8	36,929
77	28,908	83	31,662	89	34,362	95	36,982
77 1/8	28,966	83 1/8	31,719	89 1/8	34,417	95 1/8	37,036
77 1/4	29,024	83 1/4	31,776	89 1/4	34,473	95 1/4	37,089
77 3/8	29,081	83 3/8	31,833	89 3/8	34,528	95 3/8	37,143
77 1/2	29,139	83 1/2	31,890	89 1/2	34,584	95 1/2	37,196
77 5/8	29,197	83 5/8	31,946	89 5/8	34,639	95 5/8	37,250
77 3/4	29,255	83 3/4	32,003	89 3/4	34,694	95 3/4	37,303
77 7/8	29,312	83 7/8	32,060	89 7/8	34,750	95 7/8	37,356
78	29,370	84	32,117	90	34,805	96	37,410

**DWT6 12'-50000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	37,463	102 1/8	39,955	108 1/8	42,307	114 1/8	44,483
96 1/4	37,516	102 1/4	40,006	108 1/4	42,354	114 1/4	44,526
96 3/8	37,569	102 3/8	40,056	108 3/8	42,401	114 3/8	44,569
96 1/2	37,622	102 1/2	40,107	108 1/2	42,448	114 1/2	44,612
96 5/8	37,675	102 5/8	40,157	108 5/8	42,495	114 5/8	44,655
96 3/4	37,728	102 3/4	40,207	108 3/4	42,542	114 3/4	44,698
96 7/8	37,781	102 7/8	40,257	108 7/8	42,589	114 7/8	44,741
97	37,834	103	40,308	109	42,636	115	44,783
97 1/8	37,887	103 1/8	40,358	109 1/8	42,683	115 1/8	44,826
97 1/4	37,939	103 1/4	40,408	109 1/4	42,729	115 1/4	44,868
97 3/8	37,992	103 3/8	40,458	109 3/8	42,776	115 3/8	44,911
97 1/2	38,045	103 1/2	40,508	109 1/2	42,822	115 1/2	44,953
97 5/8	38,097	103 5/8	40,557	109 5/8	42,869	115 5/8	44,995
97 3/4	38,150	103 3/4	40,607	109 3/4	42,915	115 3/4	45,037
97 7/8	38,202	103 7/8	40,657	109 7/8	42,961	115 7/8	45,079
98	38,255	104	40,707	110	43,008	116	45,121
98 1/8	38,307	104 1/8	40,756	110 1/8	43,054	116 1/8	45,162
98 1/4	38,360	104 1/4	40,806	110 1/4	43,100	116 1/4	45,204
98 3/8	38,412	104 3/8	40,855	110 3/8	43,146	116 3/8	45,245
98 1/2	38,464	104 1/2	40,905	110 1/2	43,191	116 1/2	45,287
98 5/8	38,516	104 5/8	40,954	110 5/8	43,237	116 5/8	45,328
98 3/4	38,568	104 3/4	41,003	110 3/4	43,283	116 3/4	45,369
98 7/8	38,621	104 7/8	41,052	110 7/8	43,328	116 7/8	45,410
99	38,673	105	41,101	111	43,374	117	45,451
99 1/8	38,725	105 1/8	41,151	111 1/8	43,419	117 1/8	45,492
99 1/4	38,776	105 1/4	41,200	111 1/4	43,465	117 1/4	45,533
99 3/8	38,828	105 3/8	41,248	111 3/8	43,510	117 3/8	45,574
99 1/2	38,880	105 1/2	41,297	111 1/2	43,555	117 1/2	45,614
99 5/8	38,932	105 5/8	41,346	111 5/8	43,600	117 5/8	45,655
99 3/4	38,984	105 3/4	41,395	111 3/4	43,645	117 3/4	45,695
99 7/8	39,035	105 7/8	41,443	111 7/8	43,690	117 7/8	45,735
100	39,087	106	41,492	112	43,735	118	45,776
100 1/8	39,138	106 1/8	41,541	112 1/8	43,780	118 1/8	45,816
100 1/4	39,190	106 1/4	41,589	112 1/4	43,824	118 1/4	45,855
100 3/8	39,241	106 3/8	41,637	112 3/8	43,869	118 3/8	45,895
100 1/2	39,293	106 1/2	41,686	112 1/2	43,913	118 1/2	45,935
100 5/8	39,344	106 5/8	41,734	112 5/8	43,958	118 5/8	45,975
100 3/4	39,395	106 3/4	41,782	112 3/4	44,002	118 3/4	46,014
100 7/8	39,446	106 7/8	41,830	112 7/8	44,046	118 7/8	46,053
101	39,498	107	41,878	113	44,090	119	46,093
101 1/8	39,549	107 1/8	41,926	113 1/8	44,134	119 1/8	46,132
101 1/4	39,600	107 1/4	41,974	113 1/4	44,178	119 1/4	46,171
101 3/8	39,651	107 3/8	42,022	113 3/8	44,222	119 3/8	46,210
101 1/2	39,701	107 1/2	42,069	113 1/2	44,266	119 1/2	46,248
101 5/8	39,752	107 5/8	42,117	113 5/8	44,309	119 5/8	46,287
101 3/4	39,803	107 3/4	42,165	113 3/4	44,353	119 3/4	46,326
101 7/8	39,854	107 7/8	42,212	113 7/8	44,396	119 7/8	46,364
102	39,904	108	42,259	114	44,440	120	46,402

**DWT6 12'-50000 COMPARTMENT**  
**50,090 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	46,441	126 1/8	48,120	132 1/8	49,428
120 1/4	46,479	126 1/4	48,152	132 1/4	49,450
120 3/8	46,517	126 3/8	48,183	132 3/8	49,472
120 1/2	46,554	126 1/2	48,214	132 1/2	49,493
120 5/8	46,592	126 5/8	48,245	132 5/8	49,515
120 3/4	46,630	126 3/4	48,276	132 3/4	49,536
120 7/8	46,667	126 7/8	48,307	132 7/8	49,557
121	46,705	127	48,337	133	49,577
121 1/8	46,742	127 1/8	48,368	133 1/8	49,598
121 1/4	46,779	127 1/4	48,398	133 1/4	49,618
121 3/8	46,816	127 3/8	48,428	133 3/8	49,638
121 1/2	46,853	127 1/2	48,458	133 1/2	49,657
121 5/8	46,889	127 5/8	48,487	133 5/8	49,676
121 3/4	46,926	127 3/4	48,517	133 3/4	49,695
121 7/8	46,962	127 7/8	48,546	133 7/8	49,714
122	46,999	128	48,575	134	49,732
122 1/8	47,035	128 1/8	48,604	134 1/8	49,750
122 1/4	47,071	128 1/4	48,633	134 1/4	49,768
122 3/8	47,107	128 3/8	48,662	134 3/8	49,786
122 1/2	47,143	128 1/2	48,690	134 1/2	49,803
122 5/8	47,178	128 5/8	48,718	134 5/8	49,819
122 3/4	47,214	128 3/4	48,746	134 3/4	49,836
122 7/8	47,249	128 7/8	48,774	134 7/8	49,852
123	47,285	129	48,802	135	49,868
123 1/8	47,320	129 1/8	48,829	135 1/8	49,883
123 1/4	47,355	129 1/4	48,857	135 1/4	49,898
123 3/8	47,390	129 3/8	48,884	135 3/8	49,913
123 1/2	47,424	129 1/2	48,911	135 1/2	49,927
123 5/8	47,459	129 5/8	48,937	135 5/8	49,941
123 3/4	47,493	129 3/4	48,964	135 3/4	49,954
123 7/8	47,528	129 7/8	48,990	135 7/8	49,967
124	47,562	130	49,016	136	49,980
124 1/8	47,596	130 1/8	49,042	136 1/8	49,992
124 1/4	47,630	130 1/4	49,068	136 1/4	50,004
124 3/8	47,664	130 3/8	49,093	136 3/8	50,015
124 1/2	47,697	130 1/2	49,119	136 1/2	50,025
124 5/8	47,731	130 5/8	49,144	136 5/8	50,036
124 3/4	47,764	130 3/4	49,169	136 3/4	50,045
124 7/8	47,797	130 7/8	49,193	136 7/8	50,054
125	47,830	131	49,218	137	50,062
125 1/8	47,863	131 1/8	49,242	137 1/8	50,070
125 1/4	47,896	131 1/4	49,266	137 1/4	50,076
125 3/8	47,928	131 3/8	49,290	137 3/8	50,082
125 1/2	47,961	131 1/2	49,313	137 1/2	50,087
125 5/8	47,993	131 5/8	49,337	137 5/8	50,090
125 3/4	48,025	131 3/4	49,360		
125 7/8	48,057	131 7/8	49,383		
126	48,089	132	49,405		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.