

DWT6 8'-13000 COMPARTMENT
12,645 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	7	6 1/8	369	12 1/8	981	18 1/8	1,751
1/4	10	6 1/4	379	12 1/4	996	18 1/4	1,768
3/8	13	6 3/8	390	12 3/8	1,010	18 3/8	1,786
1/2	17	6 1/2	401	12 1/2	1,025	18 1/2	1,803
5/8	21	6 5/8	412	12 5/8	1,040	18 5/8	1,821
3/4	25	6 3/4	423	12 3/4	1,055	18 3/4	1,838
7/8	29	6 7/8	435	12 7/8	1,070	18 7/8	1,856
1	34	7	446	13	1,085	19	1,874
1 1/8	39	7 1/8	457	13 1/8	1,100	19 1/8	1,891
1 1/4	44	7 1/4	469	13 1/4	1,115	19 1/4	1,909
1 3/8	50	7 3/8	480	13 3/8	1,130	19 3/8	1,927
1 1/2	55	7 1/2	492	13 1/2	1,145	19 1/2	1,945
1 5/8	61	7 5/8	504	13 5/8	1,161	19 5/8	1,963
1 3/4	67	7 3/4	516	13 3/4	1,176	19 3/4	1,981
1 7/8	73	7 7/8	528	13 7/8	1,192	19 7/8	1,999
2	80	8	540	14	1,207	20	2,017
2 1/8	86	8 1/8	552	14 1/8	1,223	20 1/8	2,035
2 1/4	93	8 1/4	564	14 1/4	1,238	20 1/4	2,053
2 3/8	100	8 3/8	576	14 3/8	1,254	20 3/8	2,071
2 1/2	107	8 1/2	589	14 1/2	1,270	20 1/2	2,089
2 5/8	114	8 5/8	601	14 5/8	1,286	20 5/8	2,108
2 3/4	121	8 3/4	613	14 3/4	1,301	20 3/4	2,126
2 7/8	129	8 7/8	626	14 7/8	1,317	20 7/8	2,144
3	137	9	639	15	1,333	21	2,163
3 1/8	144	9 1/8	652	15 1/8	1,349	21 1/8	2,181
3 1/4	152	9 1/4	664	15 1/4	1,366	21 1/4	2,200
3 3/8	160	9 3/8	677	15 3/8	1,382	21 3/8	2,218
3 1/2	169	9 1/2	690	15 1/2	1,398	21 1/2	2,237
3 5/8	177	9 5/8	704	15 5/8	1,414	21 5/8	2,255
3 3/4	185	9 3/4	717	15 3/4	1,431	21 3/4	2,274
3 7/8	194	9 7/8	730	15 7/8	1,447	21 7/8	2,293
4	203	10	743	16	1,463	22	2,311
4 1/8	212	10 1/8	757	16 1/8	1,480	22 1/8	2,330
4 1/4	221	10 1/4	770	16 1/4	1,496	22 1/4	2,349
4 3/8	230	10 3/8	784	16 3/8	1,513	22 3/8	2,368
4 1/2	239	10 1/2	797	16 1/2	1,530	22 1/2	2,387
4 5/8	248	10 5/8	811	16 5/8	1,546	22 5/8	2,406
4 3/4	258	10 3/4	825	16 3/4	1,563	22 3/4	2,424
4 7/8	267	10 7/8	839	16 7/8	1,580	22 7/8	2,443
5	277	11	853	17	1,597	23	2,462
5 1/8	287	11 1/8	867	17 1/8	1,614	23 1/8	2,482
5 1/4	296	11 1/4	881	17 1/4	1,631	23 1/4	2,501
5 3/8	306	11 3/8	895	17 3/8	1,648	23 3/8	2,520
5 1/2	317	11 1/2	909	17 1/2	1,665	23 1/2	2,539
5 5/8	327	11 5/8	923	17 5/8	1,682	23 5/8	2,558
5 3/4	337	11 3/4	938	17 3/4	1,699	23 3/4	2,578
5 7/8	348	11 7/8	952	17 7/8	1,716	23 7/8	2,597
6	358	12	966	18	1,734	24	2,616

DWT6 8'-13000 COMPARTMENT
12,645 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	2,636	30 1/8	3,603	36 1/8	4,628	42 1/8	5,687
24 1/4	2,655	30 1/4	3,624	36 1/4	4,650	42 1/4	5,709
24 3/8	2,674	30 3/8	3,645	36 3/8	4,671	42 3/8	5,731
24 1/2	2,694	30 1/2	3,666	36 1/2	4,693	42 1/2	5,753
24 5/8	2,713	30 5/8	3,687	36 5/8	4,715	42 5/8	5,776
24 3/4	2,733	30 3/4	3,708	36 3/4	4,737	42 3/4	5,798
24 7/8	2,752	30 7/8	3,728	36 7/8	4,759	42 7/8	5,820
25	2,772	31	3,749	37	4,781	43	5,843
25 1/8	2,792	31 1/8	3,770	37 1/8	4,802	43 1/8	5,865
25 1/4	2,811	31 1/4	3,792	37 1/4	4,824	43 1/4	5,887
25 3/8	2,831	31 3/8	3,813	37 3/8	4,846	43 3/8	5,910
25 1/2	2,851	31 1/2	3,834	37 1/2	4,868	43 1/2	5,932
25 5/8	2,871	31 5/8	3,855	37 5/8	4,890	43 5/8	5,954
25 3/4	2,890	31 3/4	3,876	37 3/4	4,912	43 3/4	5,976
25 7/8	2,910	31 7/8	3,897	37 7/8	4,934	43 7/8	5,999
26	2,930	32	3,918	38	4,956	44	6,021
26 1/8	2,950	32 1/8	3,939	38 1/8	4,978	44 1/8	6,043
26 1/4	2,970	32 1/4	3,961	38 1/4	5,000	44 1/4	6,066
26 3/8	2,990	32 3/8	3,982	38 3/8	5,022	44 3/8	6,088
26 1/2	3,010	32 1/2	4,003	38 1/2	5,044	44 1/2	6,110
26 5/8	3,030	32 5/8	4,024	38 5/8	5,066	44 5/8	6,133
26 3/4	3,050	32 3/4	4,046	38 3/4	5,088	44 3/4	6,155
26 7/8	3,070	32 7/8	4,067	38 7/8	5,110	44 7/8	6,177
27	3,090	33	4,088	39	5,132	45	6,200
27 1/8	3,111	33 1/8	4,110	39 1/8	5,154	45 1/8	6,222
27 1/4	3,131	33 1/4	4,131	39 1/4	5,176	45 1/4	6,244
27 3/8	3,151	33 3/8	4,153	39 3/8	5,198	45 3/8	6,267
27 1/2	3,171	33 1/2	4,174	39 1/2	5,221	45 1/2	6,289
27 5/8	3,192	33 5/8	4,195	39 5/8	5,243	45 5/8	6,311
27 3/4	3,212	33 3/4	4,217	39 3/4	5,265	45 3/4	6,334
27 7/8	3,232	33 7/8	4,238	39 7/8	5,287	45 7/8	6,356
28	3,253	34	4,260	40	5,309	46	6,378
28 1/8	3,273	34 1/8	4,281	40 1/8	5,331	46 1/8	6,401
28 1/4	3,293	34 1/4	4,303	40 1/4	5,353	46 1/4	6,423
28 3/8	3,314	34 3/8	4,324	40 3/8	5,376	46 3/8	6,446
28 1/2	3,334	34 1/2	4,346	40 1/2	5,398	46 1/2	6,468
28 5/8	3,355	34 5/8	4,368	40 5/8	5,420	46 5/8	6,490
28 3/4	3,375	34 3/4	4,389	40 3/4	5,442	46 3/4	6,513
28 7/8	3,396	34 7/8	4,411	40 7/8	5,464	46 7/8	6,535
29	3,417	35	4,432	41	5,487	47	6,557
29 1/8	3,437	35 1/8	4,454	41 1/8	5,509	47 1/8	6,580
29 1/4	3,458	35 1/4	4,476	41 1/4	5,531	47 1/4	6,602
29 3/8	3,478	35 3/8	4,497	41 3/8	5,553	47 3/8	6,624
29 1/2	3,499	35 1/2	4,519	41 1/2	5,575	47 1/2	6,647
29 5/8	3,520	35 5/8	4,541	41 5/8	5,598	47 5/8	6,669
29 3/4	3,541	35 3/4	4,562	41 3/4	5,620	47 3/4	6,691
29 7/8	3,561	35 7/8	4,584	41 7/8	5,642	47 7/8	6,713
30	3,582	36	4,606	42	5,664	48	6,736

DWT6 8'-13000 COMPARTMENT
12,645 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	6,758	54 1/8	7,821	60 1/8	8,854	66 1/8	9,834
48 1/4	6,780	54 1/4	7,843	60 1/4	8,875	66 1/4	9,854
48 3/8	6,803	54 3/8	7,865	60 3/8	8,896	66 3/8	9,873
48 1/2	6,825	54 1/2	7,887	60 1/2	8,917	66 1/2	9,893
48 5/8	6,847	54 5/8	7,908	60 5/8	8,938	66 5/8	9,912
48 3/4	6,870	54 3/4	7,930	60 3/4	8,959	66 3/4	9,932
48 7/8	6,892	54 7/8	7,952	60 7/8	8,980	66 7/8	9,951
49	6,914	55	7,974	61	9,001	67	9,971
49 1/8	6,936	55 1/8	7,996	61 1/8	9,021	67 1/8	9,990
49 1/4	6,959	55 1/4	8,018	61 1/4	9,042	67 1/4	10,010
49 3/8	6,981	55 3/8	8,039	61 3/8	9,063	67 3/8	10,029
49 1/2	7,003	55 1/2	8,061	61 1/2	9,084	67 1/2	10,048
49 5/8	7,025	55 5/8	8,083	61 5/8	9,105	67 5/8	10,068
49 3/4	7,048	55 3/4	8,105	61 3/4	9,125	67 3/4	10,087
49 7/8	7,070	55 7/8	8,126	61 7/8	9,146	67 7/8	10,106
50	7,092	56	8,148	62	9,167	68	10,125
50 1/8	7,114	56 1/8	8,170	62 1/8	9,187	68 1/8	10,145
50 1/4	7,137	56 1/4	8,191	62 1/4	9,208	68 1/4	10,164
50 3/8	7,159	56 3/8	8,213	62 3/8	9,229	68 3/8	10,183
50 1/2	7,181	56 1/2	8,235	62 1/2	9,249	68 1/2	10,202
50 5/8	7,203	56 5/8	8,256	62 5/8	9,270	68 5/8	10,221
50 3/4	7,225	56 3/4	8,278	62 3/4	9,290	68 3/4	10,240
50 7/8	7,248	56 7/8	8,299	62 7/8	9,311	68 7/8	10,259
51	7,270	57	8,321	63	9,331	69	10,278
51 1/8	7,292	57 1/8	8,342	63 1/8	9,352	69 1/8	10,296
51 1/4	7,314	57 1/4	8,364	63 1/4	9,372	69 1/4	10,315
51 3/8	7,336	57 3/8	8,386	63 3/8	9,393	69 3/8	10,334
51 1/2	7,358	57 1/2	8,407	63 1/2	9,413	69 1/2	10,353
51 5/8	7,380	57 5/8	8,428	63 5/8	9,433	69 5/8	10,371
51 3/4	7,403	57 3/4	8,450	63 3/4	9,454	69 3/4	10,390
51 7/8	7,425	57 7/8	8,471	63 7/8	9,474	69 7/8	10,409
52	7,447	58	8,493	64	9,494	70	10,427
52 1/8	7,469	58 1/8	8,514	64 1/8	9,515	70 1/8	10,446
52 1/4	7,491	58 1/4	8,536	64 1/4	9,535	70 1/4	10,464
52 3/8	7,513	58 3/8	8,557	64 3/8	9,555	70 3/8	10,483
52 1/2	7,535	58 1/2	8,578	64 1/2	9,575	70 1/2	10,501
52 5/8	7,557	58 5/8	8,600	64 5/8	9,595	70 5/8	10,519
52 3/4	7,579	58 3/4	8,621	64 3/4	9,615	70 3/4	10,538
52 7/8	7,601	58 7/8	8,642	64 7/8	9,635	70 7/8	10,556
53	7,623	59	8,663	65	9,655	71	10,574
53 1/8	7,645	59 1/8	8,685	65 1/8	9,675	71 1/8	10,592
53 1/4	7,667	59 1/4	8,706	65 1/4	9,695	71 1/4	10,610
53 3/8	7,689	59 3/8	8,727	65 3/8	9,715	71 3/8	10,629
53 1/2	7,711	59 1/2	8,748	65 1/2	9,735	71 1/2	10,647
53 5/8	7,733	59 5/8	8,769	65 5/8	9,755	71 5/8	10,665
53 3/4	7,755	59 3/4	8,791	65 3/4	9,775	71 3/4	10,682
53 7/8	7,777	59 7/8	8,812	65 7/8	9,794	71 7/8	10,700
54	7,799	60	8,833	66	9,814	72	10,718

DWT6 8'-13000 COMPARTMENT
12,645 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	10,736	78 1/8	11,530	84 1/8	12,177	90 1/8	12,601
72 1/4	10,754	78 1/4	11,545	84 1/4	12,188	90 1/4	12,606
72 3/8	10,772	78 3/8	11,561	84 3/8	12,199	90 3/8	12,611
72 1/2	10,789	78 1/2	11,576	84 1/2	12,211	90 1/2	12,616
72 5/8	10,807	78 5/8	11,591	84 5/8	12,222	90 5/8	12,620
72 3/4	10,824	78 3/4	11,605	84 3/4	12,233	90 3/4	12,625
72 7/8	10,842	78 7/8	11,620	84 7/8	12,244	90 7/8	12,629
73	10,859	79	11,635	85	12,255	91	12,632
73 1/8	10,877	79 1/8	11,650	85 1/8	12,266	91 1/8	12,636
73 1/4	10,894	79 1/4	11,664	85 1/4	12,277	91 1/4	12,639
73 3/8	10,912	79 3/8	11,679	85 3/8	12,287	91 3/8	12,641
73 1/2	10,929	79 1/2	11,693	85 1/2	12,298	91 1/2	12,643
73 5/8	10,946	79 5/8	11,708	85 5/8	12,308	91 5/8	12,645
73 3/4	10,963	79 3/4	11,722	85 3/4	12,318		
73 7/8	10,980	79 7/8	11,736	85 7/8	12,329		
74	10,997	80	11,751	86	12,339		
74 1/8	11,015	80 1/8	11,765	86 1/8	12,349		
74 1/4	11,031	80 1/4	11,779	86 1/4	12,359		
74 3/8	11,048	80 3/8	11,793	86 3/8	12,368		
74 1/2	11,065	80 1/2	11,807	86 1/2	12,378		
74 5/8	11,082	80 5/8	11,820	86 5/8	12,388		
74 3/4	11,099	80 3/4	11,834	86 3/4	12,397		
74 7/8	11,116	80 7/8	11,848	86 7/8	12,406		
75	11,132	81	11,862	87	12,416		
75 1/8	11,149	81 1/8	11,875	87 1/8	12,425		
75 1/4	11,165	81 1/4	11,889	87 1/4	12,434		
75 3/8	11,182	81 3/8	11,902	87 3/8	12,443		
75 1/2	11,198	81 1/2	11,915	87 1/2	12,451		
75 5/8	11,215	81 5/8	11,929	87 5/8	12,460		
75 3/4	11,231	81 3/4	11,942	87 3/4	12,468		
75 7/8	11,247	81 7/8	11,955	87 7/8	12,477		
76	11,264	82	11,968	88	12,485		
76 1/8	11,280	82 1/8	11,981	88 1/8	12,493		
76 1/4	11,296	82 1/4	11,994	88 1/4	12,501		
76 3/8	11,312	82 3/8	12,006	88 3/8	12,509		
76 1/2	11,328	82 1/2	12,019	88 1/2	12,516		
76 5/8	11,344	82 5/8	12,032	88 5/8	12,524		
76 3/4	11,360	82 3/4	12,044	88 3/4	12,531		
76 7/8	11,376	82 7/8	12,057	88 7/8	12,538		
77	11,391	83	12,069	89	12,545		
77 1/8	11,407	83 1/8	12,081	89 1/8	12,552		
77 1/4	11,423	83 1/4	12,094	89 1/4	12,559		
77 3/8	11,438	83 3/8	12,106	89 3/8	12,566		
77 1/2	11,454	83 1/2	12,118	89 1/2	12,572		
77 5/8	11,469	83 5/8	12,130	89 5/8	12,578		
77 3/4	11,485	83 3/4	12,142	89 3/4	12,584		
77 7/8	11,500	83 7/8	12,153	89 7/8	12,590		
78	11,515	84	12,165	90	12,596		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.