

12'-20000 DWT6 Double-Wall Tank 20046 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	7 1/8	395	14 1/8	1,066	21 1/8	1914	28 1/8	2897	35 1/8	3986
1/4	8	7 1/4	405	14 1/4	1,079	21 1/4	1931	28 1/4	2916	35 1/4	4006
3/8	11	7 3/8	416	14 3/8	1,093	21 3/8	1947	28 3/8	2934	35 3/8	4026
1/2	14	7 1/2	426	14 1/2	1,107	21 1/2	1964	28 1/2	2953	35 1/2	4047
5/8	18	7 5/8	436	14 5/8	1,121	21 5/8	1980	28 5/8	2972	35 5/8	4067
3/4	21	7 3/4	446	14 3/4	1,135	21 3/4	1997	28 3/4	2991	35 3/4	4087
7/8	25	7 7/8	457	14 7/8	1,149	21 7/8	2014	28 7/8	3009	35 7/8	4108
1	29	8	467	15	1163	22	2030	29	3028	36	4128
1 1/8	33	8 1/8	478	15 1/8	1,177	22 1/8	2047	29 1/8	3047	36 1/8	4148
1 1/4	38	8 1/4	488	15 1/4	1,191	22 1/4	2064	29 1/4	3066	36 1/4	4169
1 3/8	42	8 3/8	499	15 3/8	1,206	22 3/8	2081	29 3/8	3085	36 3/8	4189
1 1/2	47	8 1/2	510	15 1/2	1,220	22 1/2	2098	29 1/2	3104	36 1/2	4210
1 5/8	52	8 5/8	521	15 5/8	1,234	22 5/8	2115	29 5/8	3123	36 5/8	4230
1 3/4	57	8 3/4	532	15 3/4	1,249	22 3/4	2132	29 3/4	3141	36 3/4	4251
1 7/8	63	8 7/8	543	15 7/8	1,263	22 7/8	2149	29 7/8	3160	36 7/8	4271
2	68	9	554	16	1278	23	2166	30	3180	37	4292
2 1/8	74	9 1/8	565	16 1/8	1,292	23 1/8	2183	30 1/8	3199	37 1/8	4313
2 1/4	80	9 1/4	576	16 1/4	1,307	23 1/4	2200	30 1/4	3218	37 1/4	4333
2 3/8	86	9 3/8	588	16 3/8	1,321	23 3/8	2217	30 3/8	3237	37 3/8	4354
2 1/2	92	9 1/2	599	16 1/2	1,336	23 1/2	2234	30 1/2	3256	37 1/2	4375
2 5/8	98	9 5/8	610	16 5/8	1,351	23 5/8	2252	30 5/8	3275	37 5/8	4395
2 3/4	104	9 3/4	622	16 3/4	1,366	23 3/4	2269	30 3/4	3294	37 3/4	4416
2 7/8	111	9 7/8	633	16 7/8	1,381	23 7/8	2286	30 7/8	3314	37 7/8	4437
3	117	10	645	17	1396	24	2304	31	3333	38	4458
3 1/8	124	10 1/8	657	17 1/8	1,410	24 1/8	2321	31 1/8	3352	38 1/8	4479
3 1/4	131	10 1/4	669	17 1/4	1,425	24 1/4	2338	31 1/4	3372	38 1/4	4499
3 3/8	138	10 3/8	680	17 3/8	1,441	24 3/8	2356	31 3/8	3391	38 3/8	4520
3 1/2	145	10 1/2	692	17 1/2	1,456	24 1/2	2373	31 1/2	3410	38 1/2	4541
3 5/8	152	10 5/8	704	17 5/8	1,471	24 5/8	2391	31 5/8	3430	38 5/8	4562
3 3/4	159	10 3/4	716	17 3/4	1,486	24 3/4	2409	31 3/4	3449	38 3/4	4583
3 7/8	167	10 7/8	729	17 7/8	1,501	24 7/8	2426	31 7/8	3469	38 7/8	4604
4	174	11	741	18	1,517	25	2444	32	3488	39	4625
4 1/8	182	11 1/8	753	18 1/8	1,532	25 1/8	2462	32 1/8	3508	39 1/8	4646
4 1/4	190	11 1/4	765	18 1/4	1,547	25 1/4	2479	32 1/4	3528	39 1/4	4667
4 3/8	198	11 3/8	778	18 3/8	1,563	25 3/8	2497	32 3/8	3547	39 3/8	4688
4 1/2	206	11 1/2	790	18 1/2	1,578	25 1/2	2515	32 1/2	3567	39 1/2	4709
4 5/8	214	11 5/8	803	18 5/8	1,594	25 5/8	2533	32 5/8	3586	39 5/8	4730
4 3/4	222	11 3/4	815	18 3/4	1,609	25 3/4	2551	32 3/4	3606	39 3/4	4751
4 7/8	230	11 7/8	828	18 7/8	1,625	25 7/8	2569	32 7/8	3626	39 7/8	4772
5	239	12	841	19	1641	26	2587	33	3646	40	4794
5 1/8	247	12 1/8	853	19 1/8	1656	26 1/8	2605	33 1/8	3665	40 1/8	4815
5 1/4	256	12 1/4	866	19 1/4	1672	26 1/4	2623	33 1/4	3685	40 1/4	4836
5 3/8	264	12 3/8	879	19 3/8	1688	26 3/8	2641	33 3/8	3705	40 3/8	4857
5 1/2	273	12 1/2	892	19 1/2	1704	26 1/2	2659	33 1/2	3725	40 1/2	4878
5 5/8	282	12 5/8	905	19 5/8	1720	26 5/8	2677	33 5/8	3745	40 5/8	4900
5 3/4	291	12 3/4	918	19 3/4	1736	26 3/4	2695	33 3/4	3765	40 3/4	4921
5 7/8	300	12 7/8	931	19 7/8	1752	26 7/8	2713	33 7/8	3785	40 7/8	4942
6	309	13	944	20	1768	27	2732	34	3805	41	4964
6 1/8	318	13 1/8	958	20 1/8	1784	27 1/8	2750	34 1/8	3825	41 1/8	4985
6 1/4	328	13 1/4	971	20 1/4	1800	27 1/4	2768	34 1/4	3845	41 1/4	5006
6 3/8	337	13 3/8	984	20 3/8	1816	27 3/8	2786	34 3/8	3865	41 3/8	5028
6 1/2	347	13 1/2	998	20 1/2	1832	27 1/2	2805	34 1/2	3885	41 1/2	5049
6 5/8	356	13 5/8	1,011	20 5/8	1849	27 5/8	2823	34 5/8	3905	41 5/8	5071
6 3/4	366	13 3/4	1,025	20 3/4	1865	27 3/4	2842	34 3/4	3925	41 3/4	5092
6 7/8	376	13 7/8	1,038	20 7/8	1881	27 7/8	2860	34 7/8	3945	41 7/8	5113
7	386	14	1,052	21	1898	28	2879	35	3965	42	5135

**12'-20000 DWT6 Double-Wall Tank
20046 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	5156	49 1/8	6390	56 1/8	7668	63 1/8	8975	70 1/8	10294	77 1/8	11610
42 1/4	5178	49 1/4	6412	56 1/4	7691	63 1/4	8999	70 1/4	10318	77 1/4	11634
42 3/8	5200	49 3/8	6435	56 3/8	7715	63 3/8	9022	70 3/8	10342	77 3/8	11657
42 1/2	5221	49 1/2	6457	56 1/2	7738	63 1/2	9046	70 1/2	10365	77 1/2	11681
42 5/8	5243	49 5/8	6480	56 5/8	7761	63 5/8	9069	70 5/8	10389	77 5/8	11704
42 3/4	5264	49 3/4	6502	56 3/4	7784	63 3/4	9093	70 3/4	10412	77 3/4	11727
42 7/8	5286	49 7/8	6525	56 7/8	7807	63 7/8	9116	70 7/8	10436	77 7/8	11751
43	5308	50	6548	57	7830	64	9140	71	10459	78	11774
43 1/8	5329	50 1/8	6570	57 1/8	7854	64 1/8	9163	71 1/8	10483	78 1/8	11797
43 1/4	5351	50 1/4	6593	57 1/4	7877	64 1/4	9187	71 1/4	10507	78 1/4	11821
43 3/8	5373	50 3/8	6615	57 3/8	7900	64 3/8	9210	71 3/8	10530	78 3/8	11844
43 1/2	5394	50 1/2	6638	57 1/2	7923	64 1/2	9234	71 1/2	10554	78 1/2	11867
43 5/8	5416	50 5/8	6661	57 5/8	7946	64 5/8	9257	71 5/8	10577	78 5/8	11891
43 3/4	5438	50 3/4	6683	57 3/4	7970	64 3/4	9281	71 3/4	10601	78 3/4	11914
43 7/8	5460	50 7/8	6706	57 7/8	7993	64 7/8	9304	71 7/8	10624	78 7/8	11937
44	5481	51	6729	58	8016	65	9328	72	10648	79	11960
44 1/8	5503	51 1/8	6751	58 1/8	8039	65 1/8	9351	72 1/8	10671	79 1/8	11984
44 1/4	5525	51 1/4	6774	58 1/4	8063	65 1/4	9375	72 1/4	10695	79 1/4	12007
44 3/8	5547	51 3/8	6797	58 3/8	8086	65 3/8	9399	72 3/8	10719	79 3/8	12030
44 1/2	5569	51 1/2	6819	58 1/2	8109	65 1/2	9422	72 1/2	10742	79 1/2	12053
44 5/8	5591	51 5/8	6842	58 5/8	8133	65 5/8	9446	72 5/8	10766	79 5/8	12077
44 3/4	5613	51 3/4	6865	58 3/4	8156	65 3/4	9469	72 3/4	10789	79 3/4	12100
44 7/8	5635	51 7/8	6888	58 7/8	8179	65 7/8	9493	72 7/8	10813	79 7/8	12123
45	5656	52	6910	59	8202	66	9516	73	10836	80	12146
45 1/8	5678	52 1/8	6933	59 1/8	8226	66 1/8	9540	73 1/8	10860	80 1/8	12170
45 1/4	5700	52 1/4	6956	59 1/4	8249	66 1/4	9563	73 1/4	10883	80 1/4	12193
45 3/8	5722	52 3/8	6979	59 3/8	8272	66 3/8	9587	73 3/8	10907	80 3/8	12216
45 1/2	5744	52 1/2	7002	59 1/2	8296	66 1/2	9611	73 1/2	10930	80 1/2	12239
45 5/8	5766	52 5/8	7025	59 5/8	8319	66 5/8	9634	73 5/8	10954	80 5/8	12262
45 3/4	5789	52 3/4	7047	59 3/4	8342	66 3/4	9658	73 3/4	10977	80 3/4	12286
45 7/8	5811	52 7/8	7070	59 7/8	8366	66 7/8	9681	73 7/8	11001	80 7/8	12309
46	5833	53	7093	60	8389	67	9705	74	11024	81	12332
46 1/8	5855	53 1/8	7116	60 1/8	8413	67 1/8	9728	74 1/8	11048	81 1/8	12355
46 1/4	5877	53 1/4	7139	60 1/4	8436	67 1/4	9752	74 1/4	11071	81 1/4	12378
46 3/8	5899	53 3/8	7162	60 3/8	8459	67 3/8	9776	74 3/8	11095	81 3/8	12401
46 1/2	5921	53 1/2	7185	60 1/2	8483	67 1/2	9799	74 1/2	11118	81 1/2	12424
46 5/8	5943	53 5/8	7208	60 5/8	8506	67 5/8	9823	74 5/8	11142	81 5/8	12447
46 3/4	5965	53 3/4	7231	60 3/4	8530	67 3/4	9846	74 3/4	11165	81 3/4	12471
46 7/8	5988	53 7/8	7253	60 7/8	8553	67 7/8	9870	74 7/8	11189	81 7/8	12494
47	6010	54	7276	61	8576	68	9894	75	11212	82	12517
47 1/8	6032	54 1/8	7299	61 1/8	8600	68 1/8	9917	75 1/8	11236	82 1/8	12540
47 1/4	6054	54 1/4	7322	61 1/4	8623	68 1/4	9941	75 1/4	11259	82 1/4	12563
47 3/8	6077	54 3/8	7345	61 3/8	8647	68 3/8	9964	75 3/8	11283	82 3/8	12586
47 1/2	6099	54 1/2	7368	61 1/2	8670	68 1/2	9988	75 1/2	11306	82 1/2	12609
47 5/8	6121	54 5/8	7391	61 5/8	8693	68 5/8	10011	75 5/8	11330	82 5/8	12632
47 3/4	6143	54 3/4	7414	61 3/4	8717	68 3/4	10035	75 3/4	11353	82 3/4	12655
47 7/8	6166	54 7/8	7437	61 7/8	8740	68 7/8	10059	75 7/8	11376	82 7/8	12678
48	6188	55	7460	62	8764	69	10082	76	11400	83	12701
48 1/8	6211	55 1/8	7484	62 1/8	8787	69 1/8	10106	76 1/8	11423	83 1/8	12724
48 1/4	6233	55 1/4	7507	62 1/4	8811	69 1/4	10129	76 1/4	11447	83 1/4	12747
48 3/8	6255	55 3/8	7530	62 3/8	8834	69 3/8	10153	76 3/8	11470	83 3/8	12770
48 1/2	6278	55 1/2	7553	62 1/2	8858	69 1/2	10176	76 1/2	11493	83 1/2	12793
48 5/8	6300	55 5/8	7576	62 5/8	8881	69 5/8	10200	76 5/8	11517	83 5/8	12816
48 3/4	6322	55 3/4	7599	62 3/4	8905	69 3/4	10224	76 3/4	11540	83 3/4	12839
48 7/8	6345	55 7/8	7622	62 7/8	8928	69 7/8	10247	76 7/8	11564	83 7/8	12862
49	6367	56	7645	63	8952	70	10271	77	11587	84	12885

**12'-20000 DWT6 Double-Wall Tank
20046 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	12908	91 1/8	14170	98 1/8	15,379	105 1/8	16,519	112 1/8	17,567	119 1/8	18499
84 1/4	12930	91 1/4	14192	98 1/4	15,400	105 1/4	16,539	112 1/4	17,585	119 1/4	18514
84 3/8	12953	91 3/8	14214	98 3/8	15,421	105 3/8	16,558	112 3/8	17,603	119 3/8	18530
84 1/2	12976	91 1/2	14236	98 1/2	15,442	105 1/2	16,578	112 1/2	17,620	119 1/2	18545
84 5/8	12999	91 5/8	14258	98 5/8	15,463	105 5/8	16,597	112 5/8	17,638	119 5/8	18560
84 3/4	13022	91 3/4	14280	98 3/4	15,484	105 3/4	16,617	112 3/4	17,655	119 3/4	18576
84 7/8	13045	91 7/8	14302	98 7/8	15,505	105 7/8	16,636	112 7/8	17,673	119 7/8	18591
85	13068	92	14324	99	15,526	106	16,655	113	17691	120	18606
85 1/8	13090	92 1/8	14346	99 1/8	15,547	106 1/8	16,675	113 1/8	17,708	120 1/8	18621
85 1/4	13113	92 1/4	14368	99 1/4	15,568	106 1/4	16,694	113 1/4	17,726	120 1/4	18636
85 3/8	13136	92 3/8	14390	99 3/8	15,589	106 3/8	16,713	113 3/8	17,743	120 3/8	18651
85 1/2	13159	92 1/2	14412	99 1/2	15,609	106 1/2	16,733	113 1/2	17,760	120 1/2	18666
85 5/8	13182	92 5/8	14434	99 5/8	15,630	106 5/8	16,752	113 5/8	17,778	120 5/8	18681
85 3/4	13204	92 3/4	14456	99 3/4	15,651	106 3/4	16,771	113 3/4	17,795	120 3/4	18696
85 7/8	13227	92 7/8	14478	99 7/8	15,672	106 7/8	16,790	113 7/8	17,812	120 7/8	18710
86	13250	93	14499	100	15,692	107	16,810	114	17829	121	18725
86 1/8	13272	93 1/8	14521	100 1/8	15,713	107 1/8	16,829	114 1/8	17,847	121 1/8	18740
86 1/4	13295	93 1/4	14543	100 1/4	15,734	107 1/4	16,848	114 1/4	17,864	121 1/4	18754
86 3/8	13318	93 3/8	14565	100 3/8	15,754	107 3/8	16,867	114 3/8	17,881	121 3/8	18769
86 1/2	13341	93 1/2	14587	100 1/2	15,775	107 1/2	16,886	114 1/2	17,898	121 1/2	18783
86 5/8	13363	93 5/8	14609	100 5/8	15,796	107 5/8	16,905	114 5/8	17,915	121 5/8	18798
86 3/4	13386	93 3/4	14630	100 3/4	15,816	107 3/4	16,924	114 3/4	17,932	121 3/4	18812
86 7/8	13408	93 7/8	14652	100 7/8	15,837	107 7/8	16,943	114 7/8	17,949	121 7/8	18827
87	13431	94	14674	101	15,857	108	16,962	115	17966	122	18841
87 1/8	13454	94 1/8	14696	101 1/8	15,878	108 1/8	16,981	115 1/8	17,982	122 1/8	18855
87 1/4	13476	94 1/4	14717	101 1/4	15,898	108 1/4	17,000	115 1/4	17,999	122 1/4	18869
87 3/8	13499	94 3/8	14739	101 3/8	15,918	108 3/8	17,018	115 3/8	18,016	122 3/8	18883
87 1/2	13521	94 1/2	14761	101 1/2	15,939	108 1/2	17,037	115 1/2	18,033	122 1/2	18897
87 5/8	13544	94 5/8	14782	101 5/8	15,959	108 5/8	17,056	115 5/8	18,049	122 5/8	18912
87 3/4	13567	94 3/4	14804	101 3/4	15,980	108 3/4	17,075	115 3/4	18,066	122 3/4	18925
87 7/8	13589	94 7/8	14825	101 7/8	16,000	108 7/8	17,093	115 7/8	18,083	122 7/8	18939
88	13612	95	14847	102	16,020	109	17,112	116	18,099	123	18953
88 1/8	13634	95 1/8	14868	102 1/8	16,040	109 1/8	17,131	116 1/8	18,116	123 1/8	18967
88 1/4	13657	95 1/4	14890	102 1/4	16,061	109 1/4	17,149	116 1/4	18,132	123 1/4	18981
88 3/8	13679	95 3/8	14911	102 3/8	16,081	109 3/8	17,168	116 3/8	18,149	123 3/8	18995
88 1/2	13701	95 1/2	14933	102 1/2	16,101	109 1/2	17,186	116 1/2	18,165	123 1/2	19008
88 5/8	13724	95 5/8	14954	102 5/8	16,121	109 5/8	17,205	116 5/8	18,181	123 5/8	19022
88 3/4	13746	95 3/4	14976	102 3/4	16,141	109 3/4	17,223	116 3/4	18,198	123 3/4	19035
88 7/8	13769	95 7/8	14997	102 7/8	16,162	109 7/8	17,242	116 7/8	18214	123 7/8	19049
89	13791	96	15019	103	16,182	110	17,260	117	18230	124	19062
89 1/8	13814	96 1/8	15040	103 1/8	16,202	110 1/8	17,278	117 1/8	18246	124 1/8	19076
89 1/4	13836	96 1/4	15061	103 1/4	16,222	110 1/4	17,297	117 1/4	18263	124 1/4	19089
89 3/8	13858	96 3/8	15083	103 3/8	16,242	110 3/8	17,315	117 3/8	18279	124 3/8	19102
89 1/2	13881	96 1/2	15104	103 1/2	16,262	110 1/2	17,333	117 1/2	18295	124 1/2	19115
89 5/8	13903	96 5/8	15125	103 5/8	16,282	110 5/8	17,351	117 5/8	18311	124 5/8	19128
89 3/4	13925	96 3/4	15147	103 3/4	16,302	110 3/4	17,370	117 3/4	18327	124 3/4	19141
89 7/8	13948	96 7/8	15168	103 7/8	16,321	110 7/8	17,388	117 7/8	18343	124 7/8	19154
90	13970	97	15189	104	16,341	111	17,406	118	18358	125	19167
90 1/8	13992	97 1/8	15210	104 1/8	16,361	111 1/8	17,424	118 1/8	18374	125 1/8	19180
90 1/4	14014	97 1/4	15232	104 1/4	16,381	111 1/4	17,442	118 1/4	18390	125 1/4	19193
90 3/8	14037	97 3/8	15253	104 3/8	16,401	111 3/8	17,460	118 3/8	18406	125 3/8	19206
90 1/2	14059	97 1/2	15274	104 1/2	16,421	111 1/2	17,478	118 1/2	18421	125 1/2	19219
90 5/8	14081	97 5/8	15295	104 5/8	16,440	111 5/8	17,496	118 5/8	18437	125 5/8	19231
90 3/4	14103	97 3/4	15316	104 3/4	16,460	111 3/4	17,514	118 3/4	18453	125 3/4	19244
90 7/8	14125	97 7/8	15337	104 7/8	16,480	111 7/8	17,532	118 7/8	18468	125 7/8	19256
91	14147	98	15358	105	16,499	112	17,549	119	18484	126	19269

12'-20000 DWT6 Double-Wall Tank 20046 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	19281	133 1/8	19857
126 1/4	19293	133 1/4	19864
126 3/8	19306	133 3/8	19872
126 1/2	19318	133 1/2	19880
126 5/8	19330	133 5/8	19887
126 3/4	19342	133 3/4	19894
126 7/8	19354	133 7/8	19902
127	19366	134	19909
127 1/8	19378	134 1/8	19916
127 1/4	19390	134 1/4	19922
127 3/8	19401	134 3/8	19929
127 1/2	19413	134 1/2	19936
127 5/8	19425	134 5/8	19942
127 3/4	19436	134 3/4	19949
127 7/8	19448	134 7/8	19955
128	19459	135	19961
128 1/8	19470	135 1/8	19967
128 1/4	19481	135 1/4	19973
128 3/8	19493	135 3/8	19978
128 1/2	19504	135 1/2	19984
128 5/8	19515	135 5/8	19989
128 3/4	19526	135 3/4	19994
128 7/8	19537	135 7/8	19999
129	19547	136	20004
129 1/8	19558	136 1/8	20009
129 1/4	19569	136 1/4	20013
129 3/8	19579	136 3/8	20017
129 1/2	19590	136 1/2	20021
129 5/8	19600	136 5/8	20025
129 3/4	19610	136 3/4	20029
129 7/8	19621	136 7/8	20032
130	19631	137	20035
130 1/8	19641	137 1/8	20038
130 1/4	19651	137 1/4	20041
130 3/8	19661	137 3/8	20043
130 1/2	19671	137 1/2	20045
130 5/8	19680	137 5/8	20046
130 3/4	19690		
130 7/8	19700		
131	19709		
131 1/8	19719		
131 1/4	19728		
131 3/8	19737		
131 1/2	19746		
131 5/8	19755		
131 3/4	19764		
131 7/8	19773		
132	19782		
132 1/8	19791		
132 1/4	19799		
132 3/8	19808		
132 1/2	19816		
132 5/8	19824		
132 3/4	19833		
132 7/8	19841		
133	19849		



**CONTAINMENT
SOLUTIONS®**

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.