

**12'-20000 SWT F1 Single-Wall Tank
20531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	7 1/8	406	14 1/8	1,092	21 1/8	1961	28 1/8	2969	35 1/8	4083
1/4	8	7 1/4	416	14 1/4	1,106	21 1/4	1978	28 1/4	2988	35 1/4	4104
3/8	11	7 3/8	426	14 3/8	1,120	21 3/8	1995	28 3/8	3007	35 3/8	4125
1/2	15	7 1/2	437	14 1/2	1,134	21 1/2	2012	28 1/2	3026	35 1/2	4146
5/8	18	7 5/8	447	14 5/8	1,149	21 5/8	2029	28 5/8	3045	35 5/8	4167
3/4	22	7 3/4	458	14 3/4	1,163	21 3/4	2046	28 3/4	3064	35 3/4	4187
7/8	26	7 7/8	468	14 7/8	1,177	21 7/8	2063	28 7/8	3083	35 7/8	4208
1	30	8	479	15	1192	22	2080	29	3103	36	4229
1 1/8	34	8 1/8	490	15 1/8	1,206	22 1/8	2098	29 1/8	3122	36 1/8	4250
1 1/4	39	8 1/4	501	15 1/4	1,221	22 1/4	2115	29 1/4	3141	36 1/4	4271
1 3/8	44	8 3/8	512	15 3/8	1,235	22 3/8	2132	29 3/8	3160	36 3/8	4292
1 1/2	49	8 1/2	523	15 1/2	1,250	22 1/2	2149	29 1/2	3180	36 1/2	4313
1 5/8	54	8 5/8	534	15 5/8	1,265	22 5/8	2167	29 5/8	3199	36 5/8	4334
1 3/4	59	8 3/4	545	15 3/4	1,280	22 3/4	2184	29 3/4	3219	36 3/4	4355
1 7/8	64	8 7/8	556	15 7/8	1,294	22 7/8	2202	29 7/8	3238	36 7/8	4376
2	70	9	568	16	1309	23	2219	30	3258	37	4397
2 1/8	76	9 1/8	579	16 1/8	1,324	23 1/8	2237	30 1/8	3277	37 1/8	4418
2 1/4	82	9 1/4	591	16 1/4	1,339	23 1/4	2254	30 1/4	3297	37 1/4	4439
2 3/8	88	9 3/8	602	16 3/8	1,354	23 3/8	2272	30 3/8	3316	37 3/8	4461
2 1/2	94	9 1/2	614	16 1/2	1,369	23 1/2	2289	30 1/2	3336	37 1/2	4482
2 5/8	100	9 5/8	626	16 5/8	1,384	23 5/8	2307	30 5/8	3356	37 5/8	4503
2 3/4	107	9 3/4	638	16 3/4	1,400	23 3/4	2325	30 3/4	3375	37 3/4	4524
2 7/8	114	9 7/8	649	16 7/8	1,415	23 7/8	2342	30 7/8	3395	37 7/8	4546
3	120	10	661	17	1430	24	2360	31	3415	38	4567
3 1/8	127	10 1/8	673	17 1/8	1,445	24 1/8	2378	31 1/8	3435	38 1/8	4588
3 1/4	134	10 1/4	685	17 1/4	1,461	24 1/4	2396	31 1/4	3454	38 1/4	4610
3 3/8	141	10 3/8	698	17 3/8	1,476	24 3/8	2414	31 3/8	3474	38 3/8	4631
3 1/2	149	10 1/2	710	17 1/2	1,492	24 1/2	2432	31 1/2	3494	38 1/2	4652
3 5/8	156	10 5/8	722	17 5/8	1,507	24 5/8	2450	31 5/8	3514	38 5/8	4674
3 3/4	164	10 3/4	734	17 3/4	1,523	24 3/4	2468	31 3/4	3534	38 3/4	4695
3 7/8	171	10 7/8	747	17 7/8	1,538	24 7/8	2486	31 7/8	3554	38 7/8	4717
4	179	11	759	18	1,554	25	2504	32	3574	39	4738
4 1/8	187	11 1/8	772	18 1/8	1,570	25 1/8	2522	32 1/8	3594	39 1/8	4760
4 1/4	195	11 1/4	785	18 1/4	1,586	25 1/4	2540	32 1/4	3614	39 1/4	4781
4 3/8	203	11 3/8	797	18 3/8	1,601	25 3/8	2559	32 3/8	3634	39 3/8	4803
4 1/2	211	11 1/2	810	18 1/2	1,617	25 1/2	2577	32 1/2	3654	39 1/2	4824
4 5/8	219	11 5/8	823	18 5/8	1,633	25 5/8	2595	32 5/8	3674	39 5/8	4846
4 3/4	228	11 3/4	836	18 3/4	1,649	25 3/4	2613	32 3/4	3695	39 3/4	4868
4 7/8	236	11 7/8	849	18 7/8	1,665	25 7/8	2632	32 7/8	3715	39 7/8	4889
5	245	12	862	19	1,681	26	2,650	33	3,735	40	4,911
5 1/8	254	12 1/8	875	19 1/8	1,697	26 1/8	2,669	33 1/8	3,755	40 1/8	4,933
5 1/4	262	12 1/4	888	19 1/4	1,714	26 1/4	2,687	33 1/4	3,776	40 1/4	4,954
5 3/8	271	12 3/8	901	19 3/8	1,730	26 3/8	2,706	33 3/8	3,796	40 3/8	4,976
5 1/2	280	12 1/2	914	19 1/2	1,746	26 1/2	2,724	33 1/2	3,816	40 1/2	4,998
5 5/8	289	12 5/8	928	19 5/8	1,762	26 5/8	2,743	33 5/8	3,837	40 5/8	5,019
5 3/4	299	12 3/4	941	19 3/4	1,779	26 3/4	2,761	33 3/4	3,857	40 3/4	5,041
5 7/8	308	12 7/8	954	19 7/8	1,795	26 7/8	2,780	33 7/8	3,878	40 7/8	5,063
6	317	13	968	20	1,811	27	2,799	34	3,898	41	5,085
6 1/8	327	13 1/8	981	20 1/8	1,828	27 1/8	2,817	34 1/8	3,919	41 1/8	5,107
6 1/4	336	13 1/4	995	20 1/4	1,844	27 1/4	2,836	34 1/4	3,939	41 1/4	5,129
6 3/8	346	13 3/8	1,009	20 3/8	1,861	27 3/8	2,855	34 3/8	3,960	41 3/8	5,151
6 1/2	356	13 1/2	1,022	20 1/2	1,878	27 1/2	2,874	34 1/2	3,980	41 1/2	5,173
6 5/8	365	13 5/8	1,036	20 5/8	1,894	27 5/8	2,893	34 5/8	4,001	41 5/8	5,194
6 3/4	375	13 3/4	1,050	20 3/4	1,911	27 3/4	2,912	34 3/4	4,021	41 3/4	5,216
6 7/8	385	13 7/8	1,064	20 7/8	1,928	27 7/8	2,931	34 7/8	4,042	41 7/8	5,238
7	395	14	1,078	21	1,945	28	2,950	35	4,063	42	5,260

**12'-20000 SWT F1 Single-Wall Tank
20531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	5282	49 1/8	6546	56 1/8	7855	63 1/8	9193	70 1/8	10543	77 1/8	11891
42 1/4	5305	49 1/4	6569	56 1/4	7878	63 1/4	9217	70 1/4	10568	77 1/4	11915
42 3/8	5327	49 3/8	6592	56 3/8	7902	63 3/8	9241	70 3/8	10592	77 3/8	11939
42 1/2	5349	49 1/2	6615	56 1/2	7926	63 1/2	9265	70 1/2	10616	77 1/2	11963
42 5/8	5371	49 5/8	6638	56 5/8	7949	63 5/8	9289	70 5/8	10640	77 5/8	11987
42 3/4	5393	49 3/4	6661	56 3/4	7973	63 3/4	9313	70 3/4	10664	77 3/4	12011
42 7/8	5415	49 7/8	6684	56 7/8	7997	63 7/8	9337	70 7/8	10688	77 7/8	12034
43	5437	50	6707	57	8021	64	9361	71	10712	78	12058
43 1/8	5459	50 1/8	6730	57 1/8	8044	64 1/8	9385	71 1/8	10736	78 1/8	12082
43 1/4	5482	50 1/4	6753	57 1/4	8068	64 1/4	9409	71 1/4	10761	78 1/4	12106
43 3/8	5504	50 3/8	6776	57 3/8	8092	64 3/8	9433	71 3/8	10785	78 3/8	12130
43 1/2	5526	50 1/2	6800	57 1/2	8116	64 1/2	9457	71 1/2	10809	78 1/2	12154
43 5/8	5548	50 5/8	6823	57 5/8	8139	64 5/8	9482	71 5/8	10833	78 5/8	12178
43 3/4	5571	50 3/4	6846	57 3/4	8163	64 3/4	9506	71 3/4	10857	78 3/4	12202
43 7/8	5593	50 7/8	6869	57 7/8	8187	64 7/8	9530	71 7/8	10881	78 7/8	12225
44	5615	51	6892	58	8211	65	9554	72	10905	79	12249
44 1/8	5638	51 1/8	6916	58 1/8	8235	65 1/8	9578	72 1/8	10929	79 1/8	12273
44 1/4	5660	51 1/4	6939	58 1/4	8258	65 1/4	9602	72 1/4	10954	79 1/4	12297
44 3/8	5682	51 3/8	6962	58 3/8	8282	65 3/8	9626	72 3/8	10978	79 3/8	12321
44 1/2	5705	51 1/2	6985	58 1/2	8306	65 1/2	9650	72 1/2	11002	79 1/2	12344
44 5/8	5727	51 5/8	7009	58 5/8	8330	65 5/8	9674	72 5/8	11026	79 5/8	12368
44 3/4	5750	51 3/4	7032	58 3/4	8354	65 3/4	9699	72 3/4	11050	79 3/4	12392
44 7/8	5772	51 7/8	7055	58 7/8	8378	65 7/8	9723	72 7/8	11074	79 7/8	12416
45	5795	52	7079	59	8402	66	9747	73	11098	80	12440
45 1/8	5817	52 1/8	7102	59 1/8	8425	66 1/8	9771	73 1/8	11122	80 1/8	12463
45 1/4	5840	52 1/4	7125	59 1/4	8449	66 1/4	9795	73 1/4	11146	80 1/4	12487
45 3/8	5862	52 3/8	7149	59 3/8	8473	66 3/8	9819	73 3/8	11170	80 3/8	12511
45 1/2	5885	52 1/2	7172	59 1/2	8497	66 1/2	9843	73 1/2	11194	80 1/2	12535
45 5/8	5907	52 5/8	7195	59 5/8	8521	66 5/8	9867	73 5/8	11219	80 5/8	12558
45 3/4	5930	52 3/4	7219	59 3/4	8545	66 3/4	9892	73 3/4	11243	80 3/4	12582
45 7/8	5952	52 7/8	7242	59 7/8	8569	66 7/8	9916	73 7/8	11267	80 7/8	12606
46	5975	53	7266	60	8593	67	9940	74	11291	81	12630
46 1/8	5998	53 1/8	7289	60 1/8	8617	67 1/8	9964	74 1/8	11315	81 1/8	12653
46 1/4	6020	53 1/4	7312	60 1/4	8641	67 1/4	9988	74 1/4	11339	81 1/4	12677
46 3/8	6043	53 3/8	7336	60 3/8	8665	67 3/8	10012	74 3/8	11363	81 3/8	12701
46 1/2	6066	53 1/2	7359	60 1/2	8688	67 1/2	10036	74 1/2	11387	81 1/2	12724
46 5/8	6088	53 5/8	7383	60 5/8	8712	67 5/8	10061	74 5/8	11411	81 5/8	12748
46 3/4	6111	53 3/4	7406	60 3/4	8736	67 3/4	10085	74 3/4	11435	81 3/4	12772
46 7/8	6134	53 7/8	7430	60 7/8	8760	67 7/8	10109	74 7/8	11459	81 7/8	12795
47	6156	54	7453	61	8784	68	10133	75	11483	82	12819
47 1/8	6179	54 1/8	7477	61 1/8	8808	68 1/8	10157	75 1/8	11507	82 1/8	12842
47 1/4	6202	54 1/4	7500	61 1/4	8832	68 1/4	10181	75 1/4	11531	82 1/4	12866
47 3/8	6225	54 3/8	7524	61 3/8	8856	68 3/8	10205	75 3/8	11555	82 3/8	12890
47 1/2	6248	54 1/2	7547	61 1/2	8880	68 1/2	10230	75 1/2	11579	82 1/2	12913
47 5/8	6270	54 5/8	7571	61 5/8	8904	68 5/8	10254	75 5/8	11603	82 5/8	12937
47 3/4	6293	54 3/4	7595	61 3/4	8928	68 3/4	10278	75 3/4	11627	82 3/4	12960
47 7/8	6316	54 7/8	7618	61 7/8	8952	68 7/8	10302	75 7/8	11651	82 7/8	12984
48	6339	55	7642	62	8976	69	10326	76	11675	83	13008
48 1/8	6362	55 1/8	7665	62 1/8	9000	69 1/8	10350	76 1/8	11699	83 1/8	13031
48 1/4	6385	55 1/4	7689	62 1/4	9024	69 1/4	10374	76 1/4	11723	83 1/4	13055
48 3/8	6408	55 3/8	7713	62 3/8	9048	69 3/8	10399	76 3/8	11747	83 3/8	13078
48 1/2	6431	55 1/2	7736	62 1/2	9072	69 1/2	10423	76 1/2	11771	83 1/2	13102
48 5/8	6454	55 5/8	7760	62 5/8	9096	69 5/8	10447	76 5/8	11795	83 5/8	13125
48 3/4	6477	55 3/4	7784	62 3/4	9120	69 3/4	10471	76 3/4	11819	83 3/4	13149
48 7/8	6500	55 7/8	7807	62 7/8	9145	69 7/8	10495	76 7/8	11843	83 7/8	13172
49	6523	56	7831	63	9169	70	10519	77	11867	84	13196

**12'-20000 SWT F1 Single-Wall Tank
20531 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	13219	91 1/8	14511	98 1/8	15,750	105 1/8	16,917	112 1/8	17,991	119 1/8	18946
84 1/4	13242	91 1/4	14534	98 1/4	15,772	105 1/4	16,937	112 1/4	18,009	119 1/4	18962
84 3/8	13266	91 3/8	14557	98 3/8	15,793	105 3/8	16,957	112 3/8	18,027	119 3/8	18977
84 1/2	13289	91 1/2	14579	98 1/2	15,815	105 1/2	16,977	112 1/2	18,046	119 1/2	18993
84 5/8	13313	91 5/8	14602	98 5/8	15,836	105 5/8	16,997	112 5/8	18,064	119 5/8	19009
84 3/4	13336	91 3/4	14624	98 3/4	15,858	105 3/4	17,017	112 3/4	18,082	119 3/4	19024
84 7/8	13359	91 7/8	14647	98 7/8	15,879	105 7/8	17,037	112 7/8	18,100	119 7/8	19040
85	13383	92	14669	99	15,901	106	17,057	113	18118	120	19055
85 1/8	13406	92 1/8	14692	99 1/8	15,922	106 1/8	17,077	113 1/8	18,136	120 1/8	19071
85 1/4	13430	92 1/4	14714	99 1/4	15,943	106 1/4	17,097	113 1/4	18,153	120 1/4	19086
85 3/8	13453	92 3/8	14737	99 3/8	15,965	106 3/8	17,117	113 3/8	18,171	120 3/8	19101
85 1/2	13476	92 1/2	14759	99 1/2	15,986	106 1/2	17,136	113 1/2	18,189	120 1/2	19117
85 5/8	13500	92 5/8	14782	99 5/8	16,007	106 5/8	17,156	113 5/8	18,207	120 5/8	19132
85 3/4	13523	92 3/4	14804	99 3/4	16,028	106 3/4	17,176	113 3/4	18,224	120 3/4	19147
85 7/8	13546	92 7/8	14827	99 7/8	16,050	106 7/8	17,195	113 7/8	18,242	120 7/8	19162
86	13569	93	14849	100	16,071	107	17,215	114	18260	121	19177
86 1/8	13593	93 1/8	14872	100 1/8	16,092	107 1/8	17,235	114 1/8	18,277	121 1/8	19192
86 1/4	13616	93 1/4	14894	100 1/4	16,113	107 1/4	17,254	114 1/4	18,295	121 1/4	19207
86 3/8	13639	93 3/8	14916	100 3/8	16,134	107 3/8	17,274	114 3/8	18,312	121 3/8	19222
86 1/2	13662	93 1/2	14939	100 1/2	16,155	107 1/2	17,293	114 1/2	18,330	121 1/2	19237
86 5/8	13686	93 5/8	14961	100 5/8	16,176	107 5/8	17,313	114 5/8	18,347	121 5/8	19252
86 3/4	13709	93 3/4	14983	100 3/4	16,197	107 3/4	17,332	114 3/4	18,365	121 3/4	19267
86 7/8	13732	93 7/8	15005	100 7/8	16,219	107 7/8	17,352	114 7/8	18,382	121 7/8	19281
87	13755	94	15028	101	16,240	108	17,371	115	18399	122	19296
87 1/8	13778	94 1/8	15050	101 1/8	16,260	108 1/8	17,390	115 1/8	18,417	122 1/8	19311
87 1/4	13801	94 1/4	15072	101 1/4	16,281	108 1/4	17,410	115 1/4	18,434	122 1/4	19325
87 3/8	13824	94 3/8	15094	101 3/8	16,302	108 3/8	17,429	115 3/8	18,451	122 3/8	19340
87 1/2	13848	94 1/2	15116	101 1/2	16,323	108 1/2	17,448	115 1/2	18,468	122 1/2	19354
87 5/8	13871	94 5/8	15139	101 5/8	16,344	108 5/8	17,467	115 5/8	18,485	122 5/8	19368
87 3/4	13894	94 3/4	15161	101 3/4	16,365	108 3/4	17,487	115 3/4	18,502	122 3/4	19383
87 7/8	13917	94 7/8	15183	101 7/8	16,386	108 7/8	17,506	115 7/8	18,519	122 7/8	19397
88	13940	95	15205	102	16,407	109	17,525	116	18,536	123	19411
88 1/8	13963	95 1/8	15227	102 1/8	16,427	109 1/8	17,544	116 1/8	18,553	123 1/8	19425
88 1/4	13986	95 1/4	15249	102 1/4	16,448	109 1/4	17,563	116 1/4	18,570	123 1/4	19439
88 3/8	14009	95 3/8	15271	102 3/8	16,469	109 3/8	17,582	116 3/8	18,587	123 3/8	19453
88 1/2	14032	95 1/2	15293	102 1/2	16,489	109 1/2	17,601	116 1/2	18,604	123 1/2	19467
88 5/8	14055	95 5/8	15315	102 5/8	16,510	109 5/8	17,620	116 5/8	18,620	123 5/8	19481
88 3/4	14078	95 3/4	15337	102 3/4	16,531	109 3/4	17,639	116 3/4	18,637	123 3/4	19495
88 7/8	14101	95 7/8	15359	102 7/8	16,551	109 7/8	17,658	116 7/8	18,654	123 7/8	19509
89	14124	96	15381	103	16,572	110	17,676	117	18670	124	19523
89 1/8	14147	96 1/8	15403	103 1/8	16,592	110 1/8	17,695	117 1/8	18687	124 1/8	19536
89 1/4	14170	96 1/4	15425	103 1/4	16,613	110 1/4	17,714	117 1/4	18704	124 1/4	19550
89 3/8	14193	96 3/8	15447	103 3/8	16,633	110 3/8	17,733	117 3/8	18720	124 3/8	19564
89 1/2	14215	96 1/2	15468	103 1/2	16,654	110 1/2	17,751	117 1/2	18736	124 1/2	19577
89 5/8	14238	96 5/8	15490	103 5/8	16,674	110 5/8	17,770	117 5/8	18753	124 5/8	19591
89 3/4	14261	96 3/4	15512	103 3/4	16,695	110 3/4	17,789	117 3/4	18769	124 3/4	19604
89 7/8	14284	96 7/8	15534	103 7/8	16,715	110 7/8	17,807	117 7/8	18786	124 7/8	19617
90	14307	97	15556	104	16,736	111	17,826	118	18802	125	19631
90 1/8	14330	97 1/8	15577	104 1/8	16,756	111 1/8	17,844	118 1/8	18818	125 1/8	19644
90 1/4	14352	97 1/4	15599	104 1/4	16,776	111 1/4	17,863	118 1/4	18834	125 1/4	19657
90 3/8	14375	97 3/8	15621	104 3/8	16,796	111 3/8	17,881	118 3/8	18850	125 3/8	19670
90 1/2	14398	97 1/2	15642	104 1/2	16,817	111 1/2	17,900	118 1/2	18866	125 1/2	19683
90 5/8	14421	97 5/8	15664	104 5/8	16,837	111 5/8	17,918	118 5/8	18882	125 5/8	19696
90 3/4	14443	97 3/4	15686	104 3/4	16,857	111 3/4	17,936	118 3/4	18898	125 3/4	19709
90 7/8	14466	97 7/8	15707	104 7/8	16,877	111 7/8	17,955	118 7/8	18914	125 7/8	19722
91	14489	98	15729	105	16,897	112	17,973	119	18930	126	19734

12'-20000 SWT F1 Single-Wall Tank

20531 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	19747	133 1/8	20337
126 1/4	19760	133 1/4	20345
126 3/8	19772	133 3/8	20353
126 1/2	19785	133 1/2	20360
126 5/8	19797	133 5/8	20368
126 3/4	19809	133 3/4	20375
126 7/8	19822	133 7/8	20383
127	19834	134	20390
127 1/8	19846	134 1/8	20397
127 1/4	19858	134 1/4	20404
127 3/8	19870	134 3/8	20411
127 1/2	19882	134 1/2	20418
127 5/8	19894	134 5/8	20425
127 3/4	19906	134 3/4	20431
127 7/8	19917	134 7/8	20437
128	19929	135	20444
128 1/8	19941	135 1/8	20450
128 1/4	19952	135 1/4	20456
128 3/8	19964	135 3/8	20461
128 1/2	19975	135 1/2	20467
128 5/8	19986	135 5/8	20473
128 3/4	19997	135 3/4	20478
128 7/8	20009	135 7/8	20483
129	20020	136	20488
129 1/8	20031	136 1/8	20493
129 1/4	20042	136 1/4	20497
129 3/8	20052	136 3/8	20502
129 1/2	20063	136 1/2	20506
129 5/8	20074	136 5/8	20510
129 3/4	20084	136 3/4	20513
129 7/8	20095	136 7/8	20517
130	20105	137	20520
130 1/8	20116	137 1/8	20523
130 1/4	20126	137 1/4	20526
130 3/8	20136	137 3/8	20528
130 1/2	20146	137 1/2	20530
130 5/8	20156	137 5/8	20531
130 3/4	20166		
130 7/8	20176		
131	20186		
131 1/8	20195		
131 1/4	20205		
131 3/8	20214		
131 1/2	20224		
131 5/8	20233		
131 3/4	20242		
131 7/8	20251		
132	20260		
132 1/8	20269		
132 1/4	20278		
132 3/8	20287		
132 1/2	20295		
132 5/8	20304		
132 3/4	20312		
132 7/8	20320		
133	20329		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.

Pub. No. CAL 12-13F1 6/2011