

**12'-40000 DWT6 Double-Wall Tank
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	12	7 1/8	815	14 1/8	2,182	21 1/8	3900	28 1/8	5880	35 1/8	8061
1/4	17	7 1/4	835	14 1/4	2,210	21 1/4	3934	28 1/4	5917	35 1/4	8101
3/8	23	7 3/8	856	14 3/8	2,238	21 3/8	3967	28 3/8	5955	35 3/8	8142
1/2	30	7 1/2	877	14 1/2	2,266	21 1/2	4000	28 1/2	5992	35 1/2	8182
5/8	37	7 5/8	898	14 5/8	2,294	21 5/8	4034	28 5/8	6030	35 5/8	8223
3/4	44	7 3/4	919	14 3/4	2,323	21 3/4	4068	28 3/4	6067	35 3/4	8264
7/8	52	7 7/8	940	14 7/8	2,351	21 7/8	4101	28 7/8	6105	35 7/8	8305
1	61	8	962	15	2380	22	4135	29	6143	36	8345
1 1/8	70	8 1/8	983	15 1/8	2,408	22 1/8	4169	29 1/8	6180	36 1/8	8386
1 1/4	79	8 1/4	1,005	15 1/4	2,437	22 1/4	4203	29 1/4	6218	36 1/4	8427
1 3/8	88	8 3/8	1,027	15 3/8	2,466	22 3/8	4237	29 3/8	6256	36 3/8	8468
1 1/2	98	8 1/2	1,049	15 1/2	2,495	22 1/2	4271	29 1/2	6294	36 1/2	8509
1 5/8	109	8 5/8	1,071	15 5/8	2,524	22 5/8	4305	29 5/8	6332	36 5/8	8550
1 3/4	119	8 3/4	1,094	15 3/4	2,554	22 3/4	4339	29 3/4	6370	36 3/4	8591
1 7/8	131	8 7/8	1,116	15 7/8	2,583	22 7/8	4373	29 7/8	6408	36 7/8	8632
2	142	9	1,139	16	2612	23	4408	30	6446	37	8673
2 1/8	154	9 1/8	1,162	16 1/8	2,642	23 1/8	4442	30 1/8	6485	37 1/8	8714
2 1/4	165	9 1/4	1,185	16 1/4	2,671	23 1/4	4477	30 1/4	6523	37 1/4	8756
2 3/8	178	9 3/8	1,208	16 3/8	2,701	23 3/8	4511	30 3/8	6561	37 3/8	8797
2 1/2	190	9 1/2	1,231	16 1/2	2,731	23 1/2	4546	30 1/2	6600	37 1/2	8838
2 5/8	203	9 5/8	1,254	16 5/8	2,761	23 5/8	4581	30 5/8	6638	37 5/8	8880
2 3/4	216	9 3/4	1,278	16 3/4	2,791	23 3/4	4616	30 3/4	6677	37 3/4	8921
2 7/8	229	9 7/8	1,302	16 7/8	2,821	23 7/8	4651	30 7/8	6715	37 7/8	8963
3	243	10	1,325	17	2851	24	4686	31	6754	38	9004
3 1/8	257	10 1/8	1,349	17 1/8	2,882	24 1/8	4721	31 1/8	6793	38 1/8	9046
3 1/4	271	10 1/4	1,373	17 1/4	2,912	24 1/4	4756	31 1/4	6832	38 1/4	9087
3 3/8	285	10 3/8	1,398	17 3/8	2,943	24 3/8	4791	31 3/8	6870	38 3/8	9129
3 1/2	300	10 1/2	1,422	17 1/2	2,973	24 1/2	4826	31 1/2	6909	38 1/2	9171
3 5/8	315	10 5/8	1,446	17 5/8	3,004	24 5/8	4862	31 5/8	6948	38 5/8	9212
3 3/4	330	10 3/4	1,471	17 3/4	3,035	24 3/4	4897	31 3/4	6987	38 3/4	9254
3 7/8	345	10 7/8	1,496	17 7/8	3,066	24 7/8	4933	31 7/8	7026	38 7/8	9296
4	361	11	1,521	18	3,097	25	4968	32	7065	39	9338
4 1/8	377	11 1/8	1,546	18 1/8	3,128	25 1/8	5004	32 1/8	7105	39 1/8	9380
4 1/4	393	11 1/4	1,571	18 1/4	3,159	25 1/4	5040	32 1/4	7144	39 1/4	9422
4 3/8	409	11 3/8	1,596	18 3/8	3,190	25 3/8	5075	32 3/8	7183	39 3/8	9464
4 1/2	425	11 1/2	1,621	18 1/2	3,221	25 1/2	5111	32 1/2	7223	39 1/2	9506
4 5/8	442	11 5/8	1,647	18 5/8	3,253	25 5/8	5147	32 5/8	7262	39 5/8	9548
4 3/4	459	11 3/4	1,672	18 3/4	3,284	25 3/4	5183	32 3/4	7301	39 3/4	9590
4 7/8	476	11 7/8	1,698	18 7/8	3316	25 7/8	5219	32 7/8	7341	39 7/8	9632
5	493	12	1,724	19	3348	26	5255	33	7380	40	9674
5 1/8	510	12 1/8	1,750	19 1/8	3380	26 1/8	5292	33 1/8	7420	40 1/8	9716
5 1/4	528	12 1/4	1,776	19 1/4	3412	26 1/4	5328	33 1/4	7460	40 1/4	9759
5 3/8	546	12 3/8	1,802	19 3/8	3443	26 3/8	5364	33 3/8	7499	40 3/8	9801
5 1/2	564	12 1/2	1,829	19 1/2	3476	26 1/2	5401	33 1/2	7539	40 1/2	9843
5 5/8	582	12 5/8	1,855	19 5/8	3508	26 5/8	5437	33 5/8	7579	40 5/8	9886
5 3/4	601	12 3/4	1,882	19 3/4	3540	26 3/4	5474	33 3/4	7619	40 3/4	9928
5 7/8	619	12 7/8	1,908	19 7/8	3572	26 7/8	5510	33 7/8	7659	40 7/8	9971
6	638	13	1,935	20	3605	27	5547	34	7699	41	10013
6 1/8	657	13 1/8	1,962	20 1/8	3637	27 1/8	5584	34 1/8	7739	41 1/8	10056
6 1/4	676	13 1/4	1,989	20 1/4	3670	27 1/4	5620	34 1/4	7779	41 1/4	10098
6 3/8	695	13 3/8	2,016	20 3/8	3703	27 3/8	5657	34 3/8	7819	41 3/8	10141
6 1/2	715	13 1/2	2,044	20 1/2	3735	27 1/2	5694	34 1/2	7859	41 1/2	10184
6 5/8	735	13 5/8	2,071	20 5/8	3768	27 5/8	5731	34 5/8	7899	41 5/8	10226
6 3/4	754	13 3/4	2,099	20 3/4	3801	27 3/4	5768	34 3/4	7940	41 3/4	10269
6 7/8	774	13 7/8	2,126	20 7/8	3834	27 7/8	5805	34 7/8	7980	41 7/8	10312
7	795	14	2,154	21	3867	28	5843	35	8020	42	10355

**12'-40000 DWT6 Double-Wall Tank
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	10398	49 1/8	12852	56 1/8	15391	63 1/8	17982	70 1/8	20597	77 1/8	23205
42 1/4	10441	49 1/4	12897	56 1/4	15437	63 1/4	18029	70 1/4	20643	77 1/4	23251
42 3/8	10484	49 3/8	12942	56 3/8	15483	63 3/8	18075	70 3/8	20690	77 3/8	23298
42 1/2	10526	49 1/2	12986	56 1/2	15529	63 1/2	18122	70 1/2	20737	77 1/2	23344
42 5/8	10570	49 5/8	13031	56 5/8	15574	63 5/8	18168	70 5/8	20783	77 5/8	23390
42 3/4	10613	49 3/4	13076	56 3/4	15620	63 3/4	18215	70 3/4	20830	77 3/4	23437
42 7/8	10656	49 7/8	13121	56 7/8	15666	63 7/8	18262	70 7/8	20877	77 7/8	23483
43	10699	50	13166	57	15712	64	18308	71	20924	78	23529
43 1/8	10742	50 1/8	13210	57 1/8	15758	64 1/8	18355	71 1/8	20970	78 1/8	23576
43 1/4	10785	50 1/4	13255	57 1/4	15804	64 1/4	18402	71 1/4	21017	78 1/4	23622
43 3/8	10828	50 3/8	13300	57 3/8	15850	64 3/8	18448	71 3/8	21064	78 3/8	23668
43 1/2	10872	50 1/2	13345	57 1/2	15897	64 1/2	18495	71 1/2	21110	78 1/2	23714
43 5/8	10915	50 5/8	13390	57 5/8	15943	64 5/8	18541	71 5/8	21157	78 5/8	23761
43 3/4	10958	50 3/4	13435	57 3/4	15989	64 3/4	18588	71 3/4	21204	78 3/4	23807
43 7/8	11002	50 7/8	13480	57 7/8	16035	64 7/8	18635	71 7/8	21250	78 7/8	23853
44	11045	51	13525	58	16081	65	18681	72	21297	79	23899
44 1/8	11088	51 1/8	13570	58 1/8	16127	65 1/8	18728	72 1/8	21344	79 1/8	23945
44 1/4	11132	51 1/4	13615	58 1/4	16173	65 1/4	18775	72 1/4	21390	79 1/4	23991
44 3/8	11175	51 3/8	13661	58 3/8	16219	65 3/8	18821	72 3/8	21437	79 3/8	24038
44 1/2	11219	51 1/2	13706	58 1/2	16266	65 1/2	18868	72 1/2	21484	79 1/2	24084
44 5/8	11263	51 5/8	13751	58 5/8	16312	65 5/8	18915	72 5/8	21530	79 5/8	24130
44 3/4	11306	51 3/4	13796	58 3/4	16358	65 3/4	18961	72 3/4	21577	79 3/4	24176
44 7/8	11350	51 7/8	13841	58 7/8	16404	65 7/8	19008	72 7/8	21624	79 7/8	24222
45	11394	52	13886	59	16450	66	19055	73	21670	80	24268
45 1/8	11437	52 1/8	13932	59 1/8	16497	66 1/8	19101	73 1/8	21717	80 1/8	24314
45 1/4	11481	52 1/4	13977	59 1/4	16543	66 1/4	19148	73 1/4	21764	80 1/4	24360
45 3/8	11525	52 3/8	14022	59 3/8	16589	66 3/8	19195	73 3/8	21810	80 3/8	24406
45 1/2	11569	52 1/2	14068	59 1/2	16635	66 1/2	19242	73 1/2	21857	80 1/2	24452
45 5/8	11612	52 5/8	14113	59 5/8	16682	66 5/8	19288	73 5/8	21903	80 5/8	24498
45 3/4	11656	52 3/4	14158	59 3/4	16728	66 3/4	19335	73 3/4	21950	80 3/4	24544
45 7/8	11700	52 7/8	14204	59 7/8	16774	66 7/8	19382	73 7/8	21997	80 7/8	24590
46	11744	53	14249	60	16821	67	19428	74	22043	81	24636
46 1/8	11788	53 1/8	14295	60 1/8	16867	67 1/8	19475	74 1/8	22090	81 1/8	24682
46 1/4	11832	53 1/4	14340	60 1/4	16913	67 1/4	19522	74 1/4	22136	81 1/4	24728
46 3/8	11876	53 3/8	14385	60 3/8	16960	67 3/8	19569	74 3/8	22183	81 3/8	24774
46 1/2	11920	53 1/2	14431	60 1/2	17006	67 1/2	19615	74 1/2	22229	81 1/2	24819
46 5/8	11964	53 5/8	14476	60 5/8	17052	67 5/8	19662	74 5/8	22276	81 5/8	24865
46 3/4	12008	53 3/4	14522	60 3/4	17099	67 3/4	19709	74 3/4	22323	81 3/4	24911
46 7/8	12053	53 7/8	14568	60 7/8	17145	67 7/8	19755	74 7/8	22369	81 7/8	24957
47	12097	54	14613	61	17192	68	19802	75	22416	82	25003
47 1/8	12141	54 1/8	14659	61 1/8	17238	68 1/8	19849	75 1/8	22462	82 1/8	25049
47 1/4	12185	54 1/4	14704	61 1/4	17285	68 1/4	19896	75 1/4	22509	82 1/4	25094
47 3/8	12229	54 3/8	14750	61 3/8	17331	68 3/8	19942	75 3/8	22555	82 3/8	25140
47 1/2	12274	54 1/2	14796	61 1/2	17377	68 1/2	19989	75 1/2	22602	82 1/2	25186
47 5/8	12318	54 5/8	14841	61 5/8	17424	68 5/8	20036	75 5/8	22648	82 5/8	25231
47 3/4	12362	54 3/4	14887	61 3/4	17470	68 3/4	20083	75 3/4	22695	82 3/4	25277
47 7/8	12407	54 7/8	14933	61 7/8	17517	68 7/8	20129	75 7/8	22741	82 7/8	25323
48	12451	55	14978	62	17563	69	20176	76	22788	83	25368
48 1/8	12496	55 1/8	15024	62 1/8	17610	69 1/8	20223	76 1/8	22834	83 1/8	25414
48 1/4	12540	55 1/4	15070	62 1/4	17656	69 1/4	20270	76 1/4	22880	83 1/4	25460
48 3/8	12585	55 3/8	15116	62 3/8	17703	69 3/8	20316	76 3/8	22927	83 3/8	25505
48 1/2	12629	55 1/2	15162	62 1/2	17749	69 1/2	20363	76 1/2	22973	83 1/2	25551
48 5/8	12674	55 5/8	15207	62 5/8	17796	69 5/8	20410	76 5/8	23020	83 5/8	25596
48 3/4	12718	55 3/4	15253	62 3/4	17842	69 3/4	20456	76 3/4	23066	83 3/4	25642
48 7/8	12763	55 7/8	15299	62 7/8	17889	69 7/8	20503	76 7/8	23112	83 7/8	25687
49	12808	56	15345	63	17936	70	20550	77	23159	84	25733

**12'-40000 DWT6 Double-Wall Tank
40118 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	25778	91 1/8	28286	98 1/8	30,697	105 1/8	32,975	112 1/8	35,079	119 1/8	36960
84 1/4	25824	91 1/4	28330	98 1/4	30,739	105 1/4	33,014	112 1/4	35,115	119 1/4	36991
84 3/8	25869	91 3/8	28374	98 3/8	30,781	105 3/8	33,053	112 3/8	35,150	119 3/8	37022
84 1/2	25915	91 1/2	28418	98 1/2	30,823	105 1/2	33,092	112 1/2	35,186	119 1/2	37053
84 5/8	25960	91 5/8	28462	98 5/8	30,864	105 5/8	33,131	112 5/8	35,221	119 5/8	37084
84 3/4	26005	91 3/4	28506	98 3/4	30,906	105 3/4	33,170	112 3/4	35,257	119 3/4	37115
84 7/8	26051	91 7/8	28550	98 7/8	30,948	105 7/8	33,209	112 7/8	35,292	119 7/8	37145
85	26096	92	28594	99	30,990	106	33,248	113	35327	120	37176
85 1/8	26141	92 1/8	28637	99 1/8	31,031	106 1/8	33,287	113 1/8	35,363	120 1/8	37206
85 1/4	26187	92 1/4	28681	99 1/4	31,073	106 1/4	33,326	113 1/4	35,398	120 1/4	37237
85 3/8	26232	92 3/8	28725	99 3/8	31,114	106 3/8	33,364	113 3/8	35,433	120 3/8	37267
85 1/2	26277	92 1/2	28769	99 1/2	31,156	106 1/2	33,403	113 1/2	35,468	120 1/2	37297
85 5/8	26322	92 5/8	28812	99 5/8	31,197	106 5/8	33,442	113 5/8	35,503	120 5/8	37328
85 3/4	26368	92 3/4	28856	99 3/4	31,239	106 3/4	33,480	113 3/4	35,538	120 3/4	37358
85 7/8	26413	92 7/8	28899	99 7/8	31,280	106 7/8	33,519	113 7/8	35,572	120 7/8	37387
86	26458	93	28943	100	31,322	107	33,557	114	35607	121	37417
86 1/8	26503	93 1/8	28987	100 1/8	31,363	107 1/8	33,595	114 1/8	35,642	121 1/8	37447
86 1/4	26548	93 1/4	29030	100 1/4	31,404	107 1/4	33,634	114 1/4	35,676	121 1/4	37477
86 3/8	26593	93 3/8	29073	100 3/8	31,445	107 3/8	33,672	114 3/8	35,711	121 3/8	37506
86 1/2	26638	93 1/2	29117	100 1/2	31,486	107 1/2	33,710	114 1/2	35,745	121 1/2	37536
86 5/8	26683	93 5/8	29160	100 5/8	31,528	107 5/8	33,748	114 5/8	35,779	121 5/8	37565
86 3/4	26728	93 3/4	29204	100 3/4	31,569	107 3/4	33,786	114 3/4	35,814	121 3/4	37594
86 7/8	26773	93 7/8	29247	100 7/8	31,610	107 7/8	33,824	114 7/8	35,848	121 7/8	37623
87	26818	94	29290	101	31,651	108	33,862	115	35882	122	37652
87 1/8	26863	94 1/8	29333	101 1/8	31,692	108 1/8	33,900	115 1/8	35,916	122 1/8	37681
87 1/4	26908	94 1/4	29377	101 1/4	31,732	108 1/4	33,938	115 1/4	35,950	122 1/4	37710
87 3/8	26953	94 3/8	29420	101 3/8	31,773	108 3/8	33,976	115 3/8	35,983	122 3/8	37739
87 1/2	26998	94 1/2	29463	101 1/2	31,814	108 1/2	34,014	115 1/2	36,017	122 1/2	37767
87 5/8	27043	94 5/8	29506	101 5/8	31,855	108 5/8	34,051	115 5/8	36,051	122 5/8	37796
87 3/4	27087	94 3/4	29549	101 3/4	31,895	108 3/4	34,089	115 3/4	36,085	122 3/4	37824
87 7/8	27132	94 7/8	29592	101 7/8	31,936	108 7/8	34,126	115 7/8	36,118	122 7/8	37852
88	27177	95	29635	102	31,977	109	34,164	116	36,151	123	37881
88 1/8	27222	95 1/8	29678	102 1/8	32,017	109 1/8	34,201	116 1/8	36,185	123 1/8	37909
88 1/4	27266	95 1/4	29721	102 1/4	32,058	109 1/4	34,239	116 1/4	36,218	123 1/4	37937
88 3/8	27311	95 3/8	29764	102 3/8	32,098	109 3/8	34,276	116 3/8	36,251	123 3/8	37965
88 1/2	27356	95 1/2	29807	102 1/2	32,138	109 1/2	34,313	116 1/2	36,284	123 1/2	37992
88 5/8	27400	95 5/8	29849	102 5/8	32,179	109 5/8	34,350	116 5/8	36,317	123 5/8	38020
88 3/4	27445	95 3/4	29892	102 3/4	32,219	109 3/4	34,387	116 3/4	36,350	123 3/4	38047
88 7/8	27489	95 7/8	29935	102 7/8	32,259	109 7/8	34,424	116 7/8	36383	123 7/8	38075
89	27534	96	29977	103	32,299	110	34,461	117	36416	124	38102
89 1/8	27578	96 1/8	30020	103 1/8	32,340	110 1/8	34,498	117 1/8	36449	124 1/8	38129
89 1/4	27623	96 1/4	30063	103 1/4	32,380	110 1/4	34,535	117 1/4	36481	124 1/4	38156
89 3/8	27667	96 3/8	30105	103 3/8	32,420	110 3/8	34,572	117 3/8	36514	124 3/8	38183
89 1/2	27712	96 1/2	30148	103 1/2	32,460	110 1/2	34,608	117 1/2	36546	124 1/2	38210
89 5/8	27756	96 5/8	30190	103 5/8	32,500	110 5/8	34,645	117 5/8	36578	124 5/8	38237
89 3/4	27800	96 3/4	30233	103 3/4	32,539	110 3/4	34,681	117 3/4	36611	124 3/4	38263
89 7/8	27845	96 7/8	30275	103 7/8	32,579	110 7/8	34,718	117 7/8	36643	124 7/8	38290
90	27889	97	30317	104	32,619	111	34,754	118	36675	125	38316
90 1/8	27933	97 1/8	30360	104 1/8	32,659	111 1/8	34,791	118 1/8	36707	125 1/8	38342
90 1/4	27978	97 1/4	30402	104 1/4	32,698	111 1/4	34,827	118 1/4	36739	125 1/4	38368
90 3/8	28022	97 3/8	30444	104 3/8	32,738	111 3/8	34,863	118 3/8	36771	125 3/8	38394
90 1/2	28066	97 1/2	30486	104 1/2	32,778	111 1/2	34,899	118 1/2	36802	125 1/2	38420
90 5/8	28110	97 5/8	30529	104 5/8	32,817	111 5/8	34,935	118 5/8	36834	125 5/8	38446
90 3/4	28154	97 3/4	30571	104 3/4	32,857	111 3/4	34,971	118 3/4	36866	125 3/4	38472
90 7/8	28198	97 7/8	30613	104 7/8	32,896	111 7/8	35,007	118 7/8	36897	125 7/8	38497
91	28242	98	30655	105	32,935	112	35,043	119	36928	126	38523

12'-40000 DWT6 Double-Wall Tank

40118 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	38548	133 1/8	39726
126 1/4	38573	133 1/4	39742
126 3/8	38598	133 3/8	39758
126 1/2	38623	133 1/2	39773
126 5/8	38647	133 5/8	39788
126 3/4	38672	133 3/4	39804
126 7/8	38697	133 7/8	39818
127	38721	134	39833
127 1/8	38745	134 1/8	39847
127 1/4	38769	134 1/4	39861
127 3/8	38793	134 3/8	39875
127 1/2	38817	134 1/2	39889
127 5/8	38841	134 5/8	39902
127 3/4	38864	134 3/4	39915
127 7/8	38887	134 7/8	39928
128	38911	135	39941
128 1/8	38934	135 1/8	39953
128 1/4	38957	135 1/4	39965
128 3/8	38980	135 3/8	39977
128 1/2	39002	135 1/2	39988
128 5/8	39025	135 5/8	39999
128 3/4	39047	135 3/4	40010
128 7/8	39069	135 7/8	40020
129	39091	136	40030
129 1/8	39113	136 1/8	40040
129 1/4	39135	136 1/4	40049
129 3/8	39157	136 3/8	40058
129 1/2	39178	136 1/2	40066
129 5/8	39199	136 5/8	40074
129 3/4	39221	136 3/4	40082
129 7/8	39242	136 7/8	40089
130	39262	137	40095
130 1/8	39283	137 1/8	40101
130 1/4	39304	137 1/4	40107
130 3/8	39324	137 3/8	40111
130 1/2	39344	137 1/2	40115
130 5/8	39364	137 5/8	40118
130 3/4	39384		
130 7/8	39404		
131	39423		
131 1/8	39442		
131 1/4	39462		
131 3/8	39480		
131 1/2	39499		
131 5/8	39518		
131 3/4	39536		
131 7/8	39554		
132	39573		
132 1/8	39590		
132 1/4	39608		
132 3/8	39625		
132 1/2	39643		
132 5/8	39660		
132 3/4	39677		
132 7/8	39693		
133	39710		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.