

**12'-50000 SWT F1 Single-Wall Tank
50090 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	15	7 1/8	1023	14 1/8	2,736	21 1/8	4886	28 1/8	7361	35 1/8	10085
1/4	22	7 1/4	1049	14 1/4	2,771	21 1/4	4928	28 1/4	7408	35 1/4	10135
3/8	29	7 3/8	1075	14 3/8	2,806	21 3/8	4970	28 3/8	7454	35 3/8	10186
1/2	37	7 1/2	1101	14 1/2	2,841	21 1/2	5012	28 1/2	7501	35 1/2	10237
5/8	46	7 5/8	1127	14 5/8	2,877	21 5/8	5054	28 5/8	7548	35 5/8	10287
3/4	56	7 3/4	1154	14 3/4	2,912	21 3/4	5096	28 3/4	7595	35 3/4	10338
7/8	66	7 7/8	1181	14 7/8	2,948	21 7/8	5138	28 7/8	7642	35 7/8	10389
1	76	8	1207	15	2984	22	5180	29	7689	36	10440
1 1/8	88	8 1/8	1235	15 1/8	3,020	22 1/8	5222	29 1/8	7736	36 1/8	10491
1 1/4	99	8 1/4	1,262	15 1/4	3,056	22 1/4	5265	29 1/4	7784	36 1/4	10542
1 3/8	111	8 3/8	1,289	15 3/8	3,092	22 3/8	5307	29 3/8	7831	36 3/8	10593
1 1/2	124	8 1/2	1,317	15 1/2	3,128	22 1/2	5350	29 1/2	7878	36 1/2	10644
1 5/8	137	8 5/8	1,345	15 5/8	3,165	22 5/8	5392	29 5/8	7926	36 5/8	10695
1 3/4	150	8 3/4	1,373	15 3/4	3,201	22 3/4	5435	29 3/4	7973	36 3/4	10746
1 7/8	164	8 7/8	1,401	15 7/8	3,238	22 7/8	5478	29 7/8	8021	36 7/8	10798
2	178	9	1,430	16	3275	23	5521	30	8069	37	10849
2 1/8	193	9 1/8	1,458	16 1/8	3,312	23 1/8	5564	30 1/8	8116	37 1/8	10901
2 1/4	208	9 1/4	1,487	16 1/4	3,349	23 1/4	5607	30 1/4	8164	37 1/4	10952
2 3/8	223	9 3/8	1,516	16 3/8	3,386	23 3/8	5651	30 3/8	8212	37 3/8	11004
2 1/2	239	9 1/2	1,545	16 1/2	3,423	23 1/2	5694	30 1/2	8260	37 1/2	11055
2 5/8	255	9 5/8	1,574	16 5/8	3,461	23 5/8	5737	30 5/8	8308	37 5/8	11107
2 3/4	272	9 3/4	1,604	16 3/4	3,498	23 3/4	5781	30 3/4	8357	37 3/4	11159
2 7/8	289	9 7/8	1,633	16 7/8	3,536	23 7/8	5825	30 7/8	8405	37 7/8	11210
3	306	10	1,663	17	3574	24	5868	31	8453	38	11262
3 1/8	323	10 1/8	1,693	17 1/8	3,612	24 1/8	5912	31 1/8	8501	38 1/8	11314
3 1/4	341	10 1/4	1,723	17 1/4	3,650	24 1/4	5956	31 1/4	8550	38 1/4	11366
3 3/8	359	10 3/8	1,754	17 3/8	3,688	24 3/8	6000	31 3/8	8598	38 3/8	11418
3 1/2	377	10 1/2	1,784	17 1/2	3,726	24 1/2	6044	31 1/2	8647	38 1/2	11470
3 5/8	396	10 5/8	1,815	17 5/8	3,765	24 5/8	6088	31 5/8	8696	38 5/8	11522
3 3/4	415	10 3/4	1,846	17 3/4	3,803	24 3/4	6133	31 3/4	8744	38 3/4	11574
3 7/8	434	10 7/8	1,877	17 7/8	3,842	24 7/8	6177	31 7/8	8793	38 7/8	11626
4	454	11	1,908	18	3,881	25	6222	32	8842	39	11679
4 1/8	473	11 1/8	1,939	18 1/8	3,920	25 1/8	6266	32 1/8	8891	39 1/8	11731
4 1/4	494	11 1/4	1,971	18 1/4	3,959	25 1/4	6311	32 1/4	8940	39 1/4	11783
4 3/8	514	11 3/8	2,002	18 3/8	3,998	25 3/8	6356	32 3/8	8989	39 3/8	11836
4 1/2	534	11 1/2	2,034	18 1/2	4,037	25 1/2	6400	32 1/2	9038	39 1/2	11888
4 5/8	555	11 5/8	2,066	18 5/8	4,076	25 5/8	6445	32 5/8	9087	39 5/8	11941
4 3/4	576	11 3/4	2,098	18 3/4	4,116	25 3/4	6490	32 3/4	9136	39 3/4	11993
4 7/8	598	11 7/8	2,130	18 7/8	4,156	25 7/8	6535	32 7/8	9186	39 7/8	12046
5	620	12	2,163	19	4,195	26	6580	33	9235	40	12098
5 1/8	641	12 1/8	2,195	19 1/8	4,235	26 1/8	6626	33 1/8	9285	40 1/8	12151
5 1/4	664	12 1/4	2,228	19 1/4	4,275	26 1/4	6671	33 1/4	9334	40 1/4	12204
5 3/8	686	12 3/8	2,261	19 3/8	4,315	26 3/8	6716	33 3/8	9384	40 3/8	12257
5 1/2	709	12 1/2	2,294	19 1/2	4,355	26 1/2	6762	33 1/2	9433	40 1/2	12310
5 5/8	731	12 5/8	2,327	19 5/8	4,395	26 5/8	6808	33 5/8	9483	40 5/8	12362
5 3/4	755	12 3/4	2,360	19 3/4	4,436	26 3/4	6853	33 3/4	9533	40 3/4	12415
5 7/8	778	12 7/8	2,394	19 7/8	4,476	26 7/8	6899	33 7/8	9583	40 7/8	12468
6	801	13	2,427	20	4,517	27	6945	34	9633	41	12521
6 1/8	825	13 1/8	2,461	20 1/8	4,557	27 1/8	6991	34 1/8	9683	41 1/8	12575
6 1/4	849	13 1/4	2,495	20 1/4	4,598	27 1/4	7037	34 1/4	9733	41 1/4	12628
6 3/8	873	13 3/8	2,529	20 3/8	4,639	27 3/8	7083	34 3/8	9783	41 3/8	12681
6 1/2	898	13 1/2	2,563	20 1/2	4,680	27 1/2	7129	34 1/2	9833	41 1/2	12734
6 5/8	923	13 5/8	2,597	20 5/8	4,721	27 5/8	7175	34 5/8	9883	41 5/8	12787
6 3/4	947	13 3/4	2,632	20 3/4	4,762	27 3/4	7222	34 3/4	9934	41 3/4	12841
6 7/8	972	13 7/8	2,666	20 7/8	4,804	27 7/8	7268	34 7/8	9984	41 7/8	12894
7	998	14	2,701	21	4,845	28	7314	35	10034	42	12948

**12'-50000 SWT F1 Single-Wall Tank
50090 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	13001	49 1/8	16062	56 1/8	19227	63 1/8	22457	70 1/8	25715	77 1/8	28966
42 1/4	13055	49 1/4	16118	56 1/4	19284	63 1/4	22515	70 1/4	25773	77 1/4	29024
42 3/8	13108	49 3/8	16174	56 3/8	19342	63 3/8	22573	70 3/8	25832	77 3/8	29082
42 1/2	13162	49 1/2	16230	56 1/2	19399	63 1/2	22631	70 1/2	25890	77 1/2	29139
42 5/8	13215	49 5/8	16286	56 5/8	19456	63 5/8	22689	70 5/8	25948	77 5/8	29197
42 3/4	13269	49 3/4	16341	56 3/4	19513	63 3/4	22747	70 3/4	26006	77 3/4	29255
42 7/8	13323	49 7/8	16397	56 7/8	19571	63 7/8	22805	70 7/8	26064	77 7/8	29312
43	13377	50	16453	57	19628	64	22863	71	26123	78	29370
43 1/8	13431	50 1/8	16509	57 1/8	19685	64 1/8	22922	71 1/8	26181	78 1/8	29428
43 1/4	13484	50 1/4	16565	57 1/4	19743	64 1/4	22980	71 1/4	26239	78 1/4	29485
43 3/8	13538	50 3/8	16621	57 3/8	19800	64 3/8	23038	71 3/8	26297	78 3/8	29543
43 1/2	13592	50 1/2	16677	57 1/2	19858	64 1/2	23096	71 1/2	26355	78 1/2	29601
43 5/8	13646	50 5/8	16733	57 5/8	19915	64 5/8	23154	71 5/8	26414	78 5/8	29658
43 3/4	13700	50 3/4	16789	57 3/4	19973	64 3/4	23212	71 3/4	26472	78 3/4	29716
43 7/8	13754	50 7/8	16845	57 7/8	20030	64 7/8	23270	71 7/8	26530	78 7/8	29773
44	13809	51	16902	58	20087	65	23328	72	26588	79	29831
44 1/8	13863	51 1/8	16958	58 1/8	20145	65 1/8	23387	72 1/8	26646	79 1/8	29888
44 1/4	13917	51 1/4	17014	58 1/4	20203	65 1/4	23445	72 1/4	26704	79 1/4	29946
44 3/8	13971	51 3/8	17070	58 3/8	20260	65 3/8	23503	72 3/8	26763	79 3/8	30003
44 1/2	14026	51 1/2	17127	58 1/2	20318	65 1/2	23561	72 1/2	26821	79 1/2	30061
44 5/8	14080	51 5/8	17183	58 5/8	20375	65 5/8	23619	72 5/8	26879	79 5/8	30118
44 3/4	14134	51 3/4	17239	58 3/4	20433	65 3/4	23677	72 3/4	26937	79 3/4	30176
44 7/8	14189	51 7/8	17296	58 7/8	20490	65 7/8	23736	72 7/8	26995	79 7/8	30233
45	14243	52	17352	59	20548	66	23794	73	27053	80	30291
45 1/8	14298	52 1/8	17408	59 1/8	20606	66 1/8	23852	73 1/8	27111	80 1/8	30348
45 1/4	14352	52 1/4	17465	59 1/4	20663	66 1/4	23910	73 1/4	27169	80 1/4	30405
45 3/8	14407	52 3/8	17521	59 3/8	20721	66 3/8	23968	73 3/8	27228	80 3/8	30463
45 1/2	14462	52 1/2	17578	59 1/2	20779	66 1/2	24027	73 1/2	27286	80 1/2	30520
45 5/8	14516	52 5/8	17634	59 5/8	20836	66 5/8	24085	73 5/8	27344	80 5/8	30577
45 3/4	14571	52 3/4	17691	59 3/4	20894	66 3/4	24143	73 3/4	27402	80 3/4	30635
45 7/8	14626	52 7/8	17747	59 7/8	20952	66 7/8	24201	73 7/8	27460	80 7/8	30692
46	14681	53	17804	60	21009	67	24259	74	27518	81	30749
46 1/8	14735	53 1/8	17861	60 1/8	21067	67 1/8	24318	74 1/8	27576	81 1/8	30807
46 1/4	14790	53 1/4	17917	60 1/4	21125	67 1/4	24376	74 1/4	27634	81 1/4	30864
46 3/8	14845	53 3/8	17974	60 3/8	21183	67 3/8	24434	74 3/8	27692	81 3/8	30921
46 1/2	14900	53 1/2	18031	60 1/2	21241	67 1/2	24492	74 1/2	27750	81 1/2	30978
46 5/8	14955	53 5/8	18088	60 5/8	21298	67 5/8	24551	74 5/8	27808	81 5/8	31035
46 3/4	15010	53 3/4	18144	60 3/4	21356	67 3/4	24609	74 3/4	27866	81 3/4	31092
46 7/8	15065	53 7/8	18201	60 7/8	21414	67 7/8	24667	74 7/8	27924	81 7/8	31150
47	15120	54	18258	61	21472	68	24725	75	27982	82	31207
47 1/8	15175	54 1/8	18315	61 1/8	21530	68 1/8	24783	75 1/8	28040	82 1/8	31264
47 1/4	15231	54 1/4	18372	61 1/4	21588	68 1/4	24842	75 1/4	28098	82 1/4	31321
47 3/8	15286	54 3/8	18428	61 3/8	21645	68 3/8	24900	75 3/8	28156	82 3/8	31378
47 1/2	15341	54 1/2	18485	61 1/2	21703	68 1/2	24958	75 1/2	28214	82 1/2	31435
47 5/8	15396	54 5/8	18542	61 5/8	21761	68 5/8	25016	75 5/8	28272	82 5/8	31492
47 3/4	15452	54 3/4	18599	61 3/4	21819	68 3/4	25075	75 3/4	28330	82 3/4	31549
47 7/8	15507	54 7/8	18656	61 7/8	21877	68 7/8	25133	75 7/8	28388	82 7/8	31606
48	15562	55	18713	62	21935	69	25191	76	28446	83	31663
48 1/8	15618	55 1/8	18770	62 1/8	21993	69 1/8	25249	76 1/8	28503	83 1/8	31719
48 1/4	15673	55 1/4	18827	62 1/4	22051	69 1/4	25308	76 1/4	28561	83 1/4	31776
48 3/8	15729	55 3/8	18884	62 3/8	22109	69 3/8	25366	76 3/8	28619	83 3/8	31833
48 1/2	15784	55 1/2	18941	62 1/2	22167	69 1/2	25424	76 1/2	28677	83 1/2	31890
48 5/8	15840	55 5/8	18999	62 5/8	22225	69 5/8	25482	76 5/8	28735	83 5/8	31947
48 3/4	15895	55 3/4	19056	62 3/4	22283	69 3/4	25540	76 3/4	28793	83 3/4	32003
48 7/8	15951	55 7/8	19113	62 7/8	22341	69 7/8	25599	76 7/8	28850	83 7/8	32060
49	16007	56	19170	63	22399	70	25657	77	28908	84	32117

**12'-50000 SWT F1 Single-Wall Tank
50090 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	32174	91 1/8	35301	98 1/8	38,308	105 1/8	41,151	112 1/8	43,780	119 1/8	46132
84 1/4	32230	91 1/4	35356	98 1/4	38,360	105 1/4	41,200	112 1/4	43,825	119 1/4	46171
84 3/8	32287	91 3/8	35410	98 3/8	38,412	105 3/8	41,249	112 3/8	43,869	119 3/8	46210
84 1/2	32343	91 1/2	35465	98 1/2	38,465	105 1/2	41,298	112 1/2	43,914	119 1/2	46249
84 5/8	32400	91 5/8	35520	98 5/8	38,517	105 5/8	41,347	112 5/8	43,958	119 5/8	46288
84 3/4	32457	91 3/4	35575	98 3/4	38,569	105 3/4	41,395	112 3/4	44,003	119 3/4	46326
84 7/8	32513	91 7/8	35629	98 7/8	38,621	105 7/8	41,444	112 7/8	44,047	119 7/8	46365
85	32570	92	35684	99	38,673	106	41,493	113	44091	120	46403
85 1/8	32626	92 1/8	35739	99 1/8	38,725	106 1/8	41,541	113 1/8	44,135	120 1/8	46441
85 1/4	32683	92 1/4	35793	99 1/4	38,777	106 1/4	41,590	113 1/4	44,179	120 1/4	46479
85 3/8	32739	92 3/8	35848	99 3/8	38,829	106 3/8	41,638	113 3/8	44,223	120 3/8	46517
85 1/2	32795	92 1/2	35902	99 1/2	38,881	106 1/2	41,686	113 1/2	44,266	120 1/2	46555
85 5/8	32852	92 5/8	35957	99 5/8	38,932	106 5/8	41,734	113 5/8	44,310	120 5/8	46593
85 3/4	32908	92 3/4	36011	99 3/4	38,984	106 3/4	41,783	113 3/4	44,354	120 3/4	46630
85 7/8	32964	92 7/8	36065	99 7/8	39,036	106 7/8	41,831	113 7/8	44,397	120 7/8	46668
86	33021	93	36120	100	39,087	107	41,879	114	44440	121	46705
86 1/8	33077	93 1/8	36174	100 1/8	39,139	107 1/8	41,927	114 1/8	44,484	121 1/8	46742
86 1/4	33133	93 1/4	36228	100 1/4	39,190	107 1/4	41,974	114 1/4	44,527	121 1/4	46779
86 3/8	33189	93 3/8	36282	100 3/8	39,242	107 3/8	42,022	114 3/8	44,570	121 3/8	46816
86 1/2	33246	93 1/2	36336	100 1/2	39,293	107 1/2	42,070	114 1/2	44,613	121 1/2	46853
86 5/8	33302	93 5/8	36391	100 5/8	39,345	107 5/8	42,118	114 5/8	44,656	121 5/8	46890
86 3/4	33358	93 3/4	36445	100 3/4	39,396	107 3/4	42,165	114 3/4	44,699	121 3/4	46926
86 7/8	33414	93 7/8	36499	100 7/8	39,447	107 7/8	42,213	114 7/8	44,741	121 7/8	46963
87	33470	94	36553	101	39,498	108	42,260	115	44784	122	46999
87 1/8	33526	94 1/8	36607	101 1/8	39,549	108 1/8	42,307	115 1/8	44,826	122 1/8	47035
87 1/4	33582	94 1/4	36660	101 1/4	39,600	108 1/4	42,355	115 1/4	44,869	122 1/4	47071
87 3/8	33638	94 3/8	36714	101 3/8	39,651	108 3/8	42,402	115 3/8	44,911	122 3/8	47107
87 1/2	33694	94 1/2	36768	101 1/2	39,702	108 1/2	42,449	115 1/2	44,953	122 1/2	47143
87 5/8	33750	94 5/8	36822	101 5/8	39,753	108 5/8	42,496	115 5/8	44,995	122 5/8	47179
87 3/4	33805	94 3/4	36876	101 3/4	39,804	108 3/4	42,543	115 3/4	45,037	122 3/4	47214
87 7/8	33861	94 7/8	36929	101 7/8	39,854	108 7/8	42,590	115 7/8	45,079	122 7/8	47250
88	33917	95	36983	102	39,905	109	42,637	116	45,121	123	47285
88 1/8	33973	95 1/8	37036	102 1/8	39,956	109 1/8	42,683	116 1/8	45,163	123 1/8	47320
88 1/4	34029	95 1/4	37090	102 1/4	40,006	109 1/4	42,730	116 1/4	45,205	123 1/4	47355
88 3/8	34084	95 3/8	37143	102 3/8	40,057	109 3/8	42,777	116 3/8	45,246	123 3/8	47390
88 1/2	34140	95 1/2	37197	102 1/2	40,107	109 1/2	42,823	116 1/2	45,287	123 1/2	47425
88 5/8	34196	95 5/8	37250	102 5/8	40,157	109 5/8	42,869	116 5/8	45,329	123 5/8	47459
88 3/4	34251	95 3/4	37304	102 3/4	40,208	109 3/4	42,916	116 3/4	45,370	123 3/4	47494
88 7/8	34307	95 7/8	37357	102 7/8	40,258	109 7/8	42,962	116 7/8	45,411	123 7/8	47528
89	34362	96	37410	103	40,308	110	43,008	117	45452	124	47562
89 1/8	34418	96 1/8	37463	103 1/8	40,358	110 1/8	43,054	117 1/8	45493	124 1/8	47596
89 1/4	34473	96 1/4	37516	103 1/4	40,408	110 1/4	43,100	117 1/4	45534	124 1/4	47630
89 3/8	34529	96 3/8	37570	103 3/8	40,458	110 3/8	43,146	117 3/8	45574	124 3/8	47664
89 1/2	34584	96 1/2	37623	103 1/2	40,508	110 1/2	43,192	117 1/2	45615	124 1/2	47697
89 5/8	34639	96 5/8	37676	103 5/8	40,558	110 5/8	43,238	117 5/8	45655	124 5/8	47731
89 3/4	34695	96 3/4	37729	103 3/4	40,608	110 3/4	43,283	117 3/4	45696	124 3/4	47764
89 7/8	34750	96 7/8	37781	103 7/8	40,658	110 7/8	43,329	117 7/8	45736	124 7/8	47797
90	34805	97	37834	104	40,707	111	43,375	118	45776	125	47830
90 1/8	34860	97 1/8	37887	104 1/8	40,757	111 1/8	43,420	118 1/8	45816	125 1/8	47863
90 1/4	34916	97 1/4	37940	104 1/4	40,806	111 1/4	43,465	118 1/4	45856	125 1/4	47896
90 3/8	34971	97 3/8	37993	104 3/8	40,856	111 3/8	43,511	118 3/8	45896	125 3/8	47928
90 1/2	35026	97 1/2	38045	104 1/2	40,905	111 1/2	43,556	118 1/2	45935	125 1/2	47961
90 5/8	35081	97 5/8	38098	104 5/8	40,955	111 5/8	43,601	118 5/8	45975	125 5/8	47993
90 3/4	35136	97 3/4	38150	104 3/4	41,004	111 3/4	43,646	118 3/4	46014	125 3/4	48025
90 7/8	35191	97 7/8	38203	104 7/8	41,053	111 7/8	43,691	118 7/8	46054	125 7/8	48057
91	35246	98	38255	105	41,102	112	43,735	119	46093	126	48089

12'-50000 SWT F1 Single-Wall Tank

50090 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	48120	133 1/8	49597
126 1/4	48152	133 1/4	49618
126 3/8	48183	133 3/8	49637
126 1/2	48214	133 1/2	49657
126 5/8	48245	133 5/8	49676
126 3/4	48276	133 3/4	49695
126 7/8	48307	133 7/8	49714
127	48337	134	49732
127 1/8	48368	134 1/8	49750
127 1/4	48398	134 1/4	49768
127 3/8	48428	134 3/8	49785
127 1/2	48458	134 1/2	49802
127 5/8	48487	134 5/8	49819
127 3/4	48517	134 3/4	49836
127 7/8	48546	134 7/8	49852
128	48575	135	49867
128 1/8	48604	135 1/8	49883
128 1/4	48633	135 1/4	49898
128 3/8	48661	135 3/8	49913
128 1/2	48690	135 1/2	49927
128 5/8	48718	135 5/8	49941
128 3/4	48746	135 3/4	49954
128 7/8	48774	135 7/8	49967
129	48802	136	49980
129 1/8	48829	136 1/8	49992
129 1/4	48856	136 1/4	50003
129 3/8	48884	136 3/8	50015
129 1/2	48910	136 1/2	50025
129 5/8	48937	136 5/8	50035
129 3/4	48964	136 3/4	50045
129 7/8	48990	136 7/8	50054
130	49016	137	50062
130 1/8	49042	137 1/8	50069
130 1/4	49068	137 1/4	50076
130 3/8	49093	137 3/8	50082
130 1/2	49119	137 1/2	50087
130 5/8	49144	137 5/8	50090
130 3/4	49168		
130 7/8	49193		
131	49218		
131 1/8	49242		
131 1/4	49266		
131 3/8	49290		
131 1/2	49313		
131 5/8	49336		
131 3/4	49360		
131 7/8	49382		
132	49405		
132 1/8	49427		
132 1/4	49450		
132 3/8	49471		
132 1/2	49493		
132 5/8	49514		
132 3/4	49536		
132 7/8	49557		
133	49577		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.

Pub. No. CAL 12-13F1 6/2011