

**6'-3000 DWT6 Double-Wall Tank
3323 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	140	12 1/8	371	18 1/8	658	24 1/8	983
1/4	4	6 1/4	144	12 1/4	377	18 1/4	665	24 1/4	990
3/8	5	6 3/8	148	12 3/8	382	18 3/8	671	24 3/8	997
1/2	6	6 1/2	152	12 1/2	388	18 1/2	678	24 1/2	1004
5/8	8	6 5/8	156	12 5/8	393	18 5/8	684	24 5/8	1011
3/4	9	6 3/4	161	12 3/4	399	18 3/4	691	24 3/4	1018
7/8	11	6 7/8	165	12 7/8	405	18 7/8	697	24 7/8	1025
1	13	7	169	13	410	19	704	25	1032
1 1/8	15	7 1/8	174	13 1/8	416	19 1/8	710	25 1/8	1039
1 1/4	17	7 1/4	178	13 1/4	421	19 1/4	717	25 1/4	1046
1 3/8	19	7 3/8	182	13 3/8	427	19 3/8	723	25 3/8	1053
1 1/2	21	7 1/2	187	13 1/2	433	19 1/2	730	25 1/2	1061
1 5/8	23	7 5/8	191	13 5/8	439	19 5/8	737	25 5/8	1068
1 3/4	25	7 3/4	196	13 3/4	444	19 3/4	743	25 3/4	1075
1 7/8	28	7 7/8	200	13 7/8	450	19 7/8	750	25 7/8	1082
2	30	8	205	14	456	20	756	26	1089
2 1/8	33	8 1/8	209	14 1/8	462	20 1/8	763	26 1/8	1096
2 1/4	35	8 1/4	214	14 1/4	468	20 1/4	770	26 1/4	1104
2 3/8	38	8 3/8	219	14 3/8	474	20 3/8	776	26 3/8	1111
2 1/2	41	8 1/2	223	14 1/2	479	20 1/2	783	26 1/2	1118
2 5/8	43	8 5/8	228	14 5/8	485	20 5/8	790	26 5/8	1125
2 3/4	46	8 3/4	233	14 3/4	491	20 3/4	797	26 3/4	1132
2 7/8	49	8 7/8	237	14 7/8	497	20 7/8	803	26 7/8	1140
3	52	9	242	15	503	21	810	27	1147
3 1/8	55	9 1/8	247	15 1/8	509	21 1/8	817	27 1/8	1154
3 1/4	58	9 1/4	252	15 1/4	515	21 1/4	824	27 1/4	1161
3 3/8	61	9 3/8	257	15 3/8	521	21 3/8	830	27 3/8	1169
3 1/2	64	9 1/2	262	15 1/2	527	21 1/2	837	27 1/2	1176
3 5/8	67	9 5/8	267	15 5/8	533	21 5/8	844	27 5/8	1183
3 3/4	70	9 3/4	272	15 3/4	539	21 3/4	851	27 3/4	1190
3 7/8	74	9 7/8	277	15 7/8	545	21 7/8	858	27 7/8	1198
4	77	10	282	16	552	22	864	28	1205
4 1/8	80	10 1/8	287	16 1/8	558	22 1/8	871	28 1/8	1212
4 1/4	84	10 1/4	292	16 1/4	564	22 1/4	878	28 1/4	1220
4 3/8	87	10 3/8	297	16 3/8	570	22 3/8	885	28 3/8	1227
4 1/2	91	10 1/2	302	16 1/2	576	22 1/2	892	28 1/2	1234
4 5/8	94	10 5/8	307	16 5/8	582	22 5/8	899	28 5/8	1242
4 3/4	98	10 3/4	312	16 3/4	589	22 3/4	906	28 3/4	1249
4 7/8	101	10 7/8	318	16 7/8	595	22 7/8	913	28 7/8	1256
5	105	11	323	17	601	23	920	29	1264
5 1/8	109	11 1/8	328	17 1/8	608	23 1/8	927	29 1/8	1271
5 1/4	113	11 1/4	333	17 1/4	614	23 1/4	934	29 1/4	1278
5 3/8	116	11 3/8	339	17 3/8	620	23 3/8	941	29 3/8	1286
5 1/2	120	11 1/2	344	17 1/2	626	23 1/2	948	29 1/2	1293
5 5/8	124	11 5/8	350	17 5/8	633	23 5/8	955	29 5/8	1300
5 3/4	128	11 3/4	355	17 3/4	639	23 3/4	962	29 3/4	1308
5 7/8	132	11 7/8	360	17 7/8	646	23 7/8	969	29 7/8	1315
6	136	12	366	18	652	24	976	30	1322

**6'-3000 DWT6 Double-Wall Tank
3323 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1330	36 1/8	1688	42 1/8	2045	48 1/8	2390	54 1/8	2710
30 1/4	1337	36 1/4	1695	42 1/4	2052	48 1/4	2397	54 1/4	2716
30 3/8	1345	36 3/8	1703	42 3/8	2060	48 3/8	2404	54 3/8	2722
30 1/2	1352	36 1/2	1710	42 1/2	2067	48 1/2	2411	54 1/2	2728
30 5/8	1359	36 5/8	1718	42 5/8	2074	48 5/8	2418	54 5/8	2735
30 3/4	1367	36 3/4	1725	42 3/4	2082	48 3/4	2425	54 3/4	2741
30 7/8	1374	36 7/8	1733	42 7/8	2089	48 7/8	2431	54 7/8	2747
31	1382	37	1740	43	2096	49	2438	55	2753
31 1/8	1389	37 1/8	1748	43 1/8	2104	49 1/8	2445	55 1/8	2759
31 1/4	1397	37 1/4	1755	43 1/4	2111	49 1/4	2452	55 1/4	2766
31 3/8	1404	37 3/8	1763	43 3/8	2118	49 3/8	2459	55 3/8	2772
31 1/2	1411	37 1/2	1770	43 1/2	2126	49 1/2	2466	55 1/2	2778
31 5/8	1419	37 5/8	1778	43 5/8	2133	49 5/8	2473	55 5/8	2784
31 3/4	1426	37 3/4	1785	43 3/4	2140	49 3/4	2479	55 3/4	2790
31 7/8	1434	37 7/8	1793	43 7/8	2147	49 7/8	2486	55 7/8	2796
32	1441	38	1800	44	2155	50	2493	56	2802
32 1/8	1449	38 1/8	1808	44 1/8	2162	50 1/8	2500	56 1/8	2808
32 1/4	1456	38 1/4	1815	44 1/4	2169	50 1/4	2507	56 1/4	2814
32 3/8	1464	38 3/8	1823	44 3/8	2176	50 3/8	2513	56 3/8	2820
32 1/2	1471	38 1/2	1830	44 1/2	2184	50 1/2	2520	56 1/2	2826
32 5/8	1478	38 5/8	1838	44 5/8	2191	50 5/8	2527	56 5/8	2832
32 3/4	1486	38 3/4	1845	44 3/4	2198	50 3/4	2534	56 3/4	2838
32 7/8	1493	38 7/8	1852	44 7/8	2205	50 7/8	2540	56 7/8	2844
33	1501	39	1860	45	2213	51	2547	57	2850
33 1/8	1508	39 1/8	1867	45 1/8	2220	51 1/8	2554	57 1/8	2856
33 1/4	1516	39 1/4	1875	45 1/4	2227	51 1/4	2560	57 1/4	2862
33 3/8	1523	39 3/8	1882	45 3/8	2234	51 3/8	2567	57 3/8	2867
33 1/2	1531	39 1/2	1890	45 1/2	2241	51 1/2	2574	57 1/2	2873
33 5/8	1538	39 5/8	1897	45 5/8	2248	51 5/8	2580	57 5/8	2879
33 3/4	1546	39 3/4	1905	45 3/4	2256	51 3/4	2587	57 3/4	2885
33 7/8	1553	39 7/8	1912	45 7/8	2263	51 7/8	2593	57 7/8	2890
34	1561	40	1919	46	2270	52	2600	58	2896
34 1/8	1568	40 1/8	1927	46 1/8	2277	52 1/8	2607	58 1/8	2902
34 1/4	1576	40 1/4	1934	46 1/4	2284	52 1/4	2613	58 1/4	2908
34 3/8	1583	40 3/8	1942	46 3/8	2291	52 3/8	2620	58 3/8	2913
34 1/2	1591	40 1/2	1949	46 1/2	2298	52 1/2	2626	58 1/2	2919
34 5/8	1598	40 5/8	1957	46 5/8	2305	52 5/8	2633	58 5/8	2924
34 3/4	1606	40 3/4	1964	46 3/4	2313	52 3/4	2639	58 3/4	2930
34 7/8	1613	40 7/8	1971	46 7/8	2320	52 7/8	2646	58 7/8	2936
35	1621	41	1979	47	2327	53	2652	59	2941
35 1/8	1628	41 1/8	1986	47 1/8	2334	53 1/8	2659	59 1/8	2947
35 1/4	1635	41 1/4	1994	47 1/4	2341	53 1/4	2665	59 1/4	2952
35 3/8	1643	41 3/8	2001	47 3/8	2348	53 3/8	2671	59 3/8	2958
35 1/2	1650	41 1/2	2008	47 1/2	2355	53 1/2	2678	59 1/2	2963
35 5/8	1658	41 5/8	2016	47 5/8	2362	53 5/8	2684	59 5/8	2968
35 3/4	1665	41 3/4	2023	47 3/4	2369	53 3/4	2691	59 3/4	2974
35 7/8	1673	41 7/8	2030	47 7/8	2376	53 7/8	2697	59 7/8	2979
36	1680	42	2038	48	2383	54	2703	60	2985

6'-3000 DWT6 Double-Wall Tank 3323 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	2990	66 1/8	3211
60 1/4	2995	66 1/4	3215
60 3/8	3000	66 3/8	3218
60 1/2	3006	66 1/2	3222
60 5/8	3011	66 5/8	3226
60 3/4	3016	66 3/4	3229
60 7/8	3021	66 7/8	3233
61	3026	67	3236
61 1/8	3032	67 1/8	3240
61 1/4	3037	67 1/4	3243
61 3/8	3042	67 3/8	3246
61 1/2	3047	67 1/2	3250
61 5/8	3052	67 5/8	3253
61 3/4	3057	67 3/4	3256
61 7/8	3062	67 7/8	3259
62	3067	68	3263
62 1/8	3071	68 1/8	3266
62 1/4	3076	68 1/4	3269
62 3/8	3081	68 3/8	3272
62 1/2	3086	68 1/2	3274
62 5/8	3091	68 5/8	3277
62 3/4	3095	68 3/4	3280
62 7/8	3100	68 7/8	3283
63	3105	69	3286
63 1/8	3109	69 1/8	3288
63 1/4	3114	69 1/4	3291
63 3/8	3119	69 3/8	3293
63 1/2	3123	69 1/2	3296
63 5/8	3128	69 5/8	3298
63 3/4	3132	69 3/4	3300
63 7/8	3137	69 7/8	3302
64	3141	70	3305
64 1/8	3146	70 1/8	3307
64 1/4	3150	70 1/4	3309
64 3/8	3154	70 3/8	3310
64 1/2	3158	70 1/2	3312
64 5/8	3163	70 5/8	3314
64 3/4	3167	70 3/4	3316
64 7/8	3171	70 7/8	3317
65	3175	71	3319
65 1/8	3179	71 1/8	3320
65 1/4	3183	71 1/4	3321
65 3/8	3187	71 3/8	3322
65 1/2	3191	71 1/2	3323
65 5/8	3195	71 5/8	3323
65 3/4	3199		
65 7/8	3203		
66	3207		



CONTAINMENT
S O L U T I O N S[®]

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.